

WRS COMPLETION REPORT

COMPLETIONS SEC 26 TWP 13S RGE 35E
PI# 30-T-0009 03/06/92 30-025-28535-0101 PAGE 1

NMEX LEA * 660FSL 1980FWL SEC SE SW
STATE COUNTY FOOTAGE SPOT
YATES HARVEY E D R D
OPERATOR WELL CLASS INIT FIN
3 DUNCAN UNIT
WELL NO. LEASE NAME
4021GR
OPER ELEV

AUSTIN NW
FIELD POOL AREA
API 30-025-28535-0101
LEASE NO. PERMIT OR WELL I.D. NO.
07/26/1988 03/02/1992 ROTARY HORZ TAW
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
13514 MSSP NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 13600 OTD 13600 FM/TD MSSP
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

4 MI NW MCDONALD, NM

PROPOSED BOTTOM HOLE LOCATION

PBHL: NO DETAILS

ACTUAL BOTTOM HOLE LOCATION

ABHL-NO DETAILS

WHIPSTOCK DEPTH

WSD 13075 CUT WINDOW, KO IN STH @ 13088

REMEDIAL SIDETRACK HOLE DATA

RSTH # 1 DTD 13520
ORIGINAL HOLE TD 13600

CASING/LINER DATA

PERF 12300-12300 W/ 4/FT SQZD W/1000 SX
PERF CMT RET @ 12216

CORES

CORE 1 13446-13459 REC 13.00FT MSSP CONV D
NO DESCRIPTION AVAILABLE

CONTINUED IC# 300257017190

COPYRIGHT 1992



Petroleum Information
Corporation

PI-WRS-GRT
Form No 187

COMPLETIONS SEC 26 TWP 13S RGE 35E
PI# 30-T-0009 03/06/92 30-025-28535-0101 PAGE 2

YATES HARVEY E
3 DUNCAN UNIT

D R D

CORES

CORE 2 13459-13484 REC 25.00FT MSSP CONV D
NO DESCRIPTION AVAILABLE

CORE 3 13484-13490 REC 6.00FT MSSP CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

MSSP OPENHOLE 13435-13600
OPEN 13435-13600
RBP @13000 13435-13600

BOUGH PERF W/ 2/IT 10296-10296
PERF 10296-10296
ACID 10296-10296 1500GALS
20% NEFE
SQZD W/ 200S 10296-10296
SQZD & DOC TO 13000

BOUGH PERF W/ 2/FT 10283-10292 GROSS
PERF 10283-10284 10286-10292
ACID 10283-10292 250GALS
15% SRA
ACID 10283-10292 2500GALS
20% NEFE (RE-ACIDIZE)
SQZD 10283-10292
SQZD & DOC TO 13087

MSSP OPENHOLE 13075-13520
OPEN 13075-13520
ACID 13075-13520

NO DETAILS
OPER ORIG PLANNED TO SDTK & DIRECT DRILL TO ABOUT
13514 FT, THEN AFTER EVAL, HORIZONTAL DRILL ABOUT
1000 FT. OPER ACT DRLD IN SDTK HOLE TO 13520, BUT
HAS NOT YET DECIDED TO DRILL HORIZONTALLY. BHL IN
SDTK HOLE NOT YET AVAILABLE.

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 9800-12300 CCL 9800-12300 GR 9800-12300 CBL

CONTINUED

COMPLETIONS SEC 26 TWP 13S RGE 35E
PI# 30-T-0009 03/06/92 30-025-28535-0101 PAGE 3

YATES HARVEY E D R D
3 DUNCAN UNIT

DRILLING PROGRESS DETAILS

YATES HARVEY E
BOX 1933
ROSWELL, NM 88202
505-623-6601

OWWO: OLD INFO: FORMERLY YATES HARVEY E 3 DUNCAN
UNIT. ELEV 4021 GR, 4039 KB. SPUD 12/20/83. 13
3/8 @ 360 W/375 SX, 8 5/8 @ 4520 W/5200 SX, 5
1/2 @ 13435 W/900 SX. LOG TOPS: ATOKA LS 13058,
BARNETT SH 13370, MISSISSIPPIAN 13434. OTD 13600
COMP 3/20/84. IPCAOF 3265 MCFGPD. PROD ZONE:
MISSISSIPPIAN 13435-13600. (OPENHOLE).

05/04 LOC/1990/
05/25 13600 TD, PB 13000, DOC
06/11 13600 TD, MLG @ 13087
06/26 13600 TD, FSG
07/09 13600 TD, DRLG 13340 IN STH #1
07/19 13600 TD, STTD 13520, LDDP
07/26 13600 TD, STTD 13520, TSTG, OH
07/26 CUT WINDOW @ 13075 & KO INTO STH @ 13088
08/08 13600 TD, STTD 13520, SWBG OH
09/27 13600 TD, STTD 13520, TSTG OH
03/12 13600 TD, STTD 13520, PREP ACID OH
03/22 13600 TD, STTD 13520, TSTG
04/05 13600 TD, STTD 13520, SI
03/03 13600 TD, STTD 13520
COMP 3/2/92, TEMP ABND
THREE CORES, NO DSTS RPTD