ling contr	ersigned hereby actor who dril	led the above d	lescribed well	thorized repres l and that he h	entative of t as conducted
Degrees	@ Depth	Degrees	@ Depth	Degree	s @ Depth
0.50	495_	1.00	6766_	2.25	9133_
0.50	525	0.75	7447	2.25	9208_
0.50	1025	1.50	7740	2.00	9392
0.50	1600	3.75	8289	1.75	9518
0.50	2017	3.25	8340_	1.75	9640
1.00	2436	2.50	8445_	1.25	9934_
0.50	2965	2.00	8525	1.25	10060
0.75	3490	0.75	8620		
0.75	3715	3.50	8686		
1.00	4160	3.75	8777_		
1.00	4166	4.50	8839		
0.75	4700	3.50	8902		
1.00	5218	3.50	8977		
0.75	5723	3.00	9012		
1.75	6270	3.00	9074		
Subscrib	ed and sworn to		Contractor  By  a day	4-1	otter Drig. Engr. , 1984

VERGY AND MINERALS	DEPARTMENT	
00, 07 COPIED RECEIVE	C CONCEDUATION DIVISION	
DISTRIBUTION	P. O. BOX 2088	Form C-103
SANTA FE	SANTA FE, NEW MEXICO 87501	<b>Revised 10-1-7</b> 3
FILE	SANTA I E, NEW MEXICO 87501	Control Towns ( )
U.S.O.S.	<del></del>	5a. Indicate Type of Lease
LAND OFFICE		State X Fee
OPERATOR		5, State Oil & Gas Lease No.
	30-025-28811	B-9505
(DO NOT USE THIS	SUNDRY NOTICES AND REPORTS ON WELLS FORM FOR PROPOSALS TO DAILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. SE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	
20. X \$4	AB OTHER-	7. Unit Agreement Name
lamb of Operator		8. Farm or Lease Name
. •	71/0	New Mexico A T' State
TEXACO	INC.	9. Well No.
	700 7711 77 Want - 900kg	13
	Box 728, Hobbs, New Mexico 88240	10. Field and Pool or Wildcat
ocation of Well	1980 FEET FROM THE North LINE AND 660 FEE	Saunders Permo Upper Penn
THE West	LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E	. имем. (()) () () () () () () () () () () () (
mmm	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
	4212' (GR)	Lea
MPORM REMEDIAL WORK MPORARILY ABANDON LL OR ALTER CABING OTHER	PLUG AND ABANDON REMEDIAL WORK  COMMENCE DRILLING OPNS.  CHANGE PLANS  CASING TEST AND CEMENT JQB  OTHER Perforate 4	PLUG AND ABANDONMENT
Describe Proposed or work) SEE RULE 110:		cluding estimated date of starting any proposed
	TOTAL DEPTH 10,100' PLUG BACK TOTAL DEPTH 10,095' 13 3/8" OD 48# H-40 CSG SET @ 525 8 5/8" OD 32# J-55 CSG SET @ 4166	; <b>1</b> ; <b>1</b>
	5 1/2 " OD 17# S-95 & J-55 CASING SET @	10,100'
1.	PERFORATE 5 1/2" CASING W/2-JSPF FROM 9790-9823-9828, 9842-9846, 9846-9854, 9862-9914-9919, & 9970-9979.	-9795, 9800-9802, 9865, 9884-9909,
2.	SET RBP @ 10,040' AND PKR @ 9878'. ACID 9884'-9979' W/4000 GALS 15% NEFE ACID AND 7	IZE PERFORATIONS 6 BALL SEALERS.
3.	RESET RBP @ 9878' AND PKR @ 9728'. ACID 9790'-9865' W/4000 GALS 15% NEFE ACID AND 8	IZE PERFORATIONS 8 BALL SEALERS.
4.	INSTALL PUMPING EQUIPMENT. ON 24 HR POTE 9-16-84, WELL PUMPED 252 BO & 90 BW.	NTIAL TEST ENDING

Anat Bigt Man

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Asst.Dist.Mgr.

DATE <u>9-18-84</u>

ORICINAL SIGNAL SY ICUSY MUTON DISTRICT I SUSSEMUSOR

TITLE \_\_\_\_\_

SEP 2 1 1984

	OU CONSERVATION TO	
we. of contentative	- I TO	
DISTRIBUTION	P. O. BOX 2088	Form C-103
SANTA FE	SANTA FE, NEW MEXICO 87501	Revised 10-1-78
FILE		5a. Indicate Type of Lease
U.S.O.E.	<del></del>	
LAND OFFICE		
PERATOR		5, State Oil & Gas Lease No.
	30-025-28811	B-9505
4 EINT 3EU YON OO) EU	SUNDRY NOTICES AND REPORTS ON WELLS FORM FOR PROPOSALS TO DRILL OR TO OCCIPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. IE "APPLICATION FOR PERMIT -" IFORM C-1011 FOR SUCH PROPOSALS.	
OIL X GAI	OTHER-	7. Unit Agreement Name
Name of Operator		8. Farm or Lease Name
TEXACO	TNC	Now Marriage & Mil Ghat
Address of Operator	1110,	New Mexico AT' State
•	. mo0 ** 11 ** ** 0001.5	
	ox 728, Hobbs, New Mexico 88240	13
Location of Well  UNIT LETTERE	1980 FEET FROM THE North LINE AND 660 FEET FROM	10. Field and Pool, or Wildcat Saunders Permo Upper Penn
	LINE, SECTION 15 TOWNSHIP 14-S RANGE 33-E NMPM	
	15. Elevation (Show whether DF, RT, GR, etc.) 4212' (GR)	12. County Lea
		1
	Check Appropriate Box To Indicate Nature of Notice, Report or Ot	
NOT	ICE OF INTENTION TO: SUBSEQUEN	T REPORT OF:
_		
RFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
MPORARILY ABANDON	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
ILL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	AFOR AND ABANDONMENT
ОТНЕЯ	OTHER	
. Describe Proposed or C	completed Operations (Clearly state all pertinent details, and give pertinent dates, including	artimated data of scaming
work) SEE RULE 1103.	end give pertinent dates, including	s extinuited date of starting any proposed
	•	
	TOTAL DEPTH 10,100'	
	13 3/8" OD 48# H-40 CSG SET @ 525'	
	8 5/8" OD 32# J-55 CSG SET @ 4166'	
	-, - 01 01% 0 00 CDG DET 6 4100.	
1.	RAN 10,085' 5 1/2" OD 17# S-95 & J-55 CAS	SING AND SET @
2.	10,100 .	
2.	CEMENT 1ST STAGE W/750 SX LITE CEMENT CO CELLOSEAL PER SX FOLLOWED W/250 SX 50/50 P CEMENT CONTAINING 1/4# CELLOSEAL AND 8 CFI DE	ONTY/CIACC U

4.	TH EVCEDO OF.	18 HRS.	JOB COMPLETE5:30	
4.	A. M., 9-3-84	4. TESTED	TO 1500# FOR 30 M OK. JOB COMPLETE	INUTES, 10:30-11:00 11:00 AM. 9-3-84
estifu that th	e information above is true a	and complete to the b	pest of my knowledge and belief.	
citing that the				
	1 //			
SA	last -	TITLE _	Asst.Dist.Mgr.	DATE 9-5-84
Sul	AL SIGHED BY JERRY SE		Asst.Dist.Mgr.	DATE 9-5-84

NI	ERGY AND MINERALS DEPARTM	IENT
		7 01 00
	DISTRIBUTION	7
	BANTA FE	SANT
	FILE	
	U.S.G.S.	]
	LAND OFFICE	

		01	CONSERVA	ATION DIV	/ISION				
DISTRIBUTION		}	¹P. O. BO	X 2088				Form C-	
BANTA FE		) :	SANTA FE, NEV	V MEXICO 8	7501			Revised	d 10-1-78
FILE			,,			[	a. Indicate Typ	e of Lease	
U.S.G.S.						٦	State X		_
LAND OFFICE						_			Fee
OPERATOR		}			0.0	15	, State Otl & G	as Lease No	١٠
				30-025-2	8811		B-9505		
(DO NOT USE THIS FO	RM FOR PRO	Y NOTICES	AND REPORTS ON	BACK TO A DIFFER	ENT RESERVOIR.				
			(tour Calotty on 30	Ch Phorosacs.7		7	. Unit Agreeme	nt Name	<u> </u>
WELL X WELL		OTHER-			•				ĺ
lamb of Operator			<del> </del>	<del></del>	· · · · · · · · · · · · · · · · · · ·	E	. Farm or Lease	e Name	<del></del>
· · · · · · · · · · · · · · · · · · ·						[ ]			C1 1
TEXACO I	NC.			<del></del>			New Mexi	CO H T	State
Address of Operator						9	. Well No.		
P. O. Bo	x 728,	Hobbs, New	<u> Mexico 88240</u>	o			13		
ocation of Well			PROM THE North		660	ET FROM	0. Field and Po Saunders Upper Pe	: Permo	at
				· · · · · · · · · · · · · · · · · · ·			MIIII	TITTI.	11112
THE West	INE, SECTIO	15	TOWNSHIP	S RANGE	33-E	_ NMPM.			
mmmm	77777	15. E	levation (Show whether	DF, RT, GR, etc	:.)	1	2. County	7////	444
			42	212' (GR)			Lea		IIII.,
	777777	777774	Box To Indicate 1						77777
MPORM REMEDIAL WORK  MPORARILY ABAHDON  LL OR ALTER CABING  OTHER	]		PLUG AND ABANDON	OTHER	LLING OPNS.		PLUG J	IING CASING And Abandona	
Describe Proposed or Co work) see Rule 1603.	mpreced Op		·	DEPTH 416	6'		·	starting uny	proposed
1. 2. 3.	CEMEN CELLO 1/4# 8:30 TESTE	NTED W/20 SEAL PER CELLOSE PM, 8-9- ED 8 5/8	JTS) 8 5/8" 000 SX LW C SACK FOLLOW AL PER SACK 84. WOC IN " OD CASING . TESTED OK	EMENT CON ED W/200 . CEMENT EXCESS OF TO 1500#	NTAINING SX CLASS CIRCULA' 18 HRS. FOR 30	15# S H CEMI TED. MINUTI	SALT AND ENT CONTA: JOB COME	1/4# IN ING PL ETE	
			•		· .				

hereby certify that the information above is true and complete to the best of my knowledge and belief.		<i>;</i> •			
· CD	Stateleff-	Asst.Dist.Mgr.	DATE 9-4-84		
*OVED BY	ORIGINAL SIGNED BY JERRY SEKTON	TITLE	SEP ( 1900.		

## STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

HO. OF COPIES SCCEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
DPFSATOS	$\neg$	

NO. OF COPIES RECEIVES	CIL CONSERVATION DIV	ISION
DISTRIBUTION	P. O. BOX 2088	Form C-103
SANTA FE	SANTA FE, NEW MEXICO 8	Revised 10-1-7
FILE		5a. Indicate Type of Lease
U.S.G.S.		
LAND OFFICE		
OPERATOR	in .	5, State Oil & Gas Lease No.
	30-025-28	B-9505
SUNDR	Y NOTICES AND REPORTS ON WELLS  POSALS TO BRILL OR TO OCCEPEN OR PLUG BACK TO A DIFFERE TON FOR PERMIT —" (FORM C-101) FOR SUCH PROPOSALS.)	HT RESERVOIR.
1.		7. Unit Agreement Name
OIL X GAB WELL	OTHER-	
2. Name of Operator	OTHER-	8. Farm or Lease Name
		Nov. Movino M. W. State
TEXACO INC.		New Mexico AT' State 9. Well No.
3. Address of Operator	•	
P. O. Box 728,	Hobbs, New Mexico 88240	13
4. Location of Well	980 FEET FROM THE North LINE AND	660 FEET FROM Upper Penn
UNIT LETTERE	FEET FROM THE LINE AND	
THE West LINE, SECTI	ON 15 TOWNSHIP 14-S RANGE	33-E NMPM.
mmmmm	15. Elevation (Show whether DF, RT, GR, etc.	.) 12. County
	4212' (GR)	Lea
	45TS (QV)	
	Appropriate Box To Indicate Nature of Notint Notint Notint Notion To:    Plug and Abandon   Remedial Work	SUBSEQUENT REPORT OF:
TEMPORARILY ABANDON	COMMENCE DRIL	LING OPNS. X PLUG AND ABANDONMENT
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AN	D CEMENT JOB X
	OTHER	
OTHER		
12 Describe Proposed or Completed O	perations (Clearly state all pertinent details, and give per	tinent dates, including estimated date of starting any proposed
wprk) 5EE RULE 1103.	SPUD 17½" HOLE, 1:00 PM, 7- TOTAL DEPTH 525	<b>-26-</b> 84
2. Cemented W/600 s complete 7:30 PM 3. Tested 13 3/8" (	3.) 13 3/8" OD 48# H-40 Csg & Set @ 9 cx. Class 'H' Cement containing 2% Cs 1, 7-26-84. WOC in excess of 18 hrs 18 to 1000# for 30 minutes, 7:00-7 complete 7:30 AM, 7-28-84.	aCl. Cement Circulated. Job
	•	
		•
•		
•		•
	above is true and complete to the best of my knowledge	and belief.
18. I hereby certify that the information	sanove is time and combiete to the past of my showledge.	

18. I here	by certify that t	he information above is true and complet	te to the b	est of my knowledge and belief.		
BIGHED		Winds	TITLE _	Asst.Dist.Mgr.	DATE	7-31-84
		L SIGNED BY JERRY SEXTON	TITLE		DATE	AUG - 6 1984
APPROVED	• vDI	STRICT I SUPERVISOR	111122		•	

CONDITIONS OF APPROVAL, IF ANY: