

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
LG 3818	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation		8. Farm or Lease Name Pyro ABK State
3. Address of Operator 105 South 4th St., Artesia, NM 88210		9. Well No. 1
4. Location of Well UNIT LETTER <u>B</u> <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>33</u> TOWNSHIP <u>13S</u> RANGE <u>33E</u> NMPM.		10. Field and Pool, or Wildcat Lazy J Penn
15. Elevation (Show whether DF, RT, GR, etc.) 4243.5' GR		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <u>Perforate &amp; Treat existing zone</u> <input checked="" type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

WIH and perforated 9672-47' w/10 .34" holes as follows: 9672, 73, 74, 74 and 79' (5 shots); 9743, 44, 45, 46 and 47' (5 shots). Acidized perfs w/5000 gals 15% NEFE acid plus 41 ball sealers. Re-acidized perfs 9672-79' (5 shots); 9743-47' (5 shots) and 9783-88' (old perfs) w/35000 gals 20% Retarded acid and 15000 gals gelled KCL, plus 200# block in 3 stages. Ran 5000 gal acid and 1 stage block. Re-perforated 9783-88' (10 shots) w/.34" holes. Ran tubing anchor and rods, Hung well back on pump. Work completed 7-24-86.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Production Supervisor DATE 7-25-86

ORIGINAL SIGNED BY JERRY SEXTON  
APPROVED BY DISTRICT I SUPERVISOR TITLE \_\_\_\_\_ DATE JUL 28 1986

CONDITIONS OF APPROVAL, IF ANY: