

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. /
30-025-30648

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
LG 2265

7. Lease Name or Unit Agreement Name

Superior WA State

8. Well No.
5

9. Pool name or Wildcat
Saunders Permo Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator

YATES PETROLEUM CORPORATION

3. Address of Operator

105 South 4th St., Artesia, NM 88210

4. Well Location

Unit Letter C : 660 Feet From The North Line and 1980 Feet From The West Line

Section 11 Township 14S Range 33E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

4195' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

REMEDIAL WORK ☐ ALTERING CASING ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

OTHER: Acidize & Treat ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

8-27-92. Perforated Bough "F" as follows: 10064, 65, 75, 76, 79, 80, 83, 84, 87, 91, 92, 10101, 02, 03 and 10108' (15 holes-1 SPF). Acidized perfs 10064-10108' w/3700g. 15% NEFE acid. Swabbed well. No oil or gas. Set cement retainer at 10050'. Establish injection rate. Pressure to 1000 psi. Squeeze perfs 10064-10108' to 5000 psi with 25 sx "H" w/additives and 75 sx "H" Neat. Perforated Bough C and Bough D w/15 - .50" holes as follows: 9911, 12, 13, 14, 15, 16, 19, 20, 37, 38, 39, 43, 44, 49 and 9950' (1 SPF). Acidized perfs 9911-50' w/4800g. 15% NEFE acid. Swabbed/tested well. Moved RBP to 9865', test to 2500 psi. Spot 200g. 15% acid across Bough A and Bough B. Perforated 9797-9845' w/15 - .50" holes as follows: 9797, 98, 99, 9800, 01, 02, 03, 24, 25, 38, 39, 42, 43, 44 and 9845'. Acidized perfs 9797-9845' w/3700g. 15% NEFE acid. Swabbed Bough A, B, C, and D. Put well on pump.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 9-30-92
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

OCT 07 1992

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

OCT 06 1992

CCD MOBBE 20