ST 2 OF NEW MEXICO

Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

Submit 3 Copies to Appropriate District Office

OIL CONSERVATION DIVISION

DISTRICT I			2040 Pache	co St.			\	WELL API N			ļ.	
P.O. Box 1980, Hobbs, NM 88240 Santa Fe, NM 87505										025-34239		
							ا	o. Indicate Ty				
DISTRICT II							,	STATE		FEE		
P.O. Drawer DD, Artesia, I	VIM 888210						16	5. State Oil 8	Gas Le	22179		
DIOTRIOT III							b			22118 //////////////////////////////////		
DISTRICT III 1000 Rio Brazos Rd Azte	c. NM 87410											
1000 Rio Brazos Rd., Aztec, NM 87410 SUNDRY NOTICES AND REPORTS ON WELLS								7. Lease Name or Unit Agreement Name				
			TO DRILL OR T			CKTOA				-		
			"APPLICATION F									
	(FC	RM C-101) FOR	SUCH PROPOSA	ALS.)				NEW I	NEXIC	O STATE "	C"	
Type of Well:			040									
OIL WELL xx			GAS WELL		OTHER	?						
Name of Operator			***************************************	<u> </u>		·	- 1	3. Well No.				
2. Name of operator		PALADIN E	NERGY CO	RP.						3		
Address of Operato	or			64 5 "		000	(9. Pool nam				
		10290 Moni	roe Dr., St. 3	01, Dallas,	IX /5	229			King	Devonian		
4 Well Location												
Unit Letter	Е	: 1550	Feet From The	North	Line and	10		Feet from	The	West	Line	
					_				•		_	
Section	36		Township	138	Range	37E		NMPM		<u>Lea</u>	County	
			Elevation	(Show whether	e <i>r DF,RK.</i> 38 45'		erc)					
			a						YIIII			
			oriate Box to	o indicate i	nature	of Notice					_	
NOT												
NOTE	CE OF IN	TENTION T	O:				S	UBSEQU) F:	
PERFORM REMEDIAL W			O: PLUG AND ABA	NDON		REMEDIAL V		UBSEQU		ALTRG CSG)F:	
	ORK	TENTION 1				REMEDIAL V	WORK					
PERFORM REMEDIAL W	ORK In		PLUG AND ABA				WORK E DRLG	OPNS.		ALTRG CSG		
PERFORM REMEDIAL W	ORK In	TENTION 1	PLUG AND ABA			COMMENCE	WORK E DRLG & CMT	OPNS.		ALTRG CSG P&A	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER	ORK ON G		PLUG AND ABA	s	s, and giv	COMMENCE CSG TST & OTHER	WORK EDRLG &CMT	opns. JOB Perforatior	ns & ac	ALTRG CSG P&A		
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING	ORK ON Or Complete	ed Operations (PLUG AND ABA CHANGE PLAN Clearly state all	s	s, and giv	COMMENCE CSG TST & OTHER	WORK EDRLG &CMT	opns. JOB Perforatior	ns & ac	ALTRG CSG P&A		
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete	ed Operations (ork) SEE RULE	PLUG AND ABA CHANGE PLAN Clearly state all p	s pertinent detail		COMMENCE CSG TST & OTHER e pertinent d	WORK E DRLG & CMT ate, inc	OPNS. JOB Perforation	ns & ac	ALTRG CSG P&A id	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w	ed Operations (oork) SEE RULE	PLUG AND ABA CHANGE PLAN Clearly state all p 1103 ne to perform	s pertinent detail	w. 4" h	COMMENCE CSG TST & OTHER e pertinent do	WORK E DRLG & CMT ate, inc	OPNS. JOB Perforation luding estimation	ns & accated	ALTRG CSG P&A id	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w	ed Operations (oork) SEE RULE	PLUG AND ABA CHANGE PLAN Clearly state all p 1103 ne to perform	s pertinent detail	w. 4" h	COMMENCE CSG TST & OTHER e pertinent do	WORK E DRLG & CMT ate, inc	OPNS. JOB Perforation luding estimation	ns & accated	ALTRG CSG P&A id	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w U Hallibu 1932', 11	ed Operations (ork) SEE RULE urton wirelin	CHANGE PLAN Clearly state all positions in the performance of the perf	ertinent detailerate. TIH value 1974' to 1	w. 4" h 1996',	COMMENCE CSG TST & OTHER e pertinent do Ollow car 4 shots p	work EDRLG CMT ate, inc	OPNS. JOB Perforation luding estimation In. Perforation	ns & accated	ALTRG CSG P&A id 11920 to red good.	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed we U Hallibu 1932', 11	ed Operations (cork) SEE RULE curton wireling 1962' to 11 1/8" X 5 1/2'	CHANGE PLAN CHANGE PLAN Clearly state all p 1103 ne to perfor 968' and 11' ' Arrowset	certinent details rate. TIH village 1974' to 17	w. 4" h 1996', d 377 .	COMMENCE CSG TST & OTHER e pertinent do ollow car 4 shots p Jts 2 7/8"	work EDRLG CMT ate, inc Ty gu per fo	OPNS. JOB Perforation luding estimation In. Perforation Ottog. Se	ated d from nots fiet pace	ALTRG CSG P&A id 11920 to red good. ker	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed with 1932', 11 1H w/2 7/ 0 11792'	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000#	CHANGE PLAN Clearly state all p 1103 ne to perfor 968' and 11' ' Arrowset 1' tension. F	rate. TIH v 1974' to 1 1X, SN an RU swab.	w. 4" h 1996', d 377 d Tagge	commence csg TsT & oTHER e pertinent do ollow car 4 shots p Jts 2 7/8"	work EDRLG CMT ate, inc Ty gu per for N-80	opns. JOB Perforation luding estimation In. Perforation Ot. All shoots tog. So O'. Made	ated d from nots fiet pace	ALTRG CSG P&A id 11920 to red good. ker	X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w 1932', 11 1H w/2 7/ 11792' nding flu	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at 1	Clearly state all page 1103 ne to perform 968' and 11' Arrowset 1' tension. Fig. 10,400'. Reference of the state of the s	rate. TIH v 1974' to 1 1X, SN an RU swab.	w. 4" h 1996', d 377 d Tagge	commence csg TsT & oTHER e pertinent do ollow car 4 shots p Jts 2 7/8" d fluid @ water and	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace	opns. JOB Perforation luding estimation. Performer ot. All shoots Secondly	ns & accated d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs		
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w 1932', 11 1H w/2 7/ 11792' nding flu	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at audid level at	Clearly state all post of the performance of the pe	rate. TIH value 1974' to 171X, SN an RU swab. ecovered 3	w. 4" h 1996', d 377 d Tagge 37 bls v	commence csg TsT & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and	work DRLG CMT ate, inc Ty gu Per for N-80 390 d trace TH w	opns. Job Perforation luding estimation. Performation. All should be considered by the constant of the constan	ated ated ated ated ated ated ated ated	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed w 1932', 11 1H w/2 7/ 11792' nding flu	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at auid level at	Clearly state all page 1103 ne to perform 968' and 11' Arrowset 1' tension. Fig. 10,400'. Reference of the state of the s	rate. TIH value 1974' to 171X, SN an RU swab. ecovered 3	w. 4" h 1996', d 377 d Tagge 37 bls v	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T	work DRLG R CMT ate, inc Ty gu Per for N-80 390 d trace TH w. 5% N	opns. JOB Perforation luding estimation. Perforation ot. All should be of oil. If jts 2 7 EFE acid	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T 6 6 fi T 1	or Complete proposed we 1932', 11 1H w/2 7/ 10 11792' nding flu agged flu 2,000'. F	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at aud level at RU Petro-P	Clearly state all post of the state all post	rate. TIH v 1974' to 1 1X, SN an RU swab. ecovered 3 lec 48 bls ng. Pumpe	w. 4" h 1996', d 377 d Tagge 37 bis v wtr & 1	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work DRLG R CMT ate, inc Ty gu Per for N-80 390 d trace TH w. 5% N	opns. Job Perforation luding estimation. Performation. All should be considered by the constant of the constan	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any	or Complete proposed we 1932', 11 1H w/2 7/ 10 11792' nding flu agged flu 2,000'. F	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at aud level at RU Petro-P	Clearly state all post of the state all post	rate. TIH v 1974' to 1 1X, SN an RU swab. ecovered 3 lec 48 bls ng. Pumpe	w. 4" h 1996', d 377 d Tagge 37 bis v wtr & 1	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work DRLG R CMT ate, inc Ty gu Per for N-80 390 d trace TH w. 5% N	opns. JOB Perforation luding estimation. Perforation ot. All should be of oil. If jts 2 7 EFE acid	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T 6 6 fi T 1	or Complete proposed we 1932', 11 1H w/2 7/ 10 11792' nding flu agged flu 2,000'. F	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at aud level at RU Petro-P	Clearly state all post of the state all post	rate. TIH v 1974' to 1 1X, SN an RU swab. ecovered 3 lec 48 bls ng. Pumpe	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Second S	as & accated d from nots firet pace 8 run /8" tbg d and XT P/	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T C fi T 1	or Complete proposed we 1932', 11 1H w/2 7/ 10 11792' nding flu agged flu 2,000'. F	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at aud level at RU Petro-P	Clearly state all post of the state all post	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Second S	as & accated d from nots firet pace 8 run /8" tbg d and XT P/	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T C fi T 1 I hereby certify that the inf	or Complete proposed we 1932', 11 1H w/2 7/ 10 11792' nding flu agged flu 2,000'. F	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at auid level at RU Petro-P	Clearly state all post of the to perform the top of the tension. For the tension of the tension	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Solon Made Solon of oil. It is 2.7 EFE acid ON NE	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T 1 T 1 T 1 T 1 T SIGNATURE TYPE OR PRINT NAME	or Complete proposed we 1932', 11792' nding flu agged flu 2,000'. Formation above	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at aud level at RU Petro-P	Clearly state all post of the to perform the top of the tension. For the tension of the tension	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Solon Made Solon of oil. It is 2.7 EFE acid ON NE	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat AGE May 11, 1998	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T C fi T 1 I hereby certify that the inf	or Complete proposed we 1932', 11792' nding flu agged flu 2,000'. Formation above	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at auid level at RU Petro-Press true and contact	change PLAN Clearly state all positions in to perform 968' and 12' Arrowset 10,400'. Reform 10,400'. Reform Acidizing the perform of the best property	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Solon Made Solon of oil. It is 2.7 EFE acid ON NE	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat AGE May 11, 1998	X X X X X X X X X X X X X X X X X X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T 1 T 1 T 1 T 1 T 1 T 1 T T T T T	or Complete proposed we 1932', 11792' nding flu agged flu 2,000'. Formation above	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at auid level at RU Petro-Perior true and contact tr	Clearly state all post of the state all post	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Solon Made Solon of oil. It is 2.7 EFE acid ON NE	d from nots firet pace 8 run	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat AGE May 11, 1998	X X	
PERFORM REMEDIAL W TEMPORARILY ABANDO PULL OR ALTER CASING OTHER 12. Describe Proposed date of starting any R 1 T 1 T 1 T 1 T 1 T SIGNATURE TYPE OR PRINT NAME	or Complete proposed well Hallibut 1932', 11792' Inding flu agged flu 2,000'. Formation above	ed Operations (cork) SEE RULE urton wireling 1962' to 11 /8" X 5 1/2' w/10,000# id level at auid level at RU Petro-Press true and contact	CHANGE PLAN CHANGE PLAN Clearly state all positions in to perform 968' and 10' ' Arrowset of tension. For the perform 10,400'. Reform 10,400'. Reform Acidizing Inplete to the best the perform 10,400'. The perform 10,000'. Reform 10,000'.	rate. TIH value of my knowledge	w. 4" h 1996', d 377 d Tagge 37 bls v wtr & 150 e and belie	commence csg TST & oTHER ollow car 4 shots p Jts 2 7/8" d fluid @ water and 1 bl oil. T 0 gals 15 CONTIN	work EDRLG CMT ate, inc Ty gu Der for N-80 390 d trace TH work NUEC	opns. JOB Perforation In. Perform Ont. All shoots Solon Made Solon of oil. It is 2.7 EFE acid ON NE	d from nots firet pace 8 run /8" tbg d and XT P/	ALTRG CSG P&A id 11920 to red good. cker ns in 5 hrs g. EOT @ 31 bls wat AGE May 11, 1998	X X X X X X X X X X X X X X X X X X X	

CONDITIONS OF APPROVAL, IF ANY:



STATE OF NEW MEXICO

Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

Submit 3 Copies to Appropriate District Office

OIL CONSERVATION DIVISION

<u>DISTRICT I</u>			2040 Pache	co St.			WELL API			
P.O. Box 1980, Hobbs, I	NM 88240		Santa Fe, NM	87505					025-34239)
							5. Indicate	Type of L	_ease	
DISTRICT II								TE XX	FE	E
P.O. Drawer DD, Artesia	a, NM 888210						6. State Oi	& Gas L		
									22179	
DISTRICT III										
1000 Rio Brazos Rd., Az							_//////////////////////////////////////			
I.			ND REPORT				7. Lease Na	me or Uni	t Agreement Nar	me
			S TO DRILL OR T		R PLUG BA	CK TO A				
1			"APPLICATION F				NE/A/	MEVIC	O STATE	ייריי
Type of Well:	(FC	DRM C-101) FOR	SUCH PROPOSA	ALS.)			- '	IVILAIC	OSIAIL	
1. Type of Well:			GAS							
WELL X			WELL	1 1	OTHER	₹				
2. Name of Operato	r			. 			8. Well No	D .		
		PALADIN E	NERGY CO	RP.					3	
Address of Opera	ator						9. Pool na			
		10290 Mon	roe Dr., St. 3	01, Dallas	, IX 75	229	<u> </u>	King	Devonian	
4 Well Location										
Unit Letter	Е	: 1550	Feet From The	North	Line and	10	Feet fro	m The	West	Line
Office Letter -	<u> </u>			North	Line and			ill The	77031	-
Section	36		Township	138	Range	37E	NMPM		Lea	County
			Elevation	(Show wheth		B, RT, GR, etc)				
					3845'	GR	_			
					N1 - 4		Danast Or	Other	Nata	
	Cn	eck Appro	priate Box to	Indicate	nature	of Notice, F	teport, Or	Ouiei i	Data	
NOT				Indicate	Nature	of Notice, F	-			F:
	TICE OF IN	eck Appro	го:		Nature		SUBSEQ		REPORT C	OF:
PERFORM REMEDIAL	TICE OF IN WORK		TO: PLUG AND ABA	NDON	Nature	REMEDIAL WOI	SUBSEQ RK		REPORT C	OF:
PERFORM REMEDIAL TEMPORARILY ABANG	FICE OF IN WORK DON		го:	NDON	Nature	REMEDIAL WOI	SUBSEQ RK RLG OPNS.		REPORT C	OF:
PERFORM REMEDIAL	FICE OF IN WORK DON		TO: PLUG AND ABA	NDON	Nature	REMEDIAL WOI	SUBSEQ RK RLG OPNS. MT JOB	UENT	REPORT C ALTRG CSG P&A	DF:
PERFORM REMEDIAL TEMPORARILY ABANG	FICE OF IN WORK DON		TO: PLUG AND ABA	NDON	Nature	REMEDIAL WOI	SUBSEQ RK RLG OPNS.	UENT	REPORT C ALTRG CSG P&A	OF:
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASI	FICE OF IN WORK DON NG	ITENTION	TO: PLUG AND ABA CHANGE PLAN	INDON S		REMEDIAL WOI COMMENCE DE CSG TST & C OTHER	SUBSEQ RK RLG OPNS. MT JOB Perforation	Dent & ac	REPORT C ALTRG CSG P&A	DF:
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose date of starting an	WORK DON NG ed or Complete ny proposed w	ed Operations (ork) SEE RULE	PLUG AND ABA CHANGE PLANS Clearly state all p	INDON S		REMEDIAL WOI COMMENCE DE CSG TST & C OTHER	SUBSEQ RK RLG OPNS. MT JOB Perforation	Dent & ac	REPORT C ALTRG CSG P&A	DF:
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose	WORK DON NG ed or Complete ny proposed w	ed Operations (ork) SEE RULE	PLUG AND ABA CHANGE PLANS Clearly state all p	INDON S		REMEDIAL WOI COMMENCE DE CSG TST & C OTHER	SUBSEQ RK RLG OPNS. MT JOB Perforation	Dent & ac	REPORT C ALTRG CSG P&A	OF:
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Proposed date of starting at CONTINUE	WORK DON NG ed or Complete ny proposed w D FOR PF	ed Operations (ork) SEE RULE	PLUG AND ABA CHANGE PLANS Clearly state all p	NDON S pertinent detail	s, and giv	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date,	SUBSEQ RK RLG OPNS. MT JOB Perforation including esting	ons & ac	REPORT C ALTRG CSG P&A cid	X
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting an CONTINUE	WORK OON NG ed or Complete ny proposed w D FOR PF Spotted a	ed Operations (ork) SEE RULE REVIOUS F	PLUG AND ABA CHANGE PLANS Clearly state all p E 1103 PAGE 2,000' to 11,	pertinent detail	s, and giv	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date,	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a second to the second seco	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting an CONTINUE	WORK OON NG ed or Complete ny proposed w D FOR PF Spotted a	ed Operations (ork) SEE RULE REVIOUS F	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE	pertinent detail	s, and giv	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date,	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a second to the second seco	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose date of starting an CONTINUE	WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off	ed Operations (ork) SEE RULE REVIOUS F cid from 12 at a rate of	Clearly state all per 100 per	pertinent detail	Is, and given the w/2 in the discontinuous control of the w/2 in th	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre sid for 3 hrs,	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a second to the second seco	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose date of starting an CONTINUE	WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off	ed Operations (ork) SEE RULE REVIOUS F cid from 12 at a rate of	PLUG AND ABA CHANGE PLANS Clearly state all p E 1103 PAGE 2,000' to 11,	pertinent detail	Is, and given the w/2 in the discontinuous control of the w/2 in th	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre sid for 3 hrs,	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a second to the second seco	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting at CONTINUE	FICE OF IN WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE REVIOUS F cid from 12 at a rate of	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per in	pertinent detail ,950'. TO min. Wor 11,996',	s, and given the steed the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- cid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates ssured the could not	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting at CONTINUE	FICE OF IN WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE REVIOUS F cid from 12 at a rate of	Clearly state all per 100 per	pertinent detail ,950'. TO min. Wor 11,996',	s, and given the steed the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- cid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates ssured the could not	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting at CONTINUE	FICE OF IN WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE REVIOUS F cid from 12 at a rate of	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per in	pertinent detail ,950'. TO min. Wor 11,996',	s, and given the steed the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- cid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates ssured the could not	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose date of starting ar CONTINUE	rice of IN work bon ng ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE REVIOUS Food from 12 at a rate of ervals from ead. (Note	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per in 11,920' to	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the desired the steed	REMEDIAL WOIL COMMENCE DE CSG TST & C OTHER re pertinent date, rits tbg. Pre sid for 3 hrs, tight. epth of 12,7	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates ssured the could not	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting at CONTINUE	rice of IN work bon ng ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE REVIOUS Food from 12 at a rate of ervals from ead. (Note	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per in 11,920' to	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the desired the steed	REMEDIAL WOIL COMMENCE DE CSG TST & C OTHER re pertinent date, rits tbg. Pre sid for 3 hrs, tight. epth of 12,7	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates ssured the could not	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting ar CONTINUE.	rice of IN work bon ng ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE at a rate of the revals from ead. (Note	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per s 11,920' to Permitted	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the steed of the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	ons & admated	REPORT C ALTRG CSG P&A Sid 500#. Pre	X
PERFORM REMEDIAL TEMPORARILY ABANG PULL OR ALTER CASI OTHER 12. Describe Propose date of starting ar CONTINUE	rice of IN work bon ng ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE at a rate of the revals from ead. (Note	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per s 11,920' to Permitted	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the steed of the	REMEDIAL WOIL COMMENCE DE CSG TST & C OTHER re pertinent date, rits tbg. Pre sid for 3 hrs, tight. epth of 12,7	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	ons & admated	REPORT OF ALTRG CSG P&A Cid Color Pression Press	X
PERFORM REMEDIAL TEMPORARILY ABANE PULL OR ALTER CASI OTHER 12. Describe Propose date of starting ar CONTINUE.	rice of IN work bon ng ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int	ed Operations (ork) SEE RULE at a rate of the ead. (Note the is true and core is true and c	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per s 11,920' to E: Permitted	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the steed of the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	ons & admated g to 35 t break	REPORT C ALTRG CSG P&A Sid 500#. Pre	X
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting an CONTINUE I hereby certify that the i SIGNATURE	rICE OF IN WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int Drilling ah	ed Operations (ork) SEE RULE at a rate of the revals from ead. (Note	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per s 11,920' to E: Permitted	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the steed of the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	DATE	REPORT C ALTRG CSG P&A Sid 500#. Pre	ssure fs.
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting ar CONTINUE I hereby certify that the i	rICE OF IN WORK DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int Drilling ah	ed Operations (ork) SEE RULE at a rate of the ead. (Note the is true and core is true and c	PLUG AND ABA CHANGE PLANS Clearly state all p 1103 PAGE 2,000' to 11, of 100# per s 11,920' to E: Permitted	pertinent detail ,950'. TO min. Wor 11,996', to a prop	Is, and given the steed of the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	DATE	REPORT C ALTRG CSG P&A Sid 500#. Pre C down per	ssure fs.
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting an CONTINUE. I hereby certify that the i SIGNATURE TYPE OR PRINT NAME (This space for State Use	rICE OF IN work DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int Drilling ah reformation above	ed Operations (ork) SEE RULE at a rate of the ead. (Note the is true and core is true and c	PLUG AND ABA CHANGE PLANS Clearly state all p E 1103 PAGE 2,000' to 11, of 100# per s n 11,920' to s: Permitted erry BY	pertinent detail 950'. TO min. World 11,996', with a propertion of my knowledge TITLE	Is, and given the steed of the	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	DATE	REPORT C ALTRG CSG P&A Sid Sid SOO#. Pre C down per	ssure fs.
PERFORM REMEDIAL TEMPORARILY ABAND PULL OR ALTER CASH OTHER 12. Describe Propose date of starting an CONTINUE I hereby certify that the i SIGNATURE	rICE OF IN work DON NG ed or Complete ny proposed w D FOR PF Spotted a leaked off Tested int Drilling ah rformation abov	ed Operations (ork) SEE RULE REVIOUS Food from 12 at a rate of the revals from the ead. (Note the is true and core is true an	PLUG AND ABA CHANGE PLANS Clearly state all p E 1103 PAGE 2,000' to 11, of 100# per s n 11,920' to s: Permitted erry BY	pertinent detail ,950'. TO min. Wor 11,996', to a prop	osed die	REMEDIAL WOI COMMENCE DE CSG TST & C OTHER re pertinent date, its tbg. Pre- sid for 3 hrs, tight.	SUBSEQ RK RLG OPNS. MT JOB Perforation including estimates a source of the could not seen the could not see the could not seen the could not seen the could not seen the could not see	DATE	ALTRG CSG P&A Sid 500#. Pre C down per May 11, 1998	ssure fs.

CONDITIONS OF APPROVAL, IF ANY:

