STATE OF NEW MEXICO

Energy, Minerals and Natural Resources Department


Form **C-103** Revised **1-1-89**

Submit 3 Copies
o Appropriate
District Office

OIL CONSERVATION DIVISION

DISTRICT I	2040 Pacheco St.	*.	WELL API NO.	
⁹ O. Box 1980, Hobbs, NM 88240	Santa Fe, NM 87505		30 - 025-34239	
			5. Indicate Type of Lease	r
DIS <u>TRICT II</u>			STATE XX FEE 6. State Oil & Gas Lease No.	
P.O. Drawer DD, Artesia, NM 88821	10		22179	
DISTRICT III				
1900 Rio Brazos Rd., Aztec, NM 874	410			
SUNDRY	7. Lease Name or Unit Agreement Name	•		
,	M FOR PROPOSALS TO DRILL OR TO DEEPEN OF	PLUG BACK TO A		
i	RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		NEW MEXICO STATE "C	` "
Type of Well:	(FORM C-101) FOR SUCH PROPOSALS.)		NEW MEXICO OF THE	
OIL [GAS			
WELL xx	WELL	OTHER	8. Well No.	
Name of Operator Name of Operator	PALADIN ENERGY CORP.		3	
3 Address of Operator			9. Pool name or Wildcat	
	10290 Monroe Dr., St. 301, Dallas	, TX 75229	King Devonian	
4 Well Location				
Unit Letter E	: 1550 Feet From The North	Line and 10	Feet from The West	Line
Office Editor				
_		075		
Section 3	Township 13S	Range 37E er DF,RKB, RT, GR, etc)	NMPM Lea	County
	Elevation (Show wheth	3845' GR		
	Check Appropriate Box to Indicate		anort Or Other Data	anananan <u>a.</u>
•	Meck Appropriate Dox to indicate	ivature of ivolice, ite		
NOTICE OF	INITERITION TO		CHRCEOHENT REDORT OF	
	INTENTION TO:		SUBSEQUENT REPORT OF	: <u>:</u>
FERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORL	ALTRG CSG	:
FERFORM REMEDIAL WORK TEMPORARILY ABANDON		REMEDIAL WORL	ALTRG CSG G OPNS. P&A	
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING	PLUG AND ABANDON	REMEDIAL WORI COMMENCE DRL CSG TST & CM	G OPNS. P&A T JOB	
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER	PLUG AND ABANDON CHANGE PLANS	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER	ALTRG CSG G OPNS. T JOB Cement Production Casing	:
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER T2. Describe Proposed or Complete	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent details	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER	ALTRG CSG G OPNS. T JOB Cement Production Casing	
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent details	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER	ALTRG CSG G OPNS. T JOB Cement Production Casing	
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER T2. Describe Proposed or Complete	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in	ALTRG CSG G OPNS. T JOB Cement Production Casing coluding estimated	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent details work) SEE RULE 1103	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in	ALTRG CSG G OPNS. P&A T JOB Cement Production Casing including estimated	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in TH with 5 1/2" casin 00 sacks 50/50 Poz	ALTRG CSG G OPNS. P&A T JOB Cement Production Casing including estimated	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. 7 150 sacks 35/65 Poz-H and 3	REMEDIAL WORK COMMENCE DRI CSG TST & CM OTHER Is, and give pertinent date, in OUTHER THE WITH 5 1/2" casin OUTHER THE WITH 5 1/2" casin OUTHER THE WITH 5 1/2" casin	ALTRG CSG G OPNS. T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Column Cas	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leterated the same of the sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leterated hole.	REMEDIAL WORK COMMENCE DRI CSG TST & CM OTHER Is, and give pertinent date, in OUTHER THE WITH 5 1/2" casin OUTHER THE WITH 5 1/2" casin OUTHER THE WITH 5 1/2" casin	ALTRG CSG G OPNS. T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Coluding estimated T JOB Cement Production Casing Column Cas	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leterated the same of the sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leterated hole.	REMEDIAL WORK COMMENCE DRI CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of	ALTRG CSG G OPNS. T JOB Cement Production Casing holuding estimated ag, Rig up Dowell, pumped y-H. Opened DV tool. Hown BOPs.	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-	REMEDIAL WORK COMMENCE DRI CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of	ALTRG CSG G OPNS. T JOB Cement Production Casing relation cluding estimated reg, Rig up Dowell, pumped 2-H. Opened DV tool. Hown BOPs.	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leading pumped 550 sacks 50/50 Poz-8 8 Released Rig. Shut well in Wards and sacks 35/65.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of	ALTRG CSG G OPNS. T JOB Cement Production Casing holuding estimated ag, Rig up Dowell, pumped y-H. Opened DV tool. Hown BOPs.	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of	ALTRG CSG G OPNS. T JOB Cement Production Casing holuding estimated ag, Rig up Dowell, pumped y-H. Opened DV tool. Hown BOPs.	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-8 8 Released Rig. Shut well in Webove is true and complete to the best of my knowledge.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of Vaiting on Completic	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped red. T-H. Opened DV tool. Rown BOPs. Tooling CSG T ALTRG CSG P&A T JOB Cement Production Casing Tooling CSI Too	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete date of starting any proposed 3/20/9	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 leading pumped 550 sacks 50/50 Poz-8 8 Released Rig. Shut well in Wards and sacks 35/65.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped red. T-H. Opened DV tool. Rown BOPs. Tooling CSG T ALTRG CSG P&A T JOB Cement Production Casing Tooling CSI Too	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed of 3/20/9 3/20/9	PLUG AND ABANDON CHANGE PLANS Reted Operations (Clearly state all pertinent detail work) SEE RULE 1103 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-8 Released Rig. Shut well in Webove is true and complete to the best of my knowledge.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of Vaiting on Completic	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped re-H. Opened DV tool. Hown BOPs. Continue on next page	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed of 3/20/9 3/20/9 Thereby certify that the information all Signature	PLUG AND ABANDON CHANGE PLANS leted Operations (Clearly state all pertinent detail work) SEE RULE 1103 8 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-8 8 Released Rig. Shut well in Webove is true and complete to the best of my knowledge.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of Vaiting on Completic	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped red. T-H. Opened DV tool. Rown BOPs. Tooling CSG T ALTRG CSG P&A T JOB Cement Production Casing Tooling CSI Too	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of Starting any proposed of 3/20/9 3/20/9	PLUG AND ABANDON CHANGE PLANS Reted Operations (Clearly state all pertinent detail work) SEE RULE 1103 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-8 Released Rig. Shut well in Webove is true and complete to the best of my knowledge. Ann Westberry	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of Vaiting on Completic	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped re-H. Opened DV tool. Hown BOPs. Continue on next page	X
FERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12. Describe Proposed or Complete of starting any proposed of 3/20/9 3/20/9 Thereby certify that the information also gnature TYPE OR PRINT NAME This space for State Use)	PLUG AND ABANDON CHANGE PLANS Reted Operations (Clearly state all pertinent detail work) SEE RULE 1103 Running production casing. The sacks 35/65 Poz-H and 3 Circulated hole, shut down 4 Pumped 550 sacks 50/50 Poz-8 Released Rig. Shut well in Webove is true and complete to the best of my knowledge.	REMEDIAL WORK COMMENCE DRL CSG TST & CM OTHER Is, and give pertinent date, in OU sacks 50/50 Pozinours. Z-H and flush. Rig of Vaiting on Completic	ALTRG CSG G OPNS. T JOB Cement Production Casing recluding estimated reg, Rig up Dowell, pumped re-H. Opened DV tool. Hown BOPs. Continue on next page	X

CONDITIONS OF APPROVAL, IF ANY:



STATE OF NEW MEXICO

Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

Submit 3 Copies to Appropriate District Office

OIL CONSERVATION DIVISION

DISTRICT I		20 10 1 00110	co St.			WELLAPING		220	
© © Box 1980, Hobbs, NM 8	38240	Santa Fe, NM	87505			5. Indicate Typ	30- 025-34	238	
						STATE		FEE	
DISTRICT II							Gas Lease No.	1CC	
□ O. Drawer DD, Artesia, NN □	1 000210					S. G.L	2217	' 9	
DISTRICT III									
000 Rio Brazos Rd., Aztec,	NM 87410								
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A						7. Lease Name or Unit Agreement Name			
				PLUG BAC	CK TO A	İ			
DIFF	ERENT RESERVOIR. US					NEWM	EXICO STAT	ΓE "C"	
Type of Well:	(FORM C-101) FC	OR SUCH PROPOSA	4L3.)			1		!	
OIL		GAS	[]						
WELL xx		WELL	<u> </u>	OTHER		8. Well No.			
:: Name of Operator	PALADIN	ENERGY CO	RP.			I	3		
: Address of Operator			04 0-11	TV 75	200	9. Pool name or Wildcat King Devonian			
	10290 Mo	nroe Dr., St. 3	ut, Dallas,	IX /5	<u> </u>	<u> </u>	King Devois	all	
→ Well Location									
Unit Letter	E : 1550	Feet From The	North	Line and	10	Feet from	The Wes	stLine	
				_					
	36	Township	138	Range	37E	NMPM	Lea	County	
Section		Elevation	(Show wheth	er DF,RKI	B, RT, GR, etc)				
				3845'					
	Check Appro	opriate Box to	Indicate	Nature	of Notice, Re	port, Or Ot	ther Data		
					SUBSEQUE	ENT DEDOD	T OF:		
NOTIC	EOFINIENTION	10:			1	SOBSEGO	ENTREPOR		
	Γ	PLUG AND ABA	ANDON		REMEDIAL WOR		ALTRG C	(
FERFORM REMEDIAL WOI	RK					ĸ		(
FERFORM REMEDIAL WOL	RK	PLUG AND ABA			REMEDIAL WOR	K .G OPNS.	ALTRG C	sg	
FERFORM REMEDIAL WOI	RK	PLUG AND ABA			REMEDIAL WORI	K .G OPNS.	ALTRG C	(
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed of	r Completed Operations	PLUG AND ABA CHANGE PLAN 6 (Clearly state all p	s 	s, and giv	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER	K .G OPNS. IT JOB	ALTRG C P&A 2 nd page	sg	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER Describe Proposed of date of starting any property of the control of the contro	RK	PLUG AND ABA CHANGE PLAN 6 (Clearly state all p	s pertinent detail		REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER e pertinent date, in	K .G OPNS. IT JOB 	ALTRG C P&A 2 nd page	sg X	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed of date of starting any proposed of starting and starting any proposed of starting any proposed of starting any proposed of starting and starting and starting any proposed of starting and starting and starting any proposed of starting and starting and starting and starting and starting any proposed of starting and start	r Completed Operations	PLUG AND ABA CHANGE PLAN 6 (Clearly state all p	s pertinent detail Footage	2	REMEDIAL WORI COMMENCE DRL CSG TST & CM OTHER e pertinent date, in	K .G OPNS. IT JOB 	ALTRG C P&A 2 nd page	sg X	
TEMPORARILY ABANDON FULL OR ALTER CASING OTHER 12 Describe Proposed of date of starting any proposed of the control of the co	r Completed Operations roposed work) SEE RU	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103	pertinent detail Footage 2.10	<u>}</u>	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in Casing Strii 232 Jts 5 1.	K .G OPNS. IT JOB ncluding estimating ng /2" 17#	2 nd page	x X	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed of date of starting any property of the date of starting and property of the date	r Completed Operations	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103	pertinent detail Footage 2.10 40.34	2) 1	REMEDIAL WORK COMMENCE DRI CSG TST & CM OTHER e pertinent date, in Casing Strii 232 Jts 5 1. N-80 LT	K LG OPNS. IT JOB Including estimating I/2" 17# C Casing	ALTRG C P&A 2 nd page	x X	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed of date of starting any property of the date of starting and property of the date	r Completed Operations roposed work) SEE RU	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103	pertinent detail Footage 2.10 40.34 2.10	≘ 0 4	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2	K LG OPNS. IT JOB Including estimating I/2" 17# IC Casing " 17#	2 nd page ted Foot	xage	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any pr Casing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Cas	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103	Footage 2.10 40.34 2.10 1208.32	<u>=</u>) 4) 2	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu	K LG OPNS. IT JOB Including estimal Ing I/2" 17# IC Casing I' 17# Ittress	2 nd page ted Foot	x X	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# 2 jts 5 1/2" 17#	r Completed Operations roposed work) SEE RU	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103	Footage 2.10 40.34 2.10 1208.32	1 1 2 3	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2	K LG OPNS. IT JOB IT	2 nd page ted Foot 935	age 5.59	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any pr Casing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Cas	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103	Footage 2.10 40.34 2.10 1208.32	1 1 2 3	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu	K LG OPNS. IT JOB IT	2 nd page ted Foot 9359	age 5.59 9.15	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# 2 jts 5 1/2" 17#	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Cas	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103	Footage 2.10 40.34 2.10 1208.32	1 1 2 3	REMEDIAL WORL COMMENCE DRI CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2	ic opns. IT JOB IT J	2 nd page ted Foot 9359	age 5.59 9.15 5.66 5.00	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# DV Tool	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Casin	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103 G	Footage 2.10 40.34 2.10 1208.32 82.93 3.98	2 3 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	K LG OPNS. IT JOB IT	2 nd page ted Foot 9359	age 5.59 9.15 5.66 5.00	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# 2 jts 5 1/2" 17#	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Casin	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103 g sing ng	Footage 2.10 40.34 2.10 1208.32 82.93 3.98	2 3 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB IT J	2 nd page ted Foot 9359	age 5.59 9.15 5.66 5.00	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# DV Tool	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Casin	PLUG AND ABA CHANGE PLAN S (Clearly state all p LE 1103 G	Footage 2.10 40.34 2.10 1208.32 82.93 3.98	t 1 2 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1, N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB Including estimating I/2" 17# IC Casing " 17# Ittress " 17# Ittress TOTA	2 nd page ted Foot 9359	age 5.59 9.15 5.66 5.00	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# DV Tool	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Casin	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103 g sing ng	Footage 2.10 40.34 2.10 1208.32 82.93 3.96	t 1 2 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1. N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB Including estimating I/2" 17# IC Casing " 17# Ittress " 17# Ittress TOTA	2 nd page ted Foot 9359 989 KB 11 AL 12,1	age 5.59 9.15 5.66 5.00	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed or date of starting any processing String Float Shoe 1 jt 5 1/2" 17# Float Collar 30 jts 5 1/2" 17# DV Tool	r Completed Operations roposed work) SEE RU S-96 LTC Casin 7# S-95 LTC Casin	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103 g sing ng	Footage 2.10 40.34 2.10 1208.32 82.93 3.96	t 1 2 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1. N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB Including estimating I/2" 17# IC Casing " 17# Ittress " 17# Ittress TOTA	2 nd page ted Foot 9359 989 KB 11 AL 12,1	age 5.59 9.15 5.66 5.00 8.17	
TYPE OR PRINT NAME TEMPORARILY ABANDON PULL OR ALTER CASING OTHER TO Describe Proposed of date of starting any properties of the proposed of date of starting any properties of the properties	r Completed Operations roposed work) SEE RU S-96 LTC Casing Page 18 N-80 LTC C	PLUG AND ABA CHANGE PLAN (Clearly state all p LE 1103 g sing ng complete to the best of	Footage 2.10 40.34 2.10 1208.32 82.93 3.90 of my knowledge	t 1 2 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1. N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB Including estimating I/2" 17# IC Casing " 17# Ittress " 17# Ittress TOTA	2 nd page fed Foot 9355 989 KB 1: AL 12,1	age 5.59 9.15 5.66 5.00 8.17	
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 12 Describe Proposed of date of starting any property of the starting and property o	r Completed Operations roposed work) SEE RU S-96 LTC Casing Ann Wess	PLUG AND ABACHANGE PLAN G (Clearly state all plan 103) g sing ng complete to the best of the best	Footage 2.10 40.34 2.10 1208.32 82.93 3.90 of my knowledge	t 1 2 3 3	REMEDIAL WORK COMMENCE DRIL CSG TST & CM OTHER e pertinent date, in 232 Jts 5 1. N-80 LT 25 jts 5 1/2 N-80 Bu 10 jts 5 1/2 S-95 Bu	ic opns. IT JOB Including estimating I/2" 17# IC Casing " 17# Ittress " 17# Ittress TOTA	2 nd page fed Foot 9355 989 KB 1: AL 12,1	age 5.59 9.15 5.66 5.00 8.17	

