

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

Form C-101
Revised March 17, 1999

Submit to appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address RICKS EXPLORATION, INC. 210 PARK AVENUE 3000 OKLAHOMA TOWER OKLAHOMA CITY, OK 73102		OGRID Number 168489
Property Code 25306		API Number 30-025-35188
Property Name BURRUS		Well No. 2

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	22	12S	38E		900'	SOUTH	600'	EAST	LEA

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Proposed Pool 1 GLADIOLA-WOLFCAMP (27930)					Proposed Pool 2				

Work Type Code N	Well Type Code O	Cable/Rotary R	Lease Type Code P	Ground Level Elevation 3797'
Multiple NO	Proposed Depth 9700'	Formation WOLFCAMP	Contractor PATTERSON	Spud Date WHEN APPROVED

Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
25"	20"	NA	40'	Redi-mix	Surface
17½"	13 3/8"	48	400'	440 Sx	Surface
12¼"	9 5/8"	40	4500'	1150 Sx.	Surface
8½"	7"	26	9700'	550 Sx.	8200'

Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.

Describe the blowout prevention program, if any. Use additional sheets if necessary.

1. Drill 25" hole to 40'. Set 40' of 20" conductor pipe and cement to surface with Redi-mix.
2. Drill 17½" hole to 400'. Run and set 400' of 13 3/8" H-40 48# ST&C casing. Cement with 440 Sx. of Class "C" cement + 2% CaCl + ¼# Flocele/Sx., circulate cement to surface.
3. Drill 12¼" hole to 4500'. Run and set 4500' of 9 5/8" 40# J-55 ST&C casing. Cement with 900 Sx. of Class "C" cement + 15% Gel + 2% Salt + ¼# Flocele/Sx., tail in with 250 Sx. of Class "C" cement + 2% CaCl, circulate cement to surface.
4. Drill 8½" hole to 9700'. Run and set 9700' of 7" 26# N-80 LT&C & Buttress thread. Cement with 550 Sx. of Class "H" Super Motified + additives. Estimate top of cement 8200'.

Permit Expires 1 Year From Approval
Date Unless Drilling Underway

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Joe T. Janica</i>		OIL CONSERVATION DIVISION	
Printed name: Joe T. Janica		Approved by: <i>[Signature]</i>	
Title: Agent		Title: <i>[Signature]</i>	
Date: 09/27/00		Approval Date: <i>[Signature]</i> Expiration Date: <i>[Signature]</i>	
Phone: 505-391-8503		Conditions of Approval: Attached ☐ SEP 29 2000	

DISTRICT I
P.O. Box 1980, Hobbs, NM 88241-1980

State of New Mexico

Energy, Minerals and Natural Resources Department

DISTRICT II
P.O. Drawer DD, Artesia, NM 88211-0719

DISTRICT III
1000 Rio Braxos Rd., Aztec, NM 87410

DISTRICT IV
P.O. Box 2088, Santa Fe, NM 87504-2088

Form C-102
Revised February 10, 1994
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-35188	Pool Code 27830	Pool Name GLADIOLA - WOLFCAMP
Property Code 25306	Property Name BURRUS	Well Number 2
OGRID No. 168489	Operator Name RICKS EXPLORATION, INC.	Elevation 3797

Surface Location

UL or lot No. P	Section 22	Township 12 S	Range 38 E	Lot Idn	Feet from the 900	North/South line SOUTH	Feet from the 600	East/West line EAST	County LEA
--------------------	---------------	------------------	---------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

				OPERATOR CERTIFICATION	
				I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.	
				Signature Joe T. Janica	
				Printed Name Agent	
				Title	
				Date 09/27/00	
				SURVEYOR CERTIFICATION	
				I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.	
				SEPTEMBER 22, 2000	
				Date Surveyed JLP	
				Signature & Seal of Professional Surveyor RONALD J. EIDSON 9/25/00	
				W.O. Num. 00-11-1156	
				Certificate No. RONALD J. EIDSON, 3239	
				GARY C. EIDSON, 12641	

VICINITY MAP




SCALE: 1" = 2 MILES

SEC. 22 TWP. 12-S RGE. 38-E
 SURVEY N.M.P.M.
 COUNTY LEA
 DESCRIPTION 900' FSL & 600' FEL
 ELEVATION 3797
 OPERATOR RICKS EXPLORATION, INC.
 LEASE BURRUS

JOHN WEST SURVEYING
HOBBS, NEW MEXICO
 (505) 393-3117

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL - 5'

SEC. 22 TWP. 12-S RGE. 38-E

SURVEY N.M.P.M.

COUNTY LEA

DESCRIPTION 900' FSL & 600' FEL

ELEVATION 3797

OPERATOR RICKS EXPLORATION, INC.

LEASE BURRUS

U.S.G.S. TOPOGRAPHIC MAP

BRONCO, N.M.-TEX.

**JOHN WEST SURVEYING
HOBBS, NEW MEXICO**

(505) 393-3117


ABOVE DATE DOES NOT
INDICATE WHEN
CONFIDENTIAL LOGS
WILL BE RELEASED

ELF


1/3/61

BLOWOUT PREVENTER SYSTEM

Choke Manifold Assembly for 3M WP System



Fill Line



Type 900 Series
3000 psi WP

ABOVE DATE DOES NOT
INDICATE WHEN
CONFIDENTIAL LOGS
WILL BE RELEASED

ELF

1/3/01