

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-101
Revised March 17, 1999

Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

Submit to appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address Ricks Exploration, Inc. 210 Park Ave., 3000 Oklahoma Tower, Oklahoma City, OK 73102		² OGRID Number 168489
		³ API Number 30-025-35591
³ Property Code 25306	⁵ Property Name BURRUS	⁶ Well No. 3

⁷ Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	22	12S	38E		1720'	South	2310'	East	Lea

⁸ Proposed Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
⁹ Proposed Pool 1 Trinity GLADIOLA-WOLFCAMP (279307)						¹⁰ Proposed Pool 2			

¹¹ Work Type Code N	¹² Well Type Code O	¹³ Cable/Rotary R	¹⁴ Lease Type Code P	¹⁵ Ground Level Elevation 3802'
¹⁶ Multiple No	¹⁷ Proposed Depth 9900'	¹⁸ Formation Wolfcamp	¹⁹ Contractor Patterson	²⁰ Spud Date ASAP

²¹ Proposed Casing and Cement Program					
Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
25"	20"	N/A	40'	Redi-mix	Surface
17½"	13-3/8"	48	400'	440 sx	Surface
12¼"	9-5/8"	40	4500'	1150sx	Surface
7-7/8"	5½"	17	9900'	550sx	8400'

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

1. Drill 25" hole to 40'. Set 40' of 20" conductor pipe and cmt to surface w/Redi-mix.
2. Drill 17½" hole to 400'. Run & set 400' of 13-3/8" 48# ST&C csg. Cmt w/440 sx of Class C cmt + 2% CaCl + 1/4# Flocele/sk, circ cmt to surface.
3. Drill 12¼" hole to 4500'. Run & set 4500' of 9-5/8" 40# J55 ST&C csg. Cmt w/900 sx of Cls C cmt + 15% gel + 2% salt + ½# Flocele/sk, tail w/250 sx of Cls C cmt + 2% CaCl, circ cmt to surface.
4. Drill 7-7/8" hole to 9900'. Run & set 9900' of 5½" 17# csg, cmt w/550 sx Cls H Super Modified + additives. Est TOC @ 8400'.

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Lynne Suchy*
Printed name: Lynne Suchy
Title: Drilling Operations Assistant
Date: June 7, 2001
Phone: 405/516-1100

OIL CONSERVATION DIVISION
Approved by: *[Signature]*
Title:
Approval Date: JUN 11 2001 Expiration Date:
Conditions of Approval:
Attached ☐

Permit Expires 1 Year From Approval
Date Unless Drilling Underway

C-101 Instructions

Measurements and dimensions are to be in feet/inches. Well locations will refer to the New Mexico Principal Meridian.

IF THIS IS AN AMENDED REPORT CHECK THE BOX LABELED "AMENDED REPORT" AT THE TOP OF THIS DOCUMENT.


- 1 Operator's name and address.
- 2 Operator's OGRID number. If you do not have one, it will be assigned and filled in by the District office.
- 3 API number of this well. If this is a new drill the OCD will assign the number and fill this in.
- 4 Property code. If this is a new property the OCD will assign the number and fill it in.
- 5 Property name that used to be called 'well name'.
- 6 The number of this well on the property.
- 7 The surveyed location of this well New Mexico Principal Meridian. NOTE: If the United States government survey designates a Lot Number for this location use that number in the 'UL or lot no.' box. Otherwise use the OCD Unit Letter.
- 8 The proposed bottom hole location of this well at TD.
- 9 and 10 The proposed pool(s) to which this well is being drilled.
- 11 Work type code from the following table:

N	New well
E	Re-entry
D	Drill deeper
P	Plugback
A	Add a zone
- 12 Well type code from the following table:

O	Single oil completion
G	Single gas completion
M	Miscellaneous
I	Injection well
S	SWD well
W	Water supply well
C	Carbon dioxide well
- 13 Cable or rotary drilling code

C	Propose to cable tool drill
R	Propose to rotary drill
- 14 Lease type code from the following table:

S	State
P	Private
- 15 Ground level elevation above sea level.
- 16 Intend to multiple complete? Yes or No. Attach intended well bore diagram.
- 17 Proposed total depth of this well.
- 18 Geologic formation at TD.
- 19 Name of the intended drilling company if known.
- 20 Anticipated spud date.
- 21 Proposed hole size ID inches, proposed casing OD inches, casing weight in pounds per foot, setting depth of the casing or depth and top of liner, proposed cementing volume, and estimated top of cement.
- 22 Brief description of the proposed drilling program and BOP program. Attach additional sheets if necessary.
- 23 The signature, printed name, and title of the person authorized to make this report. The date this report was signed and the telephone number to call for questions about this report.



DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

P.O. Drawer DD, Artesia, NM 88211-0719

DISTRICT III

1000 Rio Brazos Rd., Artec, NM 87410

DISTRICT IV

P.O. BOX 2088, SANTA FE, N.M. 87504-2088

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

Form C-102

Revised February 10, 1994

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-025-35591	Pool Code 27930-59890	Pool Name Trinity GLADICOLA-WOLFCAMP
Property Code 25306	Property Name BURRUS	Well Number 3
OGRID No. 168489	Operator Name RICKS EXPLORATION, INC	Elevation 3802'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	22	12-S	38-E		1720	SOUTH	2310	EAST	LEA

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.
------------------------------	-----------------	--------------------	-----------


NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<p>GEODETIC COORDINATES NAD 1927 N.M.E.Z. Y = 824977.4 X = 882118.2 LAT.=33°15'41.78" LONG.= 103°04'59.86"</p>	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief. <i>Lynne Suchy</i> Signature Lynne Suchy Printed Name Drilling Oper. Asstnt Title 6/6/01 Date
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 10, 2001 Date Surveyed Signature & Seal of Professional Surveyor <i>Ronald J. Eidson</i> 5/14/01 01-11-0547 Certificate No. RONALD J. EIDSON 3239 GARY EIDSON 12641

BLOWOUT PREVENTER SYSTEM



Choke Manifold Assembly for 3M WP System



ELF 11/26/71

ABOVE DATE DOES NOT
INDICATE WHEN
CONFIDENTIAL LOGS
WILL BE RELEASED

