Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

Notice of Intention		Notice of Intention to	Notice of Intention
to Change Plans		Temporarily Abandon Well	to Drill Deeper
NOTICE OF INTENTION	x	Notice of Intention	Notice of Intention
TO PLUG WELL		to Plug Back	to Set Liner
Notice of Intention		Notice of Intention	Notice of Intention
to Squeeze		to Acidize	to Shoot (Nitro)
Notice of Intention		Notice of Intention	Notice of Intention
to Gun Perforate		(Other)	(Other)

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Brownfield, Texas (Place) Dec.29,1954 (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Lynn - Greer - M.G.Vir	ther		Well No.	in H
(Company o	r Operator)			(Unit)
SE 1/4 NE 1/4 of Sec.	14 т 3 S	R. 30 E NMPM.	Wildont	
(40-acre Subdivision)	• , -			
Poosemalt	A A			

Roosevelt County.

FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Leave 10 & 3/4 inch pipe in hole, place coment plug at 310 feet and comented with 8 sacks of coment. Leave hole open at surface as Mr. F.N.Vinther will accept hole according to signed Statement attached.

Approved, 19, 29	First National Bank, Brownfield, Texas Company or Operator By
Approved OIL CONSERVATION COMMISSION	Position Vice Pres. Send Communications regarding well to:
Ву	Name
Title	Address

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

Notice of Intention		Notice of Intention to	Notice of Intention
to Change Plans		Temporarily Abandon Well	to Drill Deeper
NOTICE OF INTENTION	I	Notice of Intention	Notice of Intention
TO PLUG WELL		to Plug Back	to Set Liner
Notice of Intention		Notice of Intention	Notice of Intention
to Squeeze		to Acidize	to Shoot (Nitro)
Notice of Intention		Notice of Intention	Notice of Intention
to Gun Perforate		(Other)	(Other)

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Brownfield, Texas

Dec, 29, 1954

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

	Well No	in	a
	M.,		Peol
RooseveltCounty.			

FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Leave 10 & 3/4 inch pipe in hele, place cement plug at 310 feet and commented with 8 sacks of comment. Leave hele open at surface as Mr. F.N.Vinther will accept hele according to signed Statement attached.

	First Mational Bank, Brownfield, Texas
	By Denris Q. Lilly Aunich Lilly
OIL CONSERVATION COMMISSION	Position
By /// L (2 11 C 1 / 2 57 4	Name
Title	Address

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate :	Nature	of	Report	by	Checking	Below
------------	--------	----	--------	----	----------	-------

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	x	REPORT ON RECOMPLETION OPERATION	REPORT ON (Other)	

Dec. 29, 1954 Brownfield, Texas

Following is a report on the work done and the results obtained under the heading noted above at the

Shaggs Drilling Company	M.G.Vinther						
(Company or Operator)		(Lease)					
		in the SE 1/4 NE	¹ /4 of Sec 1 /4				
(Contractor)	,	, .	• • •				
T		Roosevelt	County.				
· · · · · · · · · · · · · · · · · · ·							
The Dates of this work were as follows:			••••••				
		_					
Notice of intention to do the work (was) (was not) submitted on Form	1 C-102 on	(Cross out incorrect words)	, 19 54 ,				
and approval of the proposed plan (was) (MILLER obtained.							

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Comment plug placed at bottom of 10 2/4 casing (310 Ft.) and 8 sacks of cement placed on plug. hole watched until it was determined that no water was passing the plug and cement. Hole was not pluged at surface and was accepted by land owner Mr.F.N.Vinther according to statement attached.

Witnessed by		Skaggs Drilling Company	Owner
	(Name)	(Company)	(Title)
Approved: OII	CONSERVATION COMMISSION	I hereby certify that to the best of my kn	the information given above is true and complete sowledge.
MLL	Sustring	NameFirst	National Bank, Brownfield, Texas
	(Name)	Position	Wether Vice Pres.
	/		rst National Bank,
(Title)		(Date) AddressBr	ownfield, Texas

 $\mathbf{r}_{1} = -\mathbf{r}_{2} + \mathbf{r}_{2} + \mathbf{r}_{2}$

the second s

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate 3	Nature	of	Report by	y	Checking	Below
------------	--------	----	-----------	---	----------	-------

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	 REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	x	REPORT ON RECOMPLETION OPERATION	REPORT ON (Other)	

Dec. 29, 1954 Brownfield, Texas

Following is a report on the work done and the results obtained under the heading noted above at the

676

(Title)

(Company or Operator)	M.G.Vinther (Lease)	
(Contractor)		of Sec 14 ,
T	Pool,Rocsevelt	County.
The Dates of this work were as folows:		
Notice of intention to do the work (was) (was not) submitted on I	Form C-102 on	, 19 .54 ,
and approval of the proposed plan (was) (marries) obtained.		
DETAILED ACCOUNT OF WO	RK DONE AND RESULTS OBTAINED	
was passing the plug and cement,	ched until it was determined that ne w . Hole was not pluged at surface and w inther according to statement attached	18.5
Witnessed by	Drilling Company Curber (Title)	
Approved: OIL CONSERVATION COMMISSION	I hereby certify that the information given above is to to the best of my knowledge.	rue and complete

......

(Date)

Name Pirat Nation	1.Bank.Brownfield. Terns
Position ALAMALO	1 Bank, Brownfield, Texas Vice Pres, donal Bank,
Representing First No.	tonal Bank
Address. Brownfie	d, Texas

 $(1-2)^{-1} = (1-$

• • •

status (

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate	Nature	of	Report	by	Checking	Below
----------	--------	----	--------	----	----------	-------

REPORT ON BEGINNING		REPORT ON RESULT OF TEST		REPORT ON	
DRILLING OPERATIONS		OF CASING SHUT-OFF		REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	x	REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

Dec. 29, 1954	Brownfield, Texas	(Place)
---------------	-------------------	---------

Following is a report on the work done and the results obtained under the heading noted above at the

(Company or Operator)	M.G. Vinther
(Contractor)	, Well No
T	
The Dates of this work were as follows:	
Notice of intention to do the work (was) (was not) submitted on Form	C-102 on, 19.54,
and approval of the proposed plan (was) (approved obtained.	

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Coment plug placed at bottom of 10 2/4 casing (310 Pt.) and 8 macks of coment placed on plug. hele watched until it was determined that no water was passing the plug and coment. Hele was not pluged at surface and was accepted by land owner Mr.F.N.Vinther according to statement attached.

Witnessed by	kaggs Drilling Company	Curner (Title)
Approved: OIL CONSERVATION COMMISSION	I hereby certify that the infor- to the best of my knowledge.	nation given above is true and complete
MIL Clisans Trong	Name FirstRetion	1 Bank, Brownfield, Texas
(Title)	Representing	tional Bank,



NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES LOCATE WELL CORRECTLY

(Company or Operator)		M.G.Vinther				
(Company or Operator) Well No						
Well No						
Well is						
of Section If State Land the C	Dil and Gas Lease No. is			·		
Drilling Commenced						
Name of Drilling Contractor						
Address						
Elevation above sea level at Top of Tubing Head		The information	given is to be kept	confidential until		

OIL SANDS OR ZONES

No.	1,	from	to	No. 4, fromto	••••
No.	2,	from	.to	No. 5, fromto	
No.	3,	from	.to	No. 6, fromto	· • • • •

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	to	feet.	
No. 2, from	to	feet.	
No. 3, from	to	feet.	
No. 4, from	to	feet.	

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4			310 Ft.				cemented
							<u> </u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED
				······································	<u> </u>	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No production

Result of Production Stimulation R

ŧ.....

.

`

RM.ORD OF DRILL-STEM AND SPECIAL TESA

	If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto									
				TOOLS USED						
Rot	Rotary tools were used fromfeet tofeet, and fromfeet tofeet.									
Cat	ole tools we	re used fromfe	eet to	feet, and from		feet tofeet.				
	PRODUCTION									
Put	to Produci	ing		, 19						
on	WELL:	The production during the first 2	4 hoi	ırs wasbarrels	of lic	juid of which				
		was oil;% v	vas ei	nulsion;% water; an	d	% was sediment. A.P.I.				
		Gravity								
GA	S WELL:	The production during he first 2	4 hοι	rrs wasM.C.F. plus		barrels of				
		liquid Hydrocarbon. Shut in Pres	surc	lbs.						
Le	ngth of Tin	ne Shut in								
	PLEASE	INDICATE BELOW FORMAT	ION	TOPS (IN CONFORMANCE WITH G	EOGI	RAPHICAL SECTION OF STATE):				
		Southeastern No	ew M	lexico		Northwestern New Mexico				
Т.	Anhy		Т.	Devonian	T.	Ojo Alamo				
Т.	Salt		T.	Silurian	Τ.	Kirtland-Fruitland				
B.	Salt		Т.	Montoya	Т.	Farmington				
Т.	Yates		Т.	Simpson	Т.	Pictured Cliffs				
Т.	7 Rivers	······	Т.	McKee	Т.	Menefee				
Т.	Queen		Т.	Ellenburger	Т.	Point Lookout				
Т.	Grayburg.		Т.	Gr. Wash	Т.	Mancos				

			DODI (UTTON DECODE		
Т.	Miss	T.		T.	
	Penn				
	Abo				
	Tubbs				
	Drinkard				
Т.	Glorieta	Т.		Т.	Morrison
T.	San Andres	Т.	Granite	Т.	Dakota
	Grayburg				

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
				a 1			
		-					
				i fra f	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. We have not had any records of this well. First National Bank, Dec. 29, 1954

	Date)
Company or Operator	Address Brownfield, Texas
Name	Position or Title AMMAR Illy Vice Pres.



44

NEW MEXICO OIL CONSERVATION COMMISSION	N
--	---

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES LOCATE WELL CORRECTLY

N

	M.C. Vinther (Lease)					
(Company or Operator)		(Lease)				
Well No	¹ /4, of Sec 14	, T 3. S , R	30. E , NMPM.			
Wildcet	Pool,	Roosevelt	County.			
Well isfeet from	line and	feet from	line			
of Section If State Land the Oil	and Gas Lease No. is					
Drilling Commenced	, 19 Drilling wa	s Completed	, 19			
Name of Drilling Contractor						
Address						
Elevation above sea level at Top of Tubing Head		The information given is to be	kept confidential until			

OIL SANDS OR ZONES

No.	1,	from	to	No. 4, fromto
No.	2,	from	.to	No. 5, fromto
No.	3,	from	to	No. 6, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow a	and elevation to which water rose in l	hole.	
No. 1, from	to	feet.	
No. 2, from	to	feet.	

No. 3, from	tofe	et
No. 4, from	tofe	e t

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4			310 Ft	· ·		·····	cemented
						······································	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED
		,		· ·		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

He production Result of Production Stimulation - 1.46 - 1.46

REGORD OF DRILL-STEM AND SPECIAL TESA

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Southeastern New Mexico Northwestern New Mexico

Т.	Anhy	Т.	Devonian	Т.	Ojo Alamo
	Salt				Kirtland-Fruitland
B.	Salt	Т.	Montoya	Т.	Farmington
Т.	Yates	Т.	Simpson	Т.	Pictured Cliffs
Т.	7 Rivers	Т.	McKee	Т.	Menefee
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout
Т.	Grayburg	Т.	Gr. Wash	Т.	Mancos
Т.	San Andres	Т.	Granite	T.	Dakota
Т.	Glorieta	Т.		Т.	Morrison
Т.	Drinkard	т.		Т.	Penn
	Tubbs				
Т.	Abo	Ť.		Т.	
Т.	Penn	Т.	······	T.	
Т.	Miss	Т.		Т.	

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
				1			
		1					

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. We have not had any records of this well.

First National Bank, Dec. 29, 1954 Address Brownfield, Texas Company or Operator..... Aumobelly Vice Pros. Position or Title.. Name.....



÷ .

.....

		<u>.</u>		
 	 		DFO	

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

LOCATE WELL CORRECTLY

(Company or Operator)		M.G. Winther	
(Company or Operator)		(Lease)	
Well No	of	, T 3.8 , R	30.E , NMPM.
Wildont	Pool,	Receivelt	County.
Well isfeet from	line and	feet from	line
of Section If State L	and the Oil and Gas Lease No. is		
Drilling Commenced		mpleted	, 19
Name of Drilling Contractor	•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••
Address			
Elevation above sea level at Top of Tubing Hea		The information given is to be	kept confidential until
	9		

OIL SANDS OR ZONES

No.	1,	fromt	to	No. 4, fromto
No.	2,	fromt	0	. No. 5, fromto
No.	3,	fromt	:0	. No. 6, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and el	levation to which water	rose in hole.	
No. 1, from	to	feet.	
No. 2, from	to	feet.	

No. 3	8, from	tofeet.	
No. ·	ł, from	tofeet.	

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4			310 Ft.				cemented
			<u>├</u> ────────────────────────────────────		<u> </u>	···· · · · · · · · · · · · · · · · · ·	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CABING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED
					1	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No production

Result of Production Stimulation

.....

Depth Cleaned Out. 318 ft.

BEWORD OF DBILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto TOOLS USED PRODUCTION Put to Producing....., 19..... was oil;% was emulsion;% water; and% was sediment. A.P.I. Gravity..... liquid Hydrocarbon. Shut in Pressure.....lbs. Length of Time Shut in..... PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Southeastern New Mexico Northwestern New Mexico

т.	Anhy	Т.	Devonian	Т.	Ojo Al amo
T.	Salt	Τ.	Silurian	Т.	Kirtland-Fruitland
B.	Salt	Т.	Montoya	Т.	Farmington
T.	Yates	Т.	Simpson	Т.	Pictured Cliffs
T.	7 Rivers	Т.	McKee	Т.	Menefee
Т.	Queen	Т.	Ellenburger	т.	Point Lookout
Т.	Grayburg	Т.	Gr. Wash	Т.	Mancos
Т.	San Andres	Т.	Granite	Т.	Dakota
	Glorieta				Morrison
Т.	Drinkard	Т.		Т.	Penn
T.	Tubbs	Т.		Т.	
	Abo			Т.	
	Penn				
Т.	Miss	Т.		Τ.	
	-				

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
	-						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. We have not had any records of this vell.

as can be determined from available records.	First Mational Bank, Dec. 29, 1954
Company or Operator	Address Brossnfield, Texas
	Position or Title KIMMING Cilly Vice Pres.
Name	Position of Title. A Market and A
	/



N.

/ - 3 : 1:20 WELL RECORD

1

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES LOCATE WELL CORRECTLY

(Company or Operator)		M.G.Vint	her
(Company or Operator)		(Leas	e)
Well No	, of Sec14	, T 3.S	, R 30. E , NMPM.
	Pool,R	osevelt.	County.
Well isfeet from	line and	feet fi	romline
of Section If State Land the Oil and	Gas Lease No. is		
Drilling Commenced, 1	9 Drilling wa	s Completed	, 19
Name of Drilling Contractor			
Address			
Elevation above sea level at Top of Tubing Head, 19		The information give	n is to be kept confidential until

OIL SANDS OR ZONES

No. 1, fromto	No. 4, fromto
No. 2, fromto	No. 5, fromto
No. 3, fromto	No. 6, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.						
No. 1, from	to	feet.				
No. 2, from	to	feet.				
No. 3, from	to	feet.				
No. 4, from	to	feet.				

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4			310 Ft.				cemented

	MUDDING AND CEMENTING RECORD								
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED			
				_					
				1					

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No production

,

.....**x**...... Result of Production Stimulation.....

,

.

REJORD OF DRILL-STEM AND SPECIAL TESA

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

			TOOLS USED		
Rotary tools w	vere used fromfe	eet t	ofeet, and from		feet tofeet
Cable tools we	re used fromfe	eet t	ofeet, and from	••••••	feet tofeet
			PRODUCTION		
Put to Produc	ing	••••••	, 19		
OIL WELL:	The production during the first 2	4 ho	urs wasbarrels	of lic	quid of which
	was oil;% w	vas e	mulsion;% water; an	d	% was sediment. A.P.I
	Gravity				
GAS WELL:			urs wasM.C.F. plus		harrels o
0110 11222	-		-		
	liquid Hydrocarbon. Shut in Press	surc.	lbs.		
Length of Ti	me Shut in				, .
PLEASE	INDICATE BELOW FORMATI	ION	TOPS (IN CONFORMANCE WITH GI	COGI	RAPHICAL SECTION OF STATE):
PLEASE	INDICATE BELOW FORMATI Southeastern No			COGI	RAPHICAL SECTION OF STATE): Northwestern New Mexico
			fexico	E OGI T.	Northwestern New Mexico
T. Anhy	Southeastern No	ew N	fexico		Northwestern New Mexico
T. Anhy T. Salt	Southeastern No	ew N T.	fexico Devonian	T.	Northwestern New Mexico Ojo Alamo
T. Anhy T. Salt B. Salt	Southeastern No	ew N T.	fexico Devonian Silurian	Т. Т.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland
T. Anhy T. Salt B. Salt T. Yates	Southeastern No	в w М Т. Т. Т.	fexico Devonian Silurian Montoya Simpson	Т. Т. Т.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers	Southeastern No	ew M T. T. T. T.	fexico Devonian Silurian Montoya Simpson McKee	T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen	Southeastern No	ew M T. T. T. T. T.	fexico Devonian Silurian Montoya Simpson McKee Ellenburger	T. T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs Menefee
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg	Southeastern No	••• • • • T. T. T. T. T. T.	fexico Devonian Silurian Montoya Simpson McKee Ellenburger Gr. Wash	T. T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs Menefee Point Lookout
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg T. San Andr	Southeastern No	T. T. T. T. T. T. T. T. T.	fexico Devonian Silurian Montoya Simpson McKee Ellenburger Gr. Wash	T. T. T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs Menefee Point Lookout Mancos
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg T. San Andr T. Glorieta	Southeastern No	T. T. T. T. T. T. T. T. T.	fexico Devonian Silurian Montoya Simpson McKee Ellenburger Gr. Wash Granite	T. T. T. T. T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs Menefee Point Lookout Mancos Dakota
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg T. San Andr T. Glorieta T. Drinkard	Southeastern No	 w b T. 	ferico Devonian Silurian Montoya Simpson McKee Ellenburger Gr. Wash Granite	T. T. T. T. T. T. T. T. T.	Northwestern New Mexico Ojo Alamo Kirtland-Fruitland Farmington Pictured Cliffs Menefee Point Lookout Mancos Dakota Morrison

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
				I			

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. We have not had any records of this well.

as can be determined from available records.	First National Bank, Dec.	29,1954
	Brownfield, Texas	(Date)
Company or Operator	Position or Title	Vice Pres.
· · · · · · · · · · · · · · · · · · ·		



(Revised 7/1/53) (Form C-105)

> े . २.२

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

; .

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES LOCATE WELL CORRECTLY

		M.G.VInther (Lease)				
(Company or Operator)		(Lease)				
Well No		, т. 3 8	, <mark>R. 30 B</mark>	, NMPM.		
Wildest	Pool,Roo	evelt		County.		
Well isfeet from	line and	feet i	rom	line		
of Section If State Land the	Oil and Gas Lease No. is			••••••		
Drilling Commenced	, 19 Drilling was C	ompleted		, 19		
Name of Drilling Contractor						
Address						
Elevation above sea level at Top of Tubing Head		. The information giv	en is to be kept confi	dential until		
	OIL SANDS OR ZONES					
No. 1, fromto	No. 4, from		to			
No. 2, fromto	No. 5, from		to			

IMPORTANT WATER SANDS

No. 3, from......to......to........to.......

nclude data on rate of water inflow and elevation to which water rose in hole.					
No. 1, from	to	feet.			
No. 2, from	to	feet.			
No. 3, from	to	feet.			

	-,			
No.	4,	from	tofeet.	

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/			310 Pt.	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	cemented

MUDDING AND CEMENTING BECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
-						

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No production

Result of Production Stimulation

Depth Cleaned Out.....

318 ft.

.

	e and a second sec	· · ·	•			i i i i i i i i i i i i i i i i i i i	
	1	BL.JBD	of DRILL-STE	M AND SPECIAL TES!	L	· ·	
I	f drill-stem or other special te	sts or devia	ation surveys were	e made, submit report on :	separ	ate sheet and attach hereto	
			TOOLS	USED			
Rotary tools were used from		feet to		feet, and from		feet tofeet	
Cable tools were used from		feet to		feet, and from		feet tofeet	
			PRODU	CTION			
Put to Produc	ing		, 19				
OIL WELL:	The production during the t	first 24 hou	rs was	barrels of	of lic	guid of which	s
	was oil:	• •					
	Gravity						
GAS WELL:	The production during the	first 24 hou	irs was	M.C.F. plus	••••••	barrels o	f
	liquid Hydrocarbon. Shut in	n Pressure	lbs.				
Length of Tir	ne Shut in		••••••				
PLEASE	INDICATE BELOW FOR	MATION	TOPS (IN CON	FORMANCE WITH GH	COGI	RAPHICAL SECTION OF STATE):	
	Southeaste	orn New M	exico			Northwestern New Mexico	
T. Anhy		Т.	Devonian		Т.	Ojo Alamo	
T. Salt		T .	Silurian		Τ.	Kirtland-Fruitland	
B. Salt		Т.	Montoya		T.	Farmington	
T. Yates		T .	Simpson		T.	Pictured Cliffs	
T. 7 Rivers.		T.	McKee		Т.	Menefee	
T. Queen		T.	Ellenburger		Т.	Point Lookout	
-			Gr. Wash		Т.	Mancos	
, ,	es		Granite		Т.	Dakota	
					Т.	Morrison	
					т.	Penn	
					Т.		
					т.		
			••••••		T.		
1. IVII35		····· 1 .	***************************************		••		•••

FORMATION RECORD

From	То	Thickness in Fect	Formation	From	То	Thickness in Feet	Formation
		-					

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. We have not had any records of this well.

	First National Bank, Dec.29,1954
Company or Operator	Address Brownfield, Texas
Name	Position or Title. A. MANA Collin Vice Pros.