

COUNTY	ROOSEVELT		FIELD	Wildcat		STATE	NM	
OPR	MOBIL OIL CORPORATION						MAP	
	1 Whitehead, Vallie "B"							
	Sec. 24, T-6-S, R-33-E						CO-ORD	
	660' FSL, 660' FWL of Sec.						MX 10632	
	Spd 9-12-66						CLASS	
	Cmp 11-10-66		FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING								
	8 5/8"	354'	300					
	4 1/2"	4060'	400					
LOGS EL GR RA IND HC A								
			TD 4060'					
PLUGGED & ABANDONED								

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Verna Drlg. Co.	PROP DEPTH	4200'	TYPE
DATE			

F.R. 9-15-66; Opr's Elev. 4365' KB
PD 4200' - SA
Contractor - Verna
9-19-66 Drlg. 3117' anhy.
9-26-66 TD 4060', running logs.
Cored 3805-45', rec 40' being:
33' anhy & dolo., w/NS;
3' dolo., w/poor show;
4' anhy.
Cored 3888-3918', rec 30' being:
10' dolo., w/good show oil & gas;
20' dolo., sh & anhy., w/NS.
Cored 3960-4012', rec 52' being:
5' dolo., bldg oil & wtr;
2' dolo., w/NS;
9' anhy dolo., w/NS;
36' dolo., w/good show, PPP.

10-3-66 TD 4060', PED 4050', swbg load.
Perf @ 3991', 3993', 3995', 3997', 3999',
4005', 4007', 4009', 4011', 4020', 4025',
4027', 4029', 4031' W/1 SPI
Swbd 13 BLO/2 hrs & swbd dry (3991-4031')
Acid (3991-4031') 1000 gals.
Swbd 17 BLO, 12 BAW, 8 BNO + 7 BFW in 14
hrs (3991-4031')
Frac (3991-4031') 40,000 gals oil + 60,000#
sd.
Swbd 235 BLO/24 hrs.
10-10-66 TD 4060', PED 4050', swbg.
Swbd 5 BLO + 44 BFW/9 hrs (3991-4031')
Vis-squeezed perfs 3991-4031' W/100 sx.
Acid (3991-4031') 1000 gals 15% Unisol.

Swbd 37 BLO, 24 BAW + 74 BFW/16 hrs (3991-
4031')
Squeezed perfs 3991-4031' W/250 sx.
Drld out to 4050'
Perf @ 3992', 3994', 3996', 3998', 4005',
4007', 4009' W/1 SPI
Acid (3992-4009') 500 gals.
Swbd 60 BLO, 31 BNO, 12 BAW + 52 BFW/38
hrs (3992-4009')
10-17-66 TD 4060', PED 4000', swbg.
Squeezed perfs 3992-4009' W/250 sx.
Drld out to 4000'
Perf @ 3994', 3996' W/2 SPI
Acid (3994-96') 500 gals.
Swbd 58 BLO, 7 BNO + 1 bbl AW in 13 hrs
(3994-96')

10-24-66 TD 4060', PBD 4000', swbg load.
Frac (3994-96') 7000 gals gelled crude +
7000# sd.
Swbd 21 BLO + 2 BAW/24 hrs.
10-31-66 TD 4060', PBD 4012', swbg.
Swbd 3 BLO + 1 BAW/12 hrs & swbd dry (3994-96')
Drld Out to 4012'
Perf @ 4006', 4008' W/2 SPI
Acid (3994-4008') 500 gals.
Swbd 4 B Salt Wtr in 6 hrs & swbd dry (3994-
4008')
11-7-66 TD 4060', PBD 4012', SI, WOO.
11-14-66 TD 4060', PBD 4012', PLUGGED & ABANDONED.
(Holding for tops)

11-21-66 TD 4060', PBD 4012', Completion Reported.
LOG TOPS: Rustler 1776', Yates 2014',
Queen 2503', San Andres 3100', Pi Zone
3626', Slaughter 3771'.