

D B Lieb #1 Amerada

4 1/2

4092 TC 2960

Cut 2760

365 8 5/8"

3820-3917 Perf

Plug over perf

25 cut

25 Top Soil

25 8 5/8 shoe

10 surface

Please call

Sp 21

Midland

Box 4 - 8121

Marion Belmont

PROFESSIONAL BUSINESS SERVICE

EXPRESS 3 9015

1300 ROSE LANE

HOBBS, NEW MEXICO

SECRETARIAL — INVOICING — TYPING — STENCILS CUT
MIMEOGRAPHING: LETTER, LEGAL, POSTCARD — NOTARY PUBLIC

COUNTY	ROOSEVELT	FIELD	Wildcat	STATE	NM
OPR	AMERADA PETROLEUM CORP.				MAP
	1 Lieb, D. B.				
	Sec. 6, T-4-S, R-33-E				CO-ORD
	660' FSL, 660' FEL of Sec.				MX 10665
	Spd 12-6-66				CLASS
	Cmp 1-5-67				EL
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
8 5/8" 365' 275					
4 1/2" 4092' 350					
LOGS EL GR RA IND HC A					
	TD 4250'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Verna Drilg. Co.	PROP DEPTH 4200'	TYPE
DATE		

F.R. 12-8-66; Opr's Elev. 4364' DF
PD 4200' - SA
Contr. - Verna
12-12-66 TD 3506', prep to core.
12-19-66 TD 4012', reaming.
Cored 3506-65', rec 59' dolo., scatt fracs & vuggs, NS.
Att. DST 3490-3565', mis-run, hole in DP.
Cored 3565-3619', rec 54' dolo & anhy., w/NS.
Cored 3706-65', rec 59', dolo & anhy., w/scatt vuggs & fracs., sli shows oil.
DST 3702-65', open 1 hr,
rec 126' DM + 819' Salty Sul Wtr, w/NS,
30 min ISIP 1157#, FP 162-371#,
1 hr 30 min FSIP 1157#, HP 2000-1995#.
Cored 3880-3920', rec 40' lm., foss., bldg heavy oil & some PPP.

12-19-66

Cont.

DST 3876-3920', open 1 hr,
rec 57' DM + 84' Sli GC Salt Wtr,
30 min ISIP 1217#, FP 34-69#,
1 hr 30 min FSIP 1217#.
Cored 3954-4012', rec 58' lm., very scatt
poor poro., NS.

1-3-67

TD 4250', PBD 4023', swbg.
DST 4060-4250', open 1 hr,
rec 45' DM, w/NS,
30 min ISIP 299#, FP 43-53#,
1 hr 30 min FSIP 250#.
Perf @ 3820', 3822', 3843', 3850', 3852',
3853', 3874', 3876', 3885', 3894', 3908',
3912', 3914', 3917' w/1 SPI

Att. Acid (3820-3917'),
Communicated after 800 gals.
Set Pkr @ 3863'
Acid (3874-3917') 5000 gals.
Set BP @ 3863'
Acid (3820-53') 5000 gals.
Pulled BP

1-9-67

Swbd 150 BLW, w/tr. oil in 11 hrs. (3820-3917')
TD 4250', PBD 4023', PLUGGED & ABANDONED
Swbd 40 BFW in 2½ hrs (3820-3917')
LOG TOPS: Anhydrite 1744', Yates 1860',
Queen 2442', San Andres 2822', Base San
Andres 4180'.