

NEW MEXICO OIL AND GAS COMMISSION

If drill-stem or other special tests or measurements were made, submit report on separate sheet and attach hereto

WELL RECORD

Rotary tools were used from 0 feet to 977 feet from
 Cable tools were used from 0 feet to 977 feet, and from 977 feet to 1960 feet.

PRODUCTION

Put to Producing
 OIL WELL: The production during the first 24 hours was 11 barrels of liquid of which % was

% was gas; % water; and % was sediment. A.P.I.

Gravity (temp.)

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of

liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

- T. Anhy 1880
- T. Salt 1960
- T. Salt 2127
- T. Yates 2127
- T. 7 Rivers 2257
- T. Queen
- T. Grayburg 3210
- T. San Andres 3292
- T. Glorieta
- T. Drinkard
- T. Tubbs
- T. Abo
- T. Penn
- T. Miss
- T. Devonian
- T. Silurian
- T. Montoya
- T. Simpson
- T. McKee
- T. Gr. Wash
- T. Granite
- T. Ojo Alamo
- T. Kirtland-Fruitland
- T. Farmington
- T. Pictured Cliffs
- T. Menefee
- T. Point Lookout
- T. Masco
- T. Dakota
- T. Morrison
- T. Penn
- T.
- T.
- T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	977	977	Shale & Redbed				
977	1960		Redbed				
1960	2999		Anhy & Salt				
2999	3292		Shale & Lime				
3292	4300		Line				

Log will be furnished when filed prints received

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Robert L. Wood Address Box 953, Midland, Texas (Date) 7/5/67