

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. K-3994
7. Unit Agreement Name -
8. Farm or Lease Name New Mexico "H" State
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat
12. County Roosevelt

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dryhole	
2. Name of Operator Shenandoah Oil Corporation	
3. Address of Operator 1018 Commerce Building, Fort Worth, Texas	
4. Location of Well UNIT LETTER F 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 36 TOWNSHIP 6S RANGE 37E NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.) 4015.4 G.L.	

<p align="center">16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data</p>	
<p align="center">NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/></p> <p>CHANGE PLANS <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p>	<p align="center">SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/></p> <p>CASING TEST AND CEMENT JOBS <input type="checkbox"/></p> <p>PLUG AND ABANDONMENT <input type="checkbox"/></p> <p>OTHER <input checked="" type="checkbox"/></p>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Well drilled to depth of 4370 feet, no commercial shows.
- Set 25 sx cement plug from 4283-4370'.
- Set 25 sx cement plug from 3361-3438'.
- Set 25 sx cement plug from 2007-2094'.
- Set 25 sx cement plug from 368-441'.
- Set 10 sx cement plug in top of 8-5/8" surface casing.
- Welded steel cap on top of 8-5/8" casing and well marked by 5' marker.
- Plugging performed by Halliburton.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNED <u>Harold E. Burke</u>	TITLE <u>Supt.</u>	DATE <u>1-16-65</u>
APPROVED BY <u>John W. Runyan</u>	TITLE <u>General Manager</u>	DATE <u>1-16-65</u>
CONDITIONS OF APPROVAL, IF ANY:		