

D

The Deviation Surveys listed below were taken on the Southern Petroleum Exploration, Inc. No. 1 State L, 660 feet from the North line and 660 feet from the West line of Section 5, Township 1 North, Range 29 East, Roosevelt County, New Mexico.

328'	1/4°
779'	1/4°
1270'	1/2°
1404'	1/2°
1900'	1/2°
2263'	3/4°
2640'	1°

B. C. Hicks

THE STATE OF NEW MEXICO §

THE COUNTY OF CHAVES §

Before me, the undersigned, a Notary Public, in and for said county, New Mexico, on this day personally appeared B. C. Hicks, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and consideration therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, This 31st day of August, 1970.

Carroll F. Westfall  
NOTARY PUBLIC in and for  
Chaves County, New Mexico

My Commission Expires May 10, 1974

NEW MEXICO OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

AFFIDAVIT OF RESPONSIBILITY  
CONVERSION TO WATER-WELL

STATE OF New Mexico )  
County of Roosevelt ) ss.

B. D. Singletary, being first duly sworn according to law, upon his oath deposes and says:

1. That he is Production Supt. of Southern Petroleum Corp., Inc.  
(Title) (Operator)  
whose address is Box 515 Hobbs, New Mexico 88240.
2. That Southern Pet. Corp. is the operator of a well drilled on land be-  
(Operator)  
longing to Raymond Spradlin, whose address is Box 157  
(Landowner)  
Melrose, N. M., said well being drilled to test for hydrocarbons and/or  
carbon dioxide gas and described as the State Well No. 1, being located 460  
feet from the North line and 660 feet from the West line of Section 5,  
Township 1 North, Range 29 East, NMPM, Roosevelt  
County, New Mexico.
3. That said well was drilled to a total depth of 2783 feet, and that cas-  
ing has been set and cemented as follows:  
315 feet of 8 5/8" 20# casing cemented with 200 sx of Class A  
cement with 50-50 pozmix and circulated to surface.
4. That operator and landowner have made an agreement whereby operator  
(is) (~~isn't~~) to back fill pits, level location, and clear it of all junk. The agreement  
further provides that operator is to plug said well back to a plugged-back total depth of  
200 feet and transfer well to landowner for his use as a water-well. Operator will  
leave casing in the well as follows:  
315 feet of 8 5/8" 20# casing
5. That when operator has complied with the provisions of Paragraph 4 above  
it will so notify the Oil Conservation Commission of the State of New Mexico on Com-  
mission Form C-103, together with a signed statement from the landowner that the  
provisions of Paragraph 4 above have been complied with to his satisfaction.

By Southern Petroleum Corp., Inc.  
(Operator)  
B. D. Singletary  
Subscribed and sworn to before me this 28th day of August, A. D. 19 70.  
My Commission Expires:  
January 22, 1974  
Norman Markland  
Notary Public in and for the County of De Baca

STATE OF New Mexico )  
County of De Baca ) ss.

Raymond Spradlin, being first duly sworn according to law, upon  
his oath deposes and says that when the provisions of Paragraphs 4 and 5 above have been  
complied with, he will accept the above-described well for his use as a water-well, and  
that he will assume all responsibility for the well, the location, and the conversion of the  
well to a water-well.

Raymond Spradlin  
(Landowner)  
Subscribed and sworn to before me this 28th day of August, A. D. 19 70.  
My Commission Expires:  
January 22, 1974  
Notary Public in and for the County of De Baca

COUNTY	ROOSEVELT	FIELD	Wildcat	STATE	NM	30-041-20279
OPR	SOUTHERN PETROLEUM EXPLORATION, INC.					MAP
	1 State "L"					
	Sec 5, T-1-N, R-29-E					CO-ORD
	660' FNL, 660' FWL of Sec					
	Spd 8-21-70		CLASS		EL	
	Cmp 8-28-70		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 8 5/8" at 328' w/200 sx.						
LOGS EL GR RA IND HC A			TD 2783'			
PLUGGED & ABANDONED						

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Cactus	PROP DEPTH	2500'	TYPE	RT
DATE					

F.R. 8-11-70; Opr's Elev. 4296' GL  
PD 2500' RT (San Andres)  
Contractor - Cactus  
8-24-70 Drlg. 2590'  
8-31-70 TD 2783'; P&A (Tight)  
9-21-70 TD 2783'; PLUGGED & ABANDONED  
Well Drilled Tight, will amend when information  
is released.  
9-24-70 COMPLETION REPORTED