

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER- Dry Hole		7. Unit Agreement Name
2. Name of Operator H. L. Brown, Jr.		8. Farm or Lease Name Baker
3. Address of Operator 309 Midland Tower, Midland, Texas 79701		9. Well No. 1
4. Location of Well UNIT LETTER F 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 29 TOWNSHIP 6 S RANGE 34 E NMPM.		10. Field and Pool, or Wildcat East New Mexico
15. Elevation (Show whether DF, RT, GR, etc.) 4351' GL		12. County Roosevelt

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

TEMPORARILY ABANDON ☐

PULL OR ALTER CASING ☐

OTHER ☐

PLUG AND ABANDON ☐

CHANGE PLANS ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

COMMENCE DRILLING OPNS. ☐

CASING TEST AND CEMENT JOBS ☐

OTHER ☐

ALTERING CASING ☐

PLUG AND ABANDONMENT ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-6-70: DST #1 7348' - 7432'. Tool open 20 minutes on pre-flow with fair blow increased to strong blow. Opened on test 2 hours 10 minutes with weak blow throughout. Recovered 90' gas cut mud & 410' of drilling mud. HHI 3996, first flow 143-171, 1 hour ISI 487, second flow 200 - 257, 1-1/2 hour FSI 372, HHO 3968. Temperature 128 deg. Sample chamber contained 1700 cc mud and 4/10 of a cubic foot of gas.

TD 7459'. Logged. Obtained verbal permission from the Oil Conservation Commission to plug & abandon. Went in hole open ended, circulated 1 hour. Set 25 sxs Class "H" from 7348' - 7263', 25 sxs class H from 6590' - 6510', 25 sxs Class "H" from 4540' - 4455', 25 sxs Class "H" from 3340' - 3253' and 10 sxs at surface. P & A 11-7-70. Erected dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED **B. D. Baker** TITLE **Petroleum Engineer** DATE **November 19, 1970**

APPROVED BY **John W. Runyan** TITLE **Geologist** DATE **11/19/70**

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

NOV 27 1970
OIL CONSERVATION COMM.
HONOLULU, H. I.