

**ENSERCH**  
**EXPLORATION**<sup>INC</sup>

P. O. Box 4815  
Midland, Texas 79701  
915-682-9756

Leonard Kersh  
District Engineer  
West Texas District  
Drilling and Production Division

May 14, 1980

New Mexico Oil Conservation Commission  
Attention: Mr. J. T. Sexton  
P. O. Box 1990  
Hobbs, New Mexico 88240

Re: Plugging and Abandonment of  
Enserch's Lambirth Well No. 5  
Roosevelt County, New Mexico


Gentlemen:

The subject well located 1890' FWL & 660' FNL, Sec. 1, T 6S-R33E, Roosevelt County, New Mexico is proposed for plugging and abandonment. The well was spudded on 7-12-79 and the production string was run on 8-12-79. Subsequently, numerous attempts were made to complete the well in various intervals but with no success. As indicated in the attached diagramatic well sketch, we now have open perforations in the Glorietta, Pennsylvanian, and the Granite Wash intervals opposite the wellbore.

In order to prepare an adequate abandonment procedure, we ask that you indicate to us by phone or letter the minimum desirable plugging requirements on this well.

Your assistance in this matter will be truly appreciated.

Sincerely,



John A. Monro  
Senior Petroleum Engineer

JAM/mr


Attachments

cc: Horace Burnett  
Leonard Kersh

DIA RAMMATIC WELL SP-1CH  
Lambert WELL NO. 5  
South Peterson FIELD  
Roosevelt COUNTY, New Mexico  
 Prepared By: J. A. Monroe Date: 5-12-80

K.B. ELEVATION - 4437.6

G. L. ELEVATION - 4421.6



$13 \frac{3}{8}$ " H-40, ST&C CMTW/300 SXS CHT  
 CHT SET @ 361'

$9 \frac{5}{8}$ " CMT W/850 SXS. CHT SET @ 2002'

Perfs @ 4722, 25, 27, 29, 31, 34, 37, 40 & 43

Perfs @ 4853, 65, 11, 12, 69, 72, 73, 76, 80, 83 & 90

Perfs @ 5124, 25, 26, 30, 5200, 20, 24, 28, 46 & 54 & 60

Perfs @ 5160 (4 holes)  
 CMTW/825 SXS  
 PERMIX

Perfs @ 7698, 90, 7700, 01, 02, 03, 04, 05, 06, 07 & 08

Perfs @ 7810, 10, 14, 16, 18, 20, 22, 24, 26, 32, 34, 36, 38, 40, 42,  
 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 72, 74, 76, 80, 82,  
 84, 90, 94, 96, 98 & 7900'

RRPC 7100'

4 3/8 HOLE

GLORIAITA

PERIN.

$2 \frac{3}{8}$ " work string set on STTS packer

GRANDIE. WASH

$5 \frac{1}{2}$ " 17#, R-55, LT & C CMTW/420 SXS C-7916

T.D. @ 7948'

Last Workover: \_\_\_\_\_

Prod. Rate Before: \_\_\_\_\_

Prod. Rate After: \_\_\_\_\_

Nature of Workover: \_\_\_\_\_