

LOG-LOG PLOT

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

FIELD REPORT NO. 196320

INSTRUMENT:

NUMBER: J-015

CAPACITY: 4700 PSI


DEPTH: 7824 FT


SHUT-IN #2:

FINAL FLOW PRESSURE (P_{WF}): 1232 PSIG

PLOT ELAPSED TIME RANGE: 152.5 TO 331.6 MIN

SHUT-IN ΔT TIME RANGE: 1.5 TO 180.7 MIN





LTR



Job separation sheet

WELL IDENTIFICATION

CUSTOMER: SAME

COMPANY: ENSERCH EXPLORATION, INC.
7701 N. STEMMONS FREEWAY
DALLAS, TEXAS 75247

WELL: LAMBIRTH #9
TEST INTERVAL: 7804' TO 7830'

LOCATION: 560 FSL 560 FEL SEC.25 T5-2 R32E
FIELD: -

TEST DATE: 1-8-80
STATE: NEW MEXICO

TEST NO: 1
COUNTY: ROOSEVELT
TECHNICIAN: BROOKS (HOBBS)

TEST APPROVED BY: MR. DANNY E. HAGINS

EQUIPMENT AND HOLE DATA

TEST TYPE:	M.F.E. OPEN HOLE	DRILL PIPE LENGTH:	-	FT.
ELEVATION:	4368.4 GL	DRILL PIPE I.D.:	3.826	IN.
TOTAL DEPTH:	7830'	DRILL COLLAR LENGTH:	-	FT.
MAIN HOLE/CASING SIZE:	8 3/4	DRILL COLLAR I.D.:	2.25	IN.
RAT HOLE/LINER SIZE:	-	PACKER DEPTHS:	7800 & 7804	FT.
FORMATION TESTED:	FUSSELMAN			FT.
NET PROD. INTERVAL:	26	DEPTHS REF. TO:	KELLY BUSHING	FT.
POROSITY:	-			

TEST TOOL CHAMBER DATA

SAMPLER PRESSURE: 450
RECOVERED OIL GRAVITY: 51 API @ 62 DEG. F.
RECOVERY GOR: 546 FT3/BBL.

FLUID	VOLUME	MEAS. TEMP. (DEG F.)	CHLOR. (PPM)	TYPE:	BRINE GEL 5% OIL
GAS:	4.6 FT.3			WEIGHT:	10+ LB/GAL.
OIL:	1340 CC			VISCOSITY:	44 SEC.
WATER:	- CC			WATER LOSS:	5 CC
MUD:	60 CC			FLUID	RESIST (OHM-M) (DEG F)
FILTRATE:				MUD:	TEMP CHLOR
TOTAL LIQUID:	1400 CC			FILTRATE:	(DEG F) (PPM)

REMARKS

NO. OF REPORTS REQUESTED: 15X

FIELD REPORT NO. 19632D