

SURFACE INFORMATION

DESCRIPTION(RATE OF FLOW)

TIME

PRESSURE
PSIG

SURFACE
CHOKE

SET PACKER
OPENED TOOL
STRONG BLOW

0934
0936

-
-

1/8"
"

GAS TO SURFACE
CLOSED FOR INITIAL SHUT-IN
RE-OPENED TOOL
STRONG BLOW

0940
0941
0951
1038

50
50
-
20

1/2"
"
"
"

OIL TO SURFACE (SLUG)

1043
1048
1053
1058
1103
1106
1108
1113
1118
1123
1128
1133
1138
1208
1209

14
7
1
0
0
-
22
18
14
16
6
0
0
25
50

"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"

CLOSED FOR FINAL SHUT-IN
OIL HIT SURFACE SURGE
FINISHED SHUT-IN
PULLED PACKER LOOSE
STARTED REVERSING
FINISHED REVERSING

1509
1510
1545
2230

-
-
-
-

"
"
"
-


CUSHION TYPE: -

- FT

- PSIG

15/16 IN. BOTTOM CHOKE

FIELD REPORT NO. 19632D



LTR



Job separation sheet

----- RECOVERY INFORMATION -----

RECOVERY	FEET	BARRELS	%OIL	%WATER	%OTHERS	API GRAV.	DEG.	RESIST	DEG.	CHL PPM
----------	------	---------	------	--------	---------	--------------	------	--------	------	------------

RECOVERY LOST TRYING TO UN-
PLUG CIRCULATING SUB BY
CIRCULATING, NOT REVERSE
CIRCULATING. REVERSED OUT
AFTER SUB UNPLUGGED, GAS
CUT MUD WITH TRACE OF OIL.

FIELD REPORT NO. 19632D