

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

API No. 30-041-20543

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name -
2. Name of Operator Phillips Petroleum Company	8. Farm or Lease Name Lambirth - B
3. Address of Operator Rm. 401, 4001 Penbrook St., Odessa, TX. 79762	9. Well No. 1
4. Location of Well UNIT LETTER P 560 FEET FROM THE East LINE AND 675 FEET FROM THE North LINE, SECTION 2 TOWNSHIP 6-S RANGE 33-E NMPM.	10. Field and Pool, or Wildcat Peterson Fusselman South
15. Elevation (Show whether DF, RT, GR, etc.) 4428.5' GR	12. County Roosevelt

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	Total Depth <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

06-27-80 MI Rial Drlg. Spudded w/17-1/2" bit to 360', @ 7:00 p.m. Ran 9 jts. 13-3/8" 48#, K-55 csg., set @ 360'. Cmt'd. w/420 sxs Cl. "H" w/2% CaCl, 1/4#/sx Celloflakes. Circ. 140 sxs to surface. WOC 14 hrs. Test csg. & BOP 1000#, ok. Drld. ahead w/11" bit.

07-03-80 Ran 8-5/8" 24#, K-55 csg., set @3496'. Cmt'd. w/800 sxs Cl. "H" w/30% DD followed w/200 sxs Cl. "H" cmt. w/2% CaCl₂. Circ. 250 sxs to surface. WOC 6 hrs. Drld. ahead w/7-7/8" bit.

07-20/21-80 Reached 8000' TD. Logged.

07-22-80 Ran 5-1/2", 14# & 15.5#, K-55 csg. set @ 8000'. Cmt'd. w/350 sxs Cl. "H" w/30% DD, 2% KCL, .8% D-19 & 1/2#/sx CF, followed w/450 sxs Cl. "H" cmt. w/2% KCL, 1% D-19; full returns. TOC @ 5510'.

07-23-80 Released rig; prep. to complete.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. J. Mueller TITLE Sr. Engineering Specialist DATE July 23, 1980

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: