30-141-20543

Light Arg NEW MEXICO OIL CONSERVATION COMMISSION Find Cold With Arg Network Mission School Conservation Commission School Conservation Commission With Arg Network Mission School Conservation School Conservation APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Notation Conservation Notation Conservation APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Notation Conservation Notation APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Notation Notation Application ORICLE DEEPEN PLUG BACK Notation APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Notation Notation Notation Application ORICLE DEEPEN PLUG BACK Notation Athemation Definition Definition Notation Notation Application Definition Definion Notation Notation	44. OF COPIES RECEIVED				E.	-	, ,-	
ANA 12 AND AT 12 AND GETTINE APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK To Date Lease to APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK To Date Lease to To Date Lease to The There it Note Delta L DEEPEN PLUG BACK To Date Lease to The There it Note Delta L DEEPEN PLUG BACK To Date Lease to The There it Note Delta L DEEPEN PLUG BACK To Date Lease to the Lease to Date Lease to the Delta Lease to the Lease to the Delta Lease to the Delta Lease to the Delta Lease to the Lease to the Lease to the Delta Lease to the Delta Lease to the Delta Lease to the Delta Lease to the Delta Lease to the Lease to the Delta Lease to the Delta Lease to the Lease to the Lease to the Lease to the Delta Lease to the Delta Lease to the Delta Lease Lease to the Lease Lease to the Delta Lease to the D	DISTRIBUTION	NE	MEXICO OIL CONSE	RVATION COMMISS	ION			
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Construction for the loss has Construction for the loss has						·		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Could Agreement from Deal	FILE						· ·	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK The difference The difference The difference The difference The difference The difference The difference							<u> </u>	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK N. Type of Work 2. Used Approximation N. Type of Work PLUG BACK P. Tornoor Lesse Name DeepEnn PLUG BACK PLUG BACK P. Tornoor Lesse PLUG BACK P. Tornoor P. Tornoor P. Tornoor P. PLUG BACK PLUG BACK P. Tornoor P. Tornoor P. Tornoor P. PLUG BACK PLUG BACK PROPOSED CAING NO CEMENT PERFORD<							Gan Lease Ho.	
1. The of Wark PLUG BACK 1. Out Agreement Home 0. The of Wark PLUG BACK 1. The of Lense Home 0. The of Wark 0. The of Wark 0. The of Lense Home 0. The of Wark 0. The of Lense Home 1. The of Lense Home 0. The of Wark 0. The of Lense Home 1. The of Lense Home 0. The of Wark 0. The of Lense Home 1. The of Lense Home 0. The of Mark 0. The of Lense Home 1. The of Lense Home 1. The of Mark 0. The of Lense Home 1. The of Lense Home 1. The of Mark 0. The of Lense Home 1. The of Lense Home 1. The of Mark 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home 1. The of Lense Home 1. The of Lense Home 0. The of Lense Home <t< td=""><td>OPERATOR</td><td></td><td></td><td></td><td></td><td>mm</td><td>mmm</td></t<>	OPERATOR					mm	mmm	
2. The of Work DELL DEEPEN PLUG BACK 1. Out Agreement None 6. The of Work Str. Str. Str. Immediate Immediat Immediat Immediat		IN END PEDMIT TO				1//////	AIIIIIIIIIIIIIIIIIIIIA	
be proved from the second			DRIEL, DELLER,	OKTEOO DACK		7. Unit Agre	ement Name	
Book of the second secon								
10 ment of period 9. Well No. Phillips Petroleum Company 10. UNDEStGNATED 12. Ablema of Quent of Well Wart Letters P. Letters	h. Type of Weil	-x	DEEPEN	PLL	ЈС ВАСК 🔄	8, Farm or L	.ease Name	
10 ment of period 9. Well No. Phillips Petroleum Company 10. UNDEStGNATED 12. Ablema of Quent of Well Wart Letters P. Letters		0. HEB	κ.	ZONE X	ZONE	Lambir	cth-B	
1. Accords 10. UNDESIGNATED Room 401, 4001 Penbrook St., Odessa, Texas, 79762 Peterson Fusselman So A. Levitten 4 and textus P. Lexitto _ 560 rest resource _ construction _ for textual _ constructing _ for textual _ constextual _ construction _ for textual _ cons						9. Well No.	· · · · · · · · · · · · · · · · · · ·	
1. Accords 10. UNDESIGNATED Room 401, 4001 Penbrook St., Odessa, Texas, 79762 Peterson Fusselman So A. Levitten 4 and textus P. Lexitto _ 560 rest resource _ construction _ for textual _ constructing _ for textual _ constextual _ construction _ for textual _ cons	Phillips Petro	leum Company					/	
Recom 401, 4001. Penbrook St., Odessa, Texas. 19762 Peterson Fusselman So Participation of Worth P. Control _ 560 recorder of Worth Peterson Fusselman So Participation of Worth P. Control _ 560 recorder of Worth Peterson Fusselman So Participation of Worth Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Participation of Worth Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Participation of Worth Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Participation of Worth Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peterson Fusselman So Peters	3. Address of Operator					10. EM	ESIGNATED	
A. Location of Weil and Letters P. LECERE _ 560 PEER PROMINENCE P. LECERE _ 560 PEER PROMINENCE PEER PROMINENCE A. A. Construction OPERATION PEER PROMINENCE PEER PROMINENCE <td< td=""><td>Room 401, 4001</td><td>Penbrook St.</td><td><u>Odessa, Texas 7</u></td><td>9762</td><td></td><td></td><td></td></td<>	Room 401, 4001	Penbrook St.	<u>Odessa, Texas 7</u>	9762				
and 675 ref read of MOTCH 100 of 616 2 100 6-5 asc 13-Fourty Represented Represented 100, Provided Depth 100, Provided Deph 100, Provided Depth 100, Provide								
12. County Reserve1r				Eu	50			
Propose 1: Proceed 1: Proceed 1: P	AND 675 FEET FRO	MTHE North :		WP. 6-S RGE.	33-EMPM		millitti	
13. Lieveningelike 15. Lieveningelike 20. Retary & C.T. 21. Lieveningelike 21. Lieveningelike 22. Approx. Date Wert Wil atom (unprepared) 4428.5' 11. Lieveningelike 22. Approx. Date Wert Wil atom (unprepared) 4428.5' 11. Lieveningelike 22. Approx. Date Wert Wil atom (unprepared) 4428.5' 11. Lieveningelike 22. Approx. Date Wert Wil atom (unprepared) 4428.5' 11. Lieveningelike 24.9 Excession (unprepared) 4428.5' 11. Center Wert Wilson 24.9 Excession (17-1/2"						3		
A. Clevelines (Annu Widther UP, RL, etc.) 21A. KING & BURUS Plan. Food 2111. Frilling Countaries 22. Approx. Date Work Will start Ch. Cuprepared) 4428.5' blanket advise later upon approval Ch. PROPOSED CASING AND CEMENT PROGRAM Size of HOLE Size of CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 48# H-40, 350' (Cmt w/460 sxs Cl H 15 6#/gal w/1/## 11" 8-5/8" 24# K-55 3500' (Cmt w/460 sxs Cl H w/200 DD at 11.7 11" 8-5/8" 24# K-55 3500' (Cmt w/400 sxs Cl H w/200 DD at 11.7 11" 8-5/8" 24# K-55 3500' (Cmt w/400 sxs Cl H w/200 DD at 11.7 11" 8-5/8" 24# K-55 3500' (Cmt w/200 sxs Cl H w/200 DD at 11.7 11" 8-5/8" 24# K-55 TD (Cmt w/200 fagal & 2.15 cf/sx. Gracter burget by 200 sxs Cl H w/2% CaCl (15.6# gal & 2.12 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 BoP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILING COMMENCED, EXPIRES Intervent work the intervent down a int work to be to be of the knowledge and bellet. Mathemathematescon the schematic attached.	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	<i>HHHHHH</i>	<i>HHHHHH</i>	++++++++	A BOOSERS	//////////////////////////////////////	
A. Clevelons (Charly Welther UP, RL, etc.) 21A. Klevel & Slatus Plue, Ford 21D. Failing Contactor 22. Approx. Date Work Wil stert Charles (upprepared) 4428,5' blanket advise later upon approval Stree of HoLE Size of CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 48# H-40, 350' (Cmt w/450 sxs Cl H 15 6#/gal w/1/## 17-1/2" 13-3/8" 54# K-55 GEIocele & 2% CaCl/sx. Gire to surf.) 11.7 11" 8-5/8" 24# K-55 3500' (Cmt w/450 sxs Cl H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. Char must co (back above 6500'). Run temp survey f (TOC.) Use mud additives as required for control. Approval VAID FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIRES Street Str								
A. Clevelond (Above whether UP, RL, etc.) 21A. Kind & Sizte of Automatic Contractor 211. Exiting Contractor 22. Approx. Date Work will start- C. Clevelond (Above whether UP, RL, etc.) blanket 211. Exiting Contractor 22. Approx. Date Work will start- C. Clevelond (Above whether UP, RL, etc.) blanket advise Later upon approval C. Clevelond (Above whether UP, RL, etc.) PROPOSED CASING AND CEMENT PROGRAM advise Later upon approval C. Clevelond (Clevelond (*************	+++++++++++++++++++++++++++++++++++++++	<i>41111111111111</i>	19, Proposed Depth	19A. Formatio	on on	20. Rotary or C.T.	
1. 1. Seventions (Show whether Mr, Nr, etc.) 21. A. KING & Status Plan. Peed 21.1. Entiting Contractor 22. A perox. Date Work will start- (unprepared) 4428.5' blanket advise later upon approval 3. PROPOSED CASING AND CEMENT PROGRAM Size of casing weight PER FOOT SETTING DEPTH SACKS of CEMENT EST. TOP 11-1/2" 13-3/8" 48# H=40, 350' (Gmt w/450 sxs cl H 15 6#/gal w/1/4# 11" 8-5/8" 24# K-55 (Flocele & 2% CaCl/ox. Gire to surf.) 11" 8-5/8" 24# K-55 3500' (Cmt w/500 sxs cl H w/30% DD at 11.7 (15.6# gal. Circ to surf.) (15.6# gal. Circ to surf.) (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Beproved v000' w/01 c mixed w/2% Cacl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (Toc.) Use mud additives as required for control. APROVAL VALID BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENTER doors a transmitter of schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENTER doors a transmitter of the base of the b							Determ	
PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 48# H-40, 350' (Omt w/450 sxs Cl H 15 + 6#/gal w/1/4# 11" 8-5/8" 24# K-55 (Flocele & 2% CaCL/sx. Circ to surf.) 11" 8-5/8" 24# K-55 3500' (Omt w/450 sxs Cl H w/30% DD at 11.7 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Below 7003' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f Use mud additives as required for control. APPROVAL VALID FOR 90 DAYS UNLESS BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DWILLING COMMENCED, EXPIPES Sector attached. FOR 90 DAYS UNLESS Market Proved to the momentum down is secondaries to uttached the Public Bates, dive bates attached. FOR 90 DAYS UNLESS DWILLING COMMENCED, EXPIPES Sector attached. FOR 90 DAYS UNLESS DWILLING COMMENCED, Sector attached. FOR 90 DAYS UNLESS FOR 90 DAYS UNLESS	41. Clevations (Show whether I	DF, RT, etc.) 21A. Kir			or	22. Approx	c. Date Work will start –	
PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 48# H-40, 54# K-55 350'(Cmt w/450 sxs Cl H 15 6#/gal w/1/4# 54# K-55 11" 8-5/8" 24# K-55 (Flocele & 2% CaCl/sx. Circ to surf.) 11" 8-5/8" 24# K-55 3500'(Cmt w/500 sxs Cl H w/30% DD at 11.7 (followed by 200 sxs Cl H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. APPROVAL VALID FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES 11. MODE EDESCRIME FROM SECOND SE	(unprepared) 44	28.5' bl	anket	advise lat	or	INDOR	annroval	
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 17-1/2" 13-3/8" 48# H-40, 350'(Cmt w/450 sxs Cl H 15 6#/gal w/1/4# 11" 8-5/8" 24# K-55 (Flocele & 2% CaCl/sx. Gire to surf.) 11" 8-5/8" 24# K-55 3500'(Cmt w/500 sxs Cl H w/30% DD at 11.7 (followed by 200 sxs Cl H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. APPROVAL VAID BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRUMENCED, EXPIRES							- approvar	
17-1/2" 13-3/8" 48# H-40, 54# 350'(Cmt w/450 sxs C1 H 15 6#/gal w/1/4# (Flocele & 2% CaCl/sx. Gire to surf.) 11" 8-5/8" 24# K-55 3500'(Cmt w/500 sxs C1 H w/30% DD at 11.7 (followed by 200 sxs C1 H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7002' w/C1 C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. APPROVAL VALID FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES No NEWE EFACE DESCRIBE FROM USED BUDG NAME IF PROPORTAL IS TO DEFENS OF PLUE BACK. Give Data on PRESENT PRODUCTIVE IONE AND PROPOSED NEW PROPORTAL IS TO DEFENS OF PLUE BACK. Give Data on PRESENT PRODUCTIVE IONE AND PROPOSED NEW PROPORTAL IS TO DEFENS OF PLUE BACK. Give Data on PRESENT PRODUCTIVE IONE AND PROPOSED NEW PROPO			PROPOSED CASING AND	CEMENT PROGRAM	^			
11" 54# K-55 (Flocele & 2% CaCl/sx. Give to surf.) 11" 8-5/8" 24# K-55 3500'(Cmt w/500 sxs Cl H w/30% DD at 11.7 (followed by 200 sxs Cl H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. APPROVAL VALID BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, W NOVE SPACE DESCRIPE DEPONDED ENGRAVE IN PRODUct to the best of my knywledge and bellet. EXPIPES W NOVE SPACE DESCRIPE DEPONDED ENGRAVE IN PRODUct to the best of my knywledge and bellet. EXPIPES W NOVE SPACE DESCRIPE DEPONDED ENGRAVE IN PRODUct to the best of my knywledge and bellet. EXPIPES W NOVE SPACE DESCRIPE DEPONDED ENGRAVE IN PRODUct to the best of my knywledge and bellet. EXPIPES W NOVE SPACE DESCRIPE TO DEFENSIVE To the best of my knywledge and bellet. EXPIPES W NOVE SPACE DESCRIPE TO DEFENSIVE TO THE Senior Engineering Specialist Date	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEP	TH SACKS O	FCEMENT	EST. TOP	
11" 8-5/8" 24# K-55 (Flocele & -2% CaCl/sx. Gire to surf.) 11" 8-5/8" 24# K-55 3500' (Cmt w/500 sxs Cl H w/30% DD at 11.7 (followed by 200 sxs Cl H w/2% Call (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.)	17-1/2"	13_3/8"			w/450 sxs	-C1-II-15	• 6#/gal w/1/4#	
7-7/8" 5-1/2" 15.5#K-55 TD (followed by 200 sxs Cl H w/2% CaCl (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. ApprovAL VALID BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, FXPIPES Explored bescribt Proposed New Proceeds is to better to the best of the knowledge and helled. W Proce the the intermention dowe is the and complete to the best of the knowledge and helled. Explored to that the intermention dowe is the and complete to the best of the knowledge and helled. W Proce the first the intermention dowe is the and complete to the best of the knowledge and helled. Explored to that the intermention dowe is the and complete to the best of the knowledge and helled. W Proce the first the intermention dowe is the and complete to the best of the knowledge and helled. Explored to the intermention dowe is the and complete to the best of the knowledge in the Chilled to the intermention dowe is the and complete to the best of the knowledge in the Chilled to the intermention dowe is the and complete to the best of the knowledge in the Chilled to the intermention dowe is the and complete to the best of the knowledge in the Chilled to the intermention dowe is the and complete to the best of the knowledge in thelled. W Proce to the			54 <i>#</i> K=55	(Floc	ele & 2% (GaG1/sx.	Gire-to-surf.)	
7-7/8" 5-1/2" 15.5#K-55 TD (15.6# gal. Circ to surf.) 7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000)* w/C1 C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co Use mud additives as required for control. Approval VAIID FOR 90 DAYS UNLESS BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES *** MOVE SPAce DESCRIBE FROM OFF AND PROPOSAL IS TO DEEPER OF PLUG BACK. Give Data on PRESENT PRODUCTIVE IONE AND PROPOSED NEW PROF ************************************	11"	8-5/8"	24 <i>⋕</i> K−55					
7-7/8" 5-1/2" 15.5#K-55 TD (Cmt w/sufficient TLW w/10% DD & 1/4 (Flocele at 11.57#gal & 2.15 cf/sx. (Below 7000' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. APPROVAL VALID BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRIVERS. PROVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE SPACE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. Give Data on Pressent Productive IONE AND Proposed New PROV W NOVE DESCRIME TROPINSED DEFORMANT IS PROPORT IS TO BEERE OF PLOG BACK. GIVE DATA ON PROVINCI								
(Flocele at 11.57#gal & 2.15 cf/sx. (Below 7003' w/Cl C mixed w/2% CaCl (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES EXPIPES EXPIPES MARKED RECENT PRODUCTIVE ZONE AND PROPOSED NEW	7 7/0"	5 1/21						
(Below 7000' w/C1 C mixed w/2% CaC1 (14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. EXPIPES EXPIPES Series account of the proposed percent and complete to the best of the knowledge and bellet. We be account of the store as the and complete to the best of the knowledge and bellet. The store for store list. We be account of the store as the and complete to the best of the knowledge and bellet. The store for store (see The store for store (see)	/-//0	J=1/2	13.346-33					
(14.8#/gal & 1.32 cf/sx. Cmt must co (back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIRES HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSED IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSED IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSED IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSED IS TO DEEPER OR PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP HARVE SPACE DESCRIBE PROVIDE VERY OF THE PROPOSED PROPOSED NEW PROP HARVE TO PROVIDE VERY OF THE PROPOSED PROPOSED NEW PROP HARVE TO PROVIDE VERY OF THE PROPOSED PROPOSED NEW PROP HARVE TO PROVIDE THE TO THE SENIOR ENGINE TO THE PROPOSED NEW PROP HARVE TO PROVIDE TO THE SENIOR FOR THE PROPOSED NEW PROP HARVE TO PROVIDE TO THE TO THE SENIOR ENGINE TO THE PROPOSED NEW PROP HARVE TO THE TO THE SENIOR FOR THE PROPOSED NEW PROPOSED NEW PROPOSED NEW PROPOSED FOR THE PROPOSED NEW PROP HARVE TO THE PROPOSED TO THE PROPOSED TO THE PROPOSED NEW PROPOSED NEW PROPOSED TO THE PROPOSED								
(back above 6500'. Run temp survey f (TOC.) Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES EXPIPES MARCE DESCRIBE TROPOSED PROCEASE IF PROPOSAL IS TO DEPER OR PLUG RACK. Give DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANOVE SPACE DESCRIBE TROPOSED PROCEASE IF PROPOSAL IS TO DEPER OR PLUG RACK. Give DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANOVE SPACE DESCRIBE TROPOSED PROCEASE IF PROPOSAL IS TO DEPER OR PLUG RACK. Give DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANOVE SPACE DESCRIBE TROPOSED PROCESSED PROFESAL IS TO DEPER OR PLUG RACK. Give DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANOVE SPACE DESCRIBE TROPOSED PROCESSED PROPOSED IF PROPOSED IS TO DEPER OR PLUG RACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANOVE SPACE DESCRIBE TROPOSED PROCESSED PROPOSED IS TO DEPER OR PLUG RACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANY OF THE PROPOSED PROPOSED PROPOSED IS TO DEPER OR PLUG RACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANY OF THE PROVE STORE OF THE PROCESSED PROPOSED IS TO DEPER OR PLUG RACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROF IN ANY OF THE PROVE STORE OF THE PROPOSED PROPOSED TO THE PROPOSED IS TO DEPER OF THE PROPOSED IS TO DEPER OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROVED OF THE PROVED OF THE PROVE OF THE PROVE OF THE PROVE OF THE PROVED OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROVE OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROVE OF THE PROPOSED IS TO DEPER OF THE PROPOSED IS TO DEP								
(TOC.) Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES EXPIPES EXPIPES NO ONCE SPACE DESCRIBE PROPOSED ENOGRAM: IF PROPOSAL IS TO DEEPEN OF PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP IN CONC. CLUB BLOW OUT PREVENTER REGISER, II ANY. Nor by Confe the the interaction dove is true and complete to the best of my knowledge and bellef. The by Confe to State Use W.J. Mueller interaction Engineering Specialist Date June 16, 1980 (The space for State Use) PEROVED EN CONFERENCE OF THE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP (The space for State Use) DATE								
Use mud additives as required for control. BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES EXPIPE EXPIPES EXPIPES EXPIPES EXPIPES EXPIPE EXPIPES EXPIPE EXPIPES EXPIPE EXPIPES EXPIPE EXPIPES EXPIPE EXPIPES EXPIPE EXPIPE EXPIPE EXPIPE EXPIPE EXPIPES EXPIPE EXPIRE EXPIPE EXPIRE EXPIPE EXPIRE							. comp survey r	
BOP Equipment Series 900 3000# WP. Figure 6 schematic attached. FOR 90 DAYS UNLESS DRILLING COMMENCED, EXPIPES N NBOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OF PLUG BACK. GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROC NO 2005 State New Out PREVENTER PRODUctive zone and proposed new proc No 2005 State New Out PREVENTER PRODUctive zone and proposed new proc No 2005 State New Out PREVENTER PRODUctive zone and proposed new proc No 2005 State New Out PREVENTER PRODUctive zone and proposed new proc No 2005 State New Out PREVENTER PRODUctive zone and proposed new proc No 2005 State Out PROVIDED DATE December of the State Use Out of the State Out	Use mud additives	as required fo	r control.	· ·	•	DDDOVAL M	100	
bor Equipment Series 900 3000# WP. Figure & schematic attached. DRILLING COMMENCED, EXPIPES EXPIPES NOT THE STOCE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OF PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROP NOT THE STOCE NEW OUT PREVENTER PROSED, II ANY. Her hyperfor that the intermetion dove as true and complete to the best of my knowledge and bellef. The spice for Nutle (se) The spice for Nutle (se) PPROVED SY PPROVED SY PROVED SY DATE DATE DATE								
EXPIRES	BOP Equipment Ser	ies 900 3000# W	P. Figure 6 sch	ematic attach	od			
EXPIRES					DRILL	,	BUICLEY	
PROVED BY					EVDIDER	and the second	1 Maria	
The lower for the Use of the Use of the Senior Engineering Specialist Date June 16, 1980 The spice for State Use of the Senior Engineering Specialist Date June 16, 1980 The spice for State Use of the Senior First of the Lessibility of the Schule Use of the Schul					ENFILLS -	ید د بود د نشده از گرد منان بروچر د .		
The lower for the Use of the Use of the Senior Engineering Specialist Date June 16, 1980 The spice for State Use of the Senior Engineering Specialist Date June 16, 1980 The spice for State Use of the Senior Title Senior Engineering Description of the Schule Use								
PPROVED EN	A ABOVE SPACE DESCRIBE	PROPOSED PROGRAM: 1	F PROPOSAL IS TO DEEPEN (UR PLOG BACK, GIVE DAT	A ON PRESENT P	RODUCTIVE ZONI	E AND PROPOSED NEW PRO	
PPROVED EN DATE DATE DATE			undate to the best of my k	mauladon and bellaf			<u> </u>	
PPROVED BY DATE DATE DATE	-12/1.0 00							
PEROVED BY DATE DATE DATE	Alfalle	- W.J. Mueller		ngineering Sp.	ecialist	Date	ie 16, 1980	
PPROVED SY DATE DATE DATE	This such		17				<u></u>	
IPPROVED BY DATE DATE	China Spride	the state (see)	// mar 1	 A provide the second sec				
		gui Alle	S	and the second s				
	7/	TE ANY.	III <u>EE</u>	······································		UATE	·····	
	UNDELIONS CHAPPHOREE	NT: /					,	

.

N. MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

.

•

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Se	ection.
---	---------

			All dists	nces must be from t	he outer b	oundaries of	the Section.		
		Petrole		Lea		Lambirt	·····		Well No.
Unit Letter P	Section	2 6 South 33 East Roosevel					Roosevelt		
Actual Foolage Loc 675			rth	t line and -	560	fee	t from the	East	line
Ground Level Elev. 4428.5 (ur		Producing Formared) F	notion usselmai	n Poo		son Fuss	elman So		icated Acreage: 94 Acres
 If more the interest and intere	nan one nd roya an one	e lease is alty) lease of di	dedicated		utline ea	ch and ide	ntify the o	ownership there	
Yes If answer this form i No allowal	I N is "no f neces ble will	lo If an ?'list the o seary.) l be assigned	wher is " where an d to the v	yes,' type of co d tract descripti vell until all into	nsolidat ons whi crests h	ch have ac ave been c	onsolidate	ed (by communi	(Use reverse side of itization, unitization, roved by the Commis-
				· · · · · · · · · · · · · · · · · · ·	<u> </u>			CE	RTIFICATION
	ן 							tained herein i	that the information con- a true and complete to the wledge and belief.
				Chaile STAT 67	R			Position Senior Eng Company	gineering Specialis Petroleum Company
	1	NORT	H LINE O	SECTION 2				shown on this ; notes of actua under my super is true and co	fy that the well location blat was plotted from field I surveys made by me or vision, and that the same briect to the best of my
1552.3	M		N			0675	P 560	knowledge and Drite Surveyed June 13.	
147.04 Ac Lo	$rac{1}{rac}{1}{ra$	47.04 Ac	Lot 3	46.96 Ac Lo	t 2 46	.96 Ac	Lot 1	Registered Protes and/or Land Sur-	extend Engineer exor
330 660	••0 13	20 3450 39H	23.0 26	40 2000	1820	1000 80			onn T. Hest S78 Trick A. Ronero 6688 Ingid J. Eidson 3239

