

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPLY PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator (Enserch Exploration, Inc.) EP Operating Company	8. Farm or Lease Name Radcliff
3. Address of Operator P. O. Box 4815, Midland, Texas 79704	9. Well No. 1 1
4. Location of Well UNIT LETTER <u>L</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>32</u> TOWNSHIP <u>4S</u> RANGE <u>33E</u> NMPM.	10. Field and Pool, or Wildcat Peterson Mississippian
15. Elevation (Show whether DF, RT, GR, etc.) 4390' GR	12. County Roosevelt

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set CIBP at 7000' and dumped 36' Class C cement on plug.
Circulated hole with 10# mud ladden fluid.
Laid 40 sacks Class C cement plug from 5150'-5050'.
Cut off 5½" casing at 3923'.
Laid 80 sacks Class C cement plug 3987'-3766'.
Laid 330 sacks Class C cement plug from 2050'-1735'.
Laid 40 sacks Class C cement plug from 1650'-1550'.
Laid 10 sacks Class C cement from 30' to surface.
Cut off 9-5/8" casing head. Welded on 9-5/8" x ½" steel plate.
Installed dry hole marker May 15, 1985.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Howard E. Cornelsen</u>	TITLE <u>Production Supervisor</u>	DATE <u>May 31, 1985</u>
APPROVED BY <u>Jack Griffin</u>	TITLE <u>OIL & GAS INSPECTOR</u>	DATE <u>JAN 6 - 1986</u>

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JUN - 3 1985

O.C.D.
HOBBS OFFICE