

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Enserch Exploration, Inc.	8. Farm or Lease Name Terry
3. Address of Operator P. O. Box 4815, Midland, Texas 79704	9. Well No. 1
4. Location of Well UNIT LETTER <u>D</u> <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>5</u> TOWNSHIP <u>5S</u> RANGE <u>33E</u> NMPM.	10. Field and Pool, or Wildcat Peterson-Mississippian
15. Elevation (Show whether DF, RT, GR, etc.) 4471.3' GR	12. County Roosevelt

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well was plugged and abandoned as follows:

Set 5-1/2" cement retainer at 6080' on May 18, 1983. Squeezed casing with 25 sacks Class H and 19 sacks Class H Neat at 2350 psi. Left 1 sack Class H Neat cement on top of retainer.
Laid 40 sack Class C cement plug from 4050' to 4150', 11/29/83.
Cut off 5-1/2" casing at 2990', 11/30/83.
Laid 40 sack Class C cement plug from 2940' to 3040', 12/1/83.
Ran in hole and tagged top of plug at 2980'. Pumped 20 sacks more Class C cement at 2980' to make up the difference and bring top of plug to 2940', 12/2/83.
Laid 100 sack Class C cement plug from 1800' to 2050'. Tagged top of plug at 1800', 12/2/83.
Laid 40 sack Class C cement plug from 1550' to 1650', 12/3/83.
Laid 10 sack Class C cement plug from surface to 30', 12/3/83.
Cut off 9-5/8" casinghead, 12/3/83.
Welded steel plate on 9-5/8" casing and installed dry hole marker, 12/3/83.

10# mud laden fluid between all plugs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>H. F. Burnett</u>	TITLE <u>Prod. Superintendent</u>	DATE <u>12/12/83</u>
H. F. Burnett Original signed by		
APPROVED BY <u>FEB 29 1984</u>	TITLE <u>OIL & GAS INSPECTOR</u>	DATE <u>FEB 29 1984</u>
CONDITIONS OF APPROVAL, IF ANY:		