DO. OF COFICE BEECHTEB	ARTMENT C		ON DIVISION		Form C-101 Revised 10-1-78	
DISTRIBUTION		P. O. BOX 2 NTA FE, NEW M			SA. Indicute Type of Louis	
SANTA FE					e e e e e e e e e e e e e e e e e e e	X
FILE U.S.G.S.					5. State Oil & Gas Leane h	·
LAND OFFICE						
OPERATOR						Π
	N FOR PERMIT TO	DRILL, DEEPEN,	OR PLUG BACK			111.
a. Type of Work					7. Unit Agreement Name	• • ••••••••••••••••••••••••••••••••••
		DEEPEN	PLUG	васк 🛛		
o, Type of Well					8, Farm or Lease Name	
OIL X GAS WELL	OTHER	·····	SINGLE X MUL	ZONE	LaGrone	
Name of Operator					9. Well No.	
EP Operating Co	ompany	·			1	
		10. Field and Pool, or Wildcat				
b Desta Drive,		lland, Texas 79			Dora, N. (Penn)
Location of Well UNIT LETTE	IR 11 LOP	CATED 1980 ,	ELT FROM THE NOTE	1 LINE		111
0 510 FEET FROM	THE East LI	20	4.5		MMMMMM	///
мояч тээч ULC а		$\frac{\text{NE OF SEC. 29}}{11111111111111111111111111111111111$	<u>. 45 nee. 3</u>	3E NLIPM	12. County	<i>H</i> +
///////////////////////////////////////	HHHHHHH	illillillilli		MMM		(11)
+++++++++++++++++++++++++++++++++++++++	<i>HHHHHH</i>	<i>HHHHHHHH</i>	+++++++++++++++++++++++++++++++++++++++	<i>}}}}}}</i>	Roosevelt ()))	<i>H</i> H
	HHHHHHH			HHHH)))
*****	##########	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	9. Froposed Depth	9A. Formution	20, Rotary or (<u></u> .т.
	//////////////////////////////////////					
. Elevations (Show whether DF,	KI, etc.) 21A. Kind	& Status Plug. Bond 2	IB. Drilling Contractor		22. Approx. Date Work will	slart
4359.2 GR					December 15, 1	986
•	F	ROPOSED CASING AND	CEMENT PROGRAM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH			
				ISACKS OF	CEMENT I FST T	<u> </u>
- SIZE OF HOLE				SACKS OF	CEMENT EST. T	<u>OP</u>
				SACKS OF	CEMENT EST. T	0P
				SACKS OF	CEMENT EST. T	09
	· · · · · · · · · · · · · · · · · · ·					
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200 productive.	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	<u></u>
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	<u></u>
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	ment on top of C Dump 20' ceme . Perforate Up	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704'	pian perfs from ndon Penn -7712'.	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200	'. Dump 20' cem et CIBP @ 7940'. From 7973'-7976'	nent on top of C Dump 20' ceme . Perforate Up acid. Swab and	IBP to abandon M nt on top of CIM per Penn Lime fr	fississip BP to aba com 7704' Place in	pian perfs from ndon Penn -7712'. service if	
Set CIBP @ 8000' 8010'-8058'. Se Detrital perfs f Acidize with 200 productive.	Dump 20' cent et CIBP @ 7940'. From 7973'-7976' D0 gallons 15% a 00 gallons 15% a	nent on top of C Dump 20' ceme . Perforate Up acid. Swab and	IBP to abandon M nt on top of CIM per Penn Lime fr evaluate well.	fississip BP to aba com 7704' Place in	pian perfs from ndon Penn -7712'. service if	

DEC 2 2 1986

(West space for State Use) ORIGINAL SIGNED BY JERRY SEXTON APPROVED BY DISTRICT I SUPERVISOR

CONDITIONS OF APPROVAL, IF ANYI

.



STATE OF NEW MEXICO

, •

-OIL CONSERVATION DIVISION P. O. BOX 2088

ENERGY AND MINERALS DEPARTMENT SANTA FE, NEW MEXICO 87501

Form C-102 Revised 10-1-78

· · ·		All dist	inces must he f	rom the cut	er borndneles	of the Section	n,	*
Operator				Lagane				Well No.
EP Operating	Company				LaGrone			1
Unit Lotter Sect		Township		Boud		County	_	
H ·	29		4 South	3	3 East		Roosevelt	
ctual Footage Location	of Well;				,			
1980 (ret	from the	North	line and	510	· 1	ect from the	East	line
fround Level Elev.	Producing For	nation		Pool				Dedicated Acreage:
4359.2	Pennsyl	lvanian			Dora, N.		l	<u>40 Acr</u>
 Outline the act If more than o interest and roj 	ne lease is							e plat below. hereof (both as to workin
dated by commu Yes If answer is "in this form if nec No allowable wi	nitization, unitization, unitiz	nitization swer is " owners an d to the v	, force-pooli 'yes,' type o id tract desc vell until all	ng. etc? { consolie riptions v interests	Jation which have have been	actually be consolida	en consolida ted (by comr	all owners been consol ated. (Use reverse side nunitization, unitizatio
forced-pooling,	or otherwise)	or until a	non-standard	l unit, el	iminating si	uch interes	ts, has been	approved by the Divisi
				 		1980 	toiner her best of my	ertify that the information co ein is true and complete to t knowledge and belief Concerned Acevedo
		· ·				0 510 -	Position Dist Company EP (Dperating Company
	 						shown on t notes of c under my s is true on	certify that the well location this plat was platted from fiel actual surveys made by me of topervision, and that the som and belief.
	1 1 1 1		•	 	•		Dato Surveye Registered P	d Professional Engineer
1.07.00.01	2 2 20 10 10 10 10 10	2310 26	eeq peou		1000	200 0	end/or Land Certificate N	



. -