

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry		7. Unit Agreement Name
2. Name of Operator Enserch Exploration, Inc.		8. Farm or Lease Name Franse
3. Address of Operator P. O. Box 4815, Midland, Texas 79704		9. Well No. 1
4. Location of Well UNIT LETTER E 2130 FEET FROM THE North LINE AND 660 FEET FROM THE West LINE, SECTION 28 TOWNSHIP 4S RANGE 33E N.M.P.M.		10. Field and Pool, or Wildcat Peterson-Mississippian
15. Elevation (Show whether DF, RT, GR, etc.) 4337.7' GR		12. County Roosevelt

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Work performed from 4/16/83 to 4/24/83:

Set CIBP at 4080'.

Laid 5 sacks Class H cement from 4080' to 4045'.

Cut off 5-1/2" casing at 3110'.

Laid 40 sacks Class H cement from 3167' to 3122'.

Laid 40 sacks Class H cement from 3122' to 3020'.

Laid 100 sacks Class H cement from 2080' to 1945'.

Laid 40 sacks Class H cement from 1620' to 1520'.

Laid 15 sacks Class H cement from 30' to surface.

Cut off 9-5/8" casinghead and welded on 9-5/8" x 1/2" steel plate.

Installed dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED H. F. Burnett TITLE Prod. Superintendent

DATE 5/26/83

APPROVED BY Jack Griffin  
CONDITIONS OF APPROVAL, IF ANY:

TITLE OIL & GAS INSPECTOR

DATE JAN 6 - 1986

RECEIVED  
MAY 31 1983  
O.C.D.  
HOBBS OFFICE