NO. OF COPIES RECEIVED		Form C-103
DISTRIBUTION		Supersedes Old
SANTA FE	NEW MEXICO OIL CONSERVATION COM	C-102 and C-103 MISSION Effective 1-1-65
FILE		
U.S.G.S.		Sa. Indicate Type of Lease
LAND OFFICE		State Fee X
OPERATOR		5. State Cal & Gas Lease No.
	<b>~</b>	
SUND	RY NOTICES AND REPORTS ON WELLS  ADPOSALS TO DRILL OF TO DEEPEN OF PLUG BACK TO A DIFFERENT TION FOR PERMIT - FORM C-1011 FOR SUCH PROPOSALS.)	RESERVOIR.
1.	Comm C-10() For 33C4 PHOPOSALS.)	7. Unit Agreement Name
OIL X GAS WELL	OTHER-	
2. Nume of Operator		B. Farm or Lease Name
CITIES SERVICE COMPA	ANY	Hensley A
3. Address of Operator	•	9. Well No.
P.O. BOX 1919 - MIDI	LAND, TEXAS 79702	1
4. Location of Well		10. Field and Pool, or Wildcat
HART LETTER F.	2310 FEET FROM THE North LINE AND 99	0 Wildcat
	FEET FROM THE TIOLETT LINE AND	FEET FROM
Woot	ton 33 township 3S RANGE	26E (
THE WAST LINE, SECT	ION TOWNSHIP JD RANGE	30E NMPM.
	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
		()))
76.	4119' GR	Roosevelt
Check	Appropriate Box To Indicate Nature of Notic	e, Report or Other Data
	INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON X REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON	COMMENCE DRILLI	<u> </u>
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND	
OTHER	OTHER	
17. Describe Proposed or Completed (	Operations (Clearly state all pertinent details, and give pertin	nent dates, including estimated date of starting any proposed
work) SEE RULE 1103.		
TD 7900' Granite Was	n. It is proposed to plug and abando	on this well in the following
manner:		
<ol> <li>Set a 50 sack cer Siluro-Devonian.</li> </ol>	ment plug at approximately 7603-7753'	across the top of the
<ol><li>Set a 50 sack cer</li><li>Cisco.</li></ol>	ment plug at approximately 6975-7125'	across the top of the
3 Set a 50 each con	ment plug at approximately 5650-5810'	across the top of the
Tubb.	ment plug at apploximately 5050-5010	eross the top of the
4. Set a 50 sack cer	ment plug at approximately 4365-4515	o' across the top of the
Glorietta.		•
	ment plug at approximately 3074-3224' also half in and half out of the 8-5/	
ban Andres, and a	atso hatt the and hatt out of the 0-5/	o cag. ande cara, .
6. Set a 50 sack cer	ment plug at approximately 1575-1425'	across the top of the
Yates.		
		(over)
18. I hereby certify that the information	on above is true and complete to the best of my knowledge and	d belief.
$\bigcirc \mathcal{O} \cap$	Region Operati	ons
SIGNED EXMON!	Start Manager- Produc	
		VACE
OPICINA	Clavini	1821 4 4 4 4 4
APPROVED BY	SIGNED BY	JAN 11 198 <b>3</b>
	EXTON TITLE	DATE

CONDITIONS OF APPROVESTRICTY SUPR.

- 7. Set a 10 sack cement plug approximately 30' surface.
- 8. Install a dry hole marker to indicate a plug and abandoned location. Move out rotary and clear location.

BECEIVED

1

JAN 1 0 1983

HOESS OFFICE

	<del>-</del>	
NO. OF COPIES RECEIVED		Form C-103 Supersedes Old
DISTRIBUTION		C-102 and C-103
SANTA FE	NEW MEXICO OIL CONSERVATION COMMISSION	Effective 1-1-65
FILE	<del></del>	Sa. Indicate Type of Lease
U.S.G.S.		State Fee X
LAND OFFICE		5. State Chi & Gas Lease No.
OPERATOR		3. State (II & Gas Lease No.
C. I.	IDDV NOTICES AND DEPOSITE OF THE CO.	mmmmmmm
	IDRY NOTICES AND REPORTS ON WELLS  PROPOSALS TO DRILL OR TO DELPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  ICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)	
I.  OIL X GAS WELL	отнея-	7. Unit Agreement Name
2. Name of Operator Cities Service (	Company	8. Farm or Lease Name Hensley A
3. Address of Operator	4 1 4	9. Well No.
Box 1919 Midlan	nd, Texas 79702	1
4. Location of Well	Tay Tenas 75762	10. Field and Pool, or Wildcat
	2310 FEET FROM THE NORTH LINE AND 990 FEET FROM	Wildcat
THE West LINES	ECTION 33 TOWNSHIP 35 RANGE 36E NMPM.	
Sint, 3		
	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
16:		Roosevelt (\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Che	ck Appropriate Box To Indicate Nature of Notice, Report or Otl	ner Data REPORT OF:
,		
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	_
_	OTHER	
OTHER		
10 0	ed Operations (Clearly state all pertinent details, and give pertinent dates, including	
work) SEE RULE 1103.	ed Operations (Clearly state all pertinent details, and give pertinent dates, including	estimated date of starting any proposed
to a TD of 3150 of 8-5/8" 32 an w/1/4# Cellofla	and anhy. Prep. to drill ahead. Drilled in Dolomite and Anhydrite. Ran and set d 24# K-55 casing at 3149'. Cemented w/15 ke and 6# salt/sack + 300 sacks Class C w/m 12-5-82. Cement circ. Woc 18 hrs. Test held ok.	74 jts (3134') O sacks of lite 2% CaCl <sub>2</sub> cement.
•		
•	•	
	ŧ	
18. I hereby certify that the inform	sation above is true and complete to the best of my knowledge and belief.	
500	0 -	
SIGNED COMPANY	Reg. Opr. Manager Prod	DATE 12/10/82
	3	
APPROVED BYORIGINAL	SIGNED BY	DEC 10 1982
·	PPYTOIG	. · · · · · · · · · · · · · · · · · · ·

CONDITIONS OF APPROVAL, IF AN SUPR.

NO. OF COPIES RECEIVED			Form C	. 103
DISTRIBUTION			Superse	des Old
SANTAFE	NEW MEXICO OIL CO	NSERVATION COMMISSION		nd C-103 ve 1-1-65
FILE			Lifecti	√c 1-1-02
U.S.G.S.			Sa. Indicate	Type of Leuse
LAND OFFICE		. •	State	Fee X
OPERATOR			5. State Ci.	& Gas Lease No.
SUNDRY  [DO NOT USE THIS FORM FOR PROPOS  USE "APPLICATION	NOTICES AND REPORTS	ON WELLS G BACK TO A DIFFERENT RESERVO	IR.	
1.			7. Unit Agr	een.ent Name
WELL X WELL	OTHER+	•		
2. Nume of Operator			8. Farm or	Lease Name
Cities Service Compan	У	. •	Hens	sley A
3. Address of Operator P.O. Box 1919, Midlan	d Towns 70702	•	9. Well No.	
r.o. box 1919, midian	d, rexas /9/02	• • • • • • • • • • • • • • • • • • • •	1	
4. Location of Well  UNIT LETTER	2310 FEET FROM THE North	990	10. Field o Wilc	nd Pool, or Wildeat leat
			11111	
THE West LINE, SECTION _	33 TOWNSHIP 3S	RANGE 4 36E	имрм.	
	15. Elevation (Show whet 4119		12. County Rooses	
Check AP NOTICE OF INT	PLUG AND ABANDON	SUB	SEQUENT REPORT	ALTERING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING	ENTION TO:	SUB	SEQUENT REPORT	· -
Check AP NOTICE OF INT	ENTION TO:  PLUG AND ABANDON	SUB  REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT J	SEQUENT REPORT	ALTERING CASING
Check Ap NOTICE OF INT	ENTION TO:  PLUG AND ABANDON [  CHANGE PLANS [	SUB  REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JI  OTHER	SEQUENT REPORT	ALTERING CASING PLUG AND ABANDONMENT
OTHER  OTHER  PERFORM REMEDIAL WORK  TEMPORABILY ABANDON  PULL DR ALTER CASING  OTHER  17. Describe Proposed or Completed Operation of the Proposed of Completed Operation (Page 1998) SEE RULE 1103.	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  OTHER	SEQUENT REPORT	ALTERING CASING PLUG AND ABANDONMENT
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORABILY ABANDON PULL DR ALTER CASING  OTHER  17. Describe Proposed or Completed Operation of the Complete State of the Compl	ENTION TO:  PLUG AND ABANDON [  CHANGE PLANS [	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationship SEE RULE 1103.  TD 355 Red Beds:  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationship SEE RULE 1103.  TD 355 Red Beds:  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT [  ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING  PLUG AND ABANDONMENT [  ite of starting any propos  2" hole -48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationship SEE RULE 1103.  TD 355 Red Beds:  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING  PLUG AND ABANDONMENT [  ite of starting any propos  2" hole -48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationship SEE RULE 1103.  TD 355 Red Beds:  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING  PLUG AND ABANDONMENT [  ite of starting any propos  2" hole -48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING  PLUG AND ABANDONMENT [  ite of starting any propos  2" hole -48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operationsk) SEE RULE 1103.  TD 355 Red Beds: 11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING  PLUG AND ABANDONMENT [  ite of starting any propos  2" hole -48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORABILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operations, SEE RULE 1103.  TD 355 Red Beds.  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT [  ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORABILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operations, SEE RULE 1103.  TD 355 Red Beds.  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT  Ite of starting any propos  2" hole 48# H-40 CS9.
Check Ap NOTICE OF INT:  PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING  OTHER  17. Describe Proposed or Completed Operations, SEE RULE 1103.  TD 355 Red Beds.  11-24-82. Drilled	ENTION TO:  PLUG AND ABANDON  CHANGE PLANS  CHANGE PLANS	REMEDIAL WORK  COMMENCE DRILLING OPNS.  CASING TEST AND CEMENT JOUTHER  details, and give pertinent date  ahead. MIRU and some and set 9 its.	spudded a 17-1/(342') 13-3/8"	ALTERING CASING PLUG AND ABANDONMENT [  ite of starting any propos  2" hole 48# H-40 CS9.

DEC

3 1982

ORIGINAL SIGNED BY

APPROVED BY

JERRY SEXTON

CONDITIONS OF APPROVAL, DESTRICT 1 SUPR.