

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Cisco <u>7632'</u>	T. Ojo Alamo _____	T. Penn. "B" _____
T. Rustler <u>1839'</u>	T. Fusselman <u>7724'</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Salt _____	T. _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>2034'</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya <u>7806'</u>	T. Mancos _____	T. McCracken _____
T. San Andres <u>3110'</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta <u>4358'</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash <u>7866'</u>	T. Morrison _____	T. _____
T. Tubb Sand <u>5732'</u>	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo Shale <u>6505'</u>	T. Bone Springs _____	T. Wingate _____	T. _____
T. Brown Dolo <u>7047'</u>	T. _____	T. Chinle _____	T. _____
T. Three Bros. <u>7450'</u>	T. _____	T. Permian _____	T. _____
T. (Bough C) <u>7571'</u>	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____	No. 4, from _____ to _____
No. 2, from _____ to _____	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ NA _____ to _____ feet
No. 2, from _____ to _____ feet
No. 3, from _____ to _____ feet
No. 4, from _____ to _____ feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	400	400	Redbed				
400	2730	2330	Redbed & anhydrite				
2730	3500	770	Anhydrite & dolomite				
3500	3641	141	Anhydrite				
3641	5475	1834	Lime & sand				
5475	6445	970	Lime				
6445	6763	318	Shale				
6763	7066	303	Shale & Lime				
7066	7310	244	Dolomite & Lime				
7310	7485	175	Dolomite				
7485	7645	160	Lime & Shale				
7645	7935	290	Dolomite				
7935	7970	35	Granite Wash				

RECEIVED

DEC 21 1984

WILLIAMS