

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well,

instructions in the Rules and Regulations of	the Commission.	gh the work was witned f Report by Checking		an agent of the	Commission. See	additiona
REPORT ON BEGINNING DRILLING OPERATIONS		RESULT OF TEST	x	REPORT ON REPAIRING W	ELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON I	RECOMPLETION		REPORT ON (Other)		
		18, 1954		Hobbs, Ne	W Hexico (Place)	
Following is a report on the work done Continental Oil Compar	ny			above at the		
(Company or Operator	')			/=		•••••
B. L. McFarland Drills (Contractor)	ing uc.	, Well No. 15	in	the NE 1/4	SW 1/4 of Sec	2
T 16S B 326 NAME Andre	eon Rench-Des	ະລຸກ າ ້ ດາວ		•	,, 01 500	······,
168 , R 326 , NMPM., Andor	our restrontance	Pool,	********	Lea		County.
The Dates of this work were as folows:	-16-54 to 6-17	-54				
Notice of intention to do the work (was) (was and approval of the proposed plan (was) (was DETAILED Set 13 3/8" casing Plus down at 9:00 A.M. 6-16-	as not) obtained. ACCOUNT OF WO	RK DONE AND RE	SULTS	OBTAINED		, 19,
Tested casing befo	re and after (irilling plug w	dth 5	00# pressure	. No pres	suro
Vitnessed by(Name)	·······	(Company)	·	(T	ltle)	
on conservation comm	IISSION	I hereby certify to the best of my	that the i	information given a	bove is true and	complete
(Name)	3 1, 1	Position		rict Superir		3-45
(Title)	(Date)	Address	Box	427, Hobbs,	N.H.	







Job separation sheet

TUPLICATE A

Title

NEW MEXICO OIL CONSERVATION COM.... SION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OF THE PARTY OF

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or decompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such than go will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Maxico (Place)					June 9, 1954				
	ERVATION, NEW M	_	MMISSION						
tlemen:									
You are	e hereby :	notified	that it is our ir	tention to commence the	e (Drilling) (Recompletion	a) of a well to be kno	wn as		
				Continental (or Operator)		***************************************		
	Ancles	rson !	lauch Unit.		., Well No				
ıtea	ilian sub.		et Hom the	line of Section	2 , t 1 6	S R 325	NMPM.		
			SECTION LIN		nch-Devenierool,				
VE LOC	CATION	FROM	SECTION LIN	•	nd Gas Lease is No				
					vner is				
D	\mathbf{c}	В	A	•	VICT 19				
				We propose to drill well with drilling equipment as follows:					
E	F	G	н		bond is				
				The status of plugging					
	T. 188	-	-	D. 111. G					
L KX	K &	I. J	I	Drilling Contractor B. F. McFarlani Drilling C Nidland, Texas					
M	N	0	P		[th]ea.				
				We intend to complete	this well in the	30(1)			
				formation at an approx	dimate depth of		teet.		
We pro	nose to 11	se the fo	llowing strings o	•	PROGRAM hem as indicated:				
	opose to u	se the fo	ollowing strings o	CASING : f Casing and to cement t Weight per Foot		Depth	Sacks Cement		
		se the fo	Size of Casing	f Casing and to cement t Weight per Foot	hem as indicated: New or Second Hand				
		se the fo	Size of Casing 13 3/8 ³	f Casing and to cement t Weight per Foot	New or Second Hand	5001	500		
		se the fo	Size of Casing	f Casing and to cement t Weight per Foot	New or Second Hand Note New Mets		500 4300 730 saaks		
		se the fo	Size of Casing 13 3/8 ³	f Casing and to cement t Weight per Foot	New or Second Hand New Work New Work New New New	6001 42001	500 4300		
Size o	of Hole		3 3/8 ³ 3 5/8 ³ 5 1/2 ⁿ 5 1/2 ⁿ	f Casing and to cement t Weight per Foot BH 32H 171 201	New or Second Hand Now New or Second Hand Now New New New New	6001 42001	500 4300 730 seeks		
Size o	of Hole	e above	13 3/8 ³ 3 5/8 ³ 5 1/2 ⁿ 5 1/2 ⁿ 5 1/2 ⁿ plans become ac	Weight per Foot ##################################	New or Second Hand Now New or Second Hand Now New New New New	600° 4200° 9000° 13,800°	500 4300 730 saaks		
Size o	of Hole	e above INFOR	Size of Casing 13 3/8 ² 3 5/8 ² 5 1/2 ² 2 1/2 ² plans become act MATION (If	Weight per Foot ##################################	New or Second Hand New or Second Hand New New New New New New New Ne	600° 4200° 9000° 13,800°	500 4300 730 saaks		
Size o	nges in th	e above	13 3/8 ³ 3 5/8 ³ 5 1/2 ⁿ 5 1/2 ⁿ 5 1/2 ⁿ plans become ac	Weight per Foot ##################################	New or Second Hand New or Second Hand New New New New New New u immediately. ctails of proposed plan of v	6001 42001 90001 13,8001	\$300 \$300 730 sacks weed to set 5		
Size o	nges in th	e above INFOR	Size of Casing 13 3/8 ² 3 5/8 ² 5 1/2 ² 2 1/2 ² plans become act MATION (If	Weight per Foot ##################################	New or Second Hand New or Second Hand New New New New New New u immediately. ctails of proposed plan of v	600° 4200° 9000° 13,800°	\$300 \$300 730 sacks weed to set 5		
Size o	nges in th	e above INFOR	Size of Casing 13 3/8 ² 3 5/8 ² 5 1/2 ² 2 1/2 ² plans become act MATION (If	Weight per Foot ##################################	New or Second Hand New or Second Hand New New New New New New Caralla of proposed plan of v	6001 42001 90001 13,8001	\$300 \$300 730 sacks weed to set 5		
Size o	nges in th	e above INFOR	Size of Casing 13 3/8 ² 3 5/8 ² 5 1/2 ² 2 1/2 ² plans become act MATION (If	Weight per Foot ##################################	New or Second Hand New or	6001 42001 90001 13,8001 work.)	500 4300 730 sacks wred to set 5 sasing.		
Size o	nges in th	e above INFOR	Size of Casing 3 3/8 ² 3 5/8 ² 5 1/2 ² 5 1/2 ² plans become act MATION (If	Weight per Foot ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ###	New or Second Hand New or	6001 42001 42001 13,8001 work.)	500 4300 730 sacks weed to set 5 sasing.		
Size o	nges in th	e above INFOR	Size of Casing 13 3/8 ² 3 5/8 ² 5 1/2 ² 2 1/2 ² plans become act MATION (If	Weight per Foot ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ### 12# ###	New or Second Hand New or	6001 42001 90001 13,8001 work.)	300 730 sacks west to set 5 sasing. Interdept. ling well to		