



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

1957 FEB 14 PM 3:50

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Gulf Oil Corporation
(Company or Operator) Lea State "UL" A
(Lease)
Well No. 1, in NW 1/4 of SE 1/4, of Sec. 2, T. 16-S, R. 32-E, NMPM.
Anderson Ranch Devonian Pool, Lea County.
Well is 2651 feet from North line and 1650 feet from East line
of Section 2-16-32. If State Land the Oil and Gas Lease No. is B-11078.
Drilling Commenced 9-13, 1956. Drilling was Completed 12-29, 1956.
Name of Drilling Contractor Dillard Waltermire Drilling Co.
Address Box 1296, Odessa, Texas
Elevation above sea level at Top of Tubing Head 4313'. The information given is to be kept confidential until
1956.

OIL SANDS OR ZONES

No. 1, from 13368 to 13395'. No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48#	New	590'	Baker			Surface Pipe
9-5/8"	36#	New	4183'	Baker			Intermediate String
7"	26#	New	13353'	Baker			Production String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/2"	13-3/8"	618'	700	Pump & Plug		
12-1/4"	9-5/8"	4199'	2550	Pump & Plug		
7-7/8"	7"	13368'	1385	Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None
Result of Production Stimulation Flowed 357 bbls oil, no water thru 2-3/8" tubing 24 hours.
Depth Cleaned Out

UNITED STATES DEPARTMENT OF THE INTERIOR

If drill-stem or other special tests or correlation surveys were made, submit a separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 13295 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing January 17, 1957

OIL WELL: The production during the first 24 hours was 357 barrels of liquid of which 100 % was oil; 0 % was emulsion 0 water and 0 % was sediment A.P.I.
Gravity 52.2

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1290'		T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2495'		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3225'		T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash.		T. Mancos
T. San Andres	4090'		T. Granite		T. Dakota
T. Glorieta	5372'		T.		T. Morrison
T. Drinkard			T.		T. Penn.
T. Tubbs	6321'		T.		T.
T. Abo	7387'		T.		T.
T. Wolfcamp	8895'		T.		T.
T. Perm.			T.		T.
T. Miss.	12600'		T.		T.
Woodford	13262'				

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	16.50		Distance from Top Kelly Drive Bushing to Ground		12401		Lime
	625		Caliche and Red Bed		12422		Lime and Shale
	2071		Red Bed and Anhydrite		12511		Shale
	2519		Red Bed, Anhy. and Salt		12706		Lime and Shale
	3353		Anhydrite		13036		Lime and Chert
	4121		Anhydrite and Lime		13058		Lime
	9420		Lime		13157		Lime and Chert
	9458		Lime and Shale		13390		Lime and Shale
	9532		Lime		13395		Lime and Dolomite
	9660		Lime and Shale				
	10161		Lime				
	10274		Lime and Shale				
	10668		Lime				
	10830		Lime and sandy shale				
	10875		Lime				
	10969		Sandy Lime and Shale				
	11328		Lime and Shale				
	11393		Sandy Lime and Shale				
	11401		Lime and Shale				
	11445		Hard Lime and Shale				
	12214		Lime and Shale				
	12245		Sandy, Black Lime				
	12296		Lime and Shale				
	12336		Sandy Lime				

ATTACH SEPARATE SHEET IF MORE SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

February 13, 1957

(Date)

Company or Operator Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

Name

Area Supt. of Prod.