

Sea State R H 1 "D"

AFE 31412

Total Depth

Distance Htg. suspended off bottom

|                                                                                                                      |                |
|----------------------------------------------------------------------------------------------------------------------|----------------|
|                                                                                                                      | 13,420         |
|                                                                                                                      | <u>4.78</u>    |
|                                                                                                                      | 13,415.22      |
| 1- 2 3/8" x 4" # 8 R H 1 8 218 Htg. H. N 80 1 B.P. on bottom                                                         | <u>30.78</u>   |
|                                                                                                                      | 13,384.44      |
| 1- 2 3/8" heating nipple                                                                                             | <u>9.76</u>    |
|                                                                                                                      | 13,383.98      |
| 1- 2 3/8" x 4" N 80 Htg.                                                                                             | <u>30.22</u>   |
|                                                                                                                      | 13,353.76      |
| 1- Harrett Type BC Circulating Valve gas up to close                                                                 | <u>2.54</u>    |
|                                                                                                                      | 13,351.22      |
| 1- 2 3/8" x 4" N 80 - Htg.                                                                                           | <u>80.32</u>   |
|                                                                                                                      | 13,321.00      |
| 1- Boker Model D Anchor Type Seal Assy. (Set through Boker Model D Prod. Packer ran on wire line and hit at 13,318') | <u>3.00</u>    |
|                                                                                                                      | 13,318.00      |
| 1- Boker Model B Receptacle (No lugs on seal Assy)                                                                   | <u>2.86</u>    |
|                                                                                                                      | 13,315.14      |
| 115 gts 2 3/8" x 4" # 8 R H 1 8 218 Htg. H. N 80 Htg.                                                                | <u>3546.36</u> |
|                                                                                                                      | 9768.78        |
| 1- Boker Model N Tripple Packer ran on Wolf pump Htg. Htg.                                                           | <u>10.40</u>   |
|                                                                                                                      | 9758.38        |
| 1- Boker Model N Nipple w/ snap seal Assy on bottom                                                                  | <u>6.40</u>    |
|                                                                                                                      | 9751.98        |
| 1- Kobe 3" x 1 3/4" x 1 1/2" x 1 1/2" tandem pump                                                                    | <u>14.55</u>   |
|                                                                                                                      | 9737.43        |
| 1- Kobe 1 1/2" x 2 3/8" # 8 R H 1 8 218 surge nipple                                                                 | <u>.84</u>     |
|                                                                                                                      | 9736.19        |
| 1- 2 3/8" x 4" Trade N 80 Htg. nipple                                                                                | <u>3.07</u>    |
|                                                                                                                      | 9733.12        |
| 1- 2 3/8" x 4" # 8 R H 1 8 218 Trade J 55 Htg.                                                                       | <u>31.42</u>   |
|                                                                                                                      | 9701.70        |
| 1- Kobe Check Valve 2.91" x 4"                                                                                       | <u>1.08</u>    |
|                                                                                                                      | 9700.62        |
| 1- 2 3/8" x 4" # 8 R H 1 8 218 Trade J 55 Htg.                                                                       | <u>31.15</u>   |
|                                                                                                                      | 9669.47        |
| 1- Kobe Check Valve 2.91" x 4"                                                                                       | <u>1.08</u>    |
|                                                                                                                      | 9669.39        |
| 1- 2 3/8" x 4" # 8 R H 1 8 218 Trade J 55 Htg. w/ 2.91" x 4"                                                         | <u>31.33</u>   |
|                                                                                                                      | 9637.06        |
| Blank off Coupling on top                                                                                            | <u>3.11</u>    |
|                                                                                                                      | 9633.95        |
| 1- 2 3/8" x 4" Trade N 80 Htg. nipple                                                                                | <u>2.20</u>    |
|                                                                                                                      | 9631.75        |
| 1- Harrett Type BC Circulating Valve 2.91" x 4" gas down to close                                                    |                |
| 2 gts 2 3/8" x 4" # 8 R H 1 8 218 J 55 Htg. w/ couplings turned to 2.91" x 4"                                        | <u>661.22</u>  |
|                                                                                                                      | 8970.53        |
| 287 gts 2 3/8" x 4" # 8 R H 1 8 218 J 55 Htg. w/ belled Couplings                                                    | <u>8946.53</u> |
|                                                                                                                      | 24.00          |
| 1- 2 3/8" x 4" Trade N 80 Htg. nipple                                                                                | <u>10.00</u>   |
|                                                                                                                      | 14.00          |
| Distance KOB to top of Htg.                                                                                          | <u>14.00</u>   |

Note: 1- 1 3/4" x 3' Winby Perforating Gun, 1 1/2" x 5' gun, 1 1/2" x 5' linker Box, Rope socket + 30' steel line in bottom of tail pipe.

Contractor D A + S

maloch

# Lea State R - WC

Total Depth

13420

Wellsamp Perforations

9828-40 and 9852-12

Suspended off bottom

3615.37

Run 317 gts 2 3/8" O 4" H 8 R 1218 N 80 Hg, Tally 9790.63'

Suspended at

9804.63

1 g 2 3/8" Hg B.P. on bottom

31.65

9772.98

1 - 2 3/8" O Perforated Nipple

4.20

9768.78

1 - Baker Model N Triple Packer W/ special balanced Plug in

vent tube receptacle + 5' perforated reduction tube on bottom of vent tube 10.40

vent tube

9758.38

1 - 2 3/8" seating nipple

1.80

9757.58

1 - 2 3/8" O tubing nipple Model N 80

6.07

9751.51

316 gts 2 3/8" O 4" H 8 R 1218 Hg Model N 80 Hg

9737.51

14.00

Distance N to top of Hg.

14.00

Contractor F.A.S

Maloch



