Submit 3 Copies to Appropriate District Office

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION

P.O. Box	x 2088	20 005 00275	
DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mex	xico 87504-2088	30-025-00375	
DISTRICT III		5. Indicate Type of Lease STATE X FEE	
1000 Rio Brazos Rd., Aztec, NM 87410		6. State Oil & Gas Lease No.	
CUNDOV NOTICES AND DEPORTS ON	MELLO	NM2979 	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"			
		7. Lease Name or Unit Agreement Name	
(FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well:	<u> </u>		
OIL GAS WELL Y WELL OTHER		MELL MEVICO "C"	
2. Name of Operator		NEW MEXICO "S" 8. Well No.	
NEARBURG PRODUCING COMPANY		1	
3. Address of Operator P.O. BOX 823085 , DALLAS, TEXAS 75382-3085		9. Pool name or Wildcat	
4. Well Location		N. ANDERSON RANCH WOLF CAMP	
Unit Letter B : 1650 Feet From The EAST	Line and990	Feet From The NORTH Line	
Section 2 Township 16S Range 32E NMPM LFA County			
4297 GR			
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF	
PERFORM REMEDIAL WORK PLUG AND ABANDON	~		
	REMEDIAL WORK		
COMMENCE DHILLING OPNS. PLUG AND ABANDONMENT [
PULL OR ALTER CASING CASING TEST AND CEMENT JOB			
OTHER:	OTHER:		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed			
work) SEE RULE 1103.			
13 3/8"CSG. SET @ 462 CIRCULATED. 9 5/8" SET @ 4122 CIRCULATED			
PB TD 12,274; OPEN PERFS. 12,176 - 94			
1. SET CIBP @ 12,125; DUMP 35' CEMENT ON CIBP OR SPOT 25 sx THRU TUBING			
2. LOAD HOLE W/MUD, 25 # PER 661.			
3. SPOT 40 SX PLUG @ 10,290' (LINER TOP @ 10,238')			
4. CUT 7 5/8" @ 7500' AND PULL. SPOT 50 SX STUB PLUG @ 7550', WOL TAG.			
5. SPOT 50 SX, PLUG 5700 TO 5550' (TOP GLORIETA 5663')			
6. SPOT 50 SX PLUG 4175'TO 4040' (BASE 9 5/8" @ 4 <u>122</u> ')			
7. SPOT 50 SX PLUG 1440 - 1305 (TOP SALT 1390')			
8. SPOT 25 SX SURFACE TO 50'. 9. SET DRY HOLE MARKER			
I hereby certify that the information above is true and complete to the best of my knowledg		AMATTOO.	
SIGNATURE & CACHE HALLMANN	TITLE OPERATIONS COORDI	NATOR 6/19/97	
TYPE OR PRINT NAME		TELEPHONE NO.	
(This space for State Use) DARCHALL GORDAND BY CARTED THE LAST			
Districti i Supervisoa		'UN 2 4 1997	
APPROVED BY	TITLE	DATE	