State Of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT P.O. Box 1980, Hobbs, NM 88240 **JIL CONSERVATION DIVISION** P.O. Box 2088 Santa Fe, New Mexico 87504-2088

WELL PINO. 30-025-00375 Indicate Type of Lease FFF

ALTERING CASING

PLUG & ABANDONMENT

DISTRICT II 811 South 1st St, Artesia, NM 88210

STATE X

							6. State Oil 8	Gas Lease No.	_ 	4
DISTRICT III 1000 Rio Brazos	Rd, Aztec	, NM 87410								
SUNDRY NOTICES AND REPORTS ON WELLS										
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG							7. Lease Name or Unit Agreement Name			
BACK TO	O A DIFFE	RENT RESE	RVOIR. USE "APP	LICATION FO	R PE	RMIT"				
	(FORM C-101) FOR SUCH PROP	OSALS.)						
 Type of Well: 	-						_			
OIL WELL	ELL GAS WELL X OTHER					New Mexico "S"				
Name of Opera	ator						8. Well No.			
Nearburg Producing Company							#1			
3. Address of Operator						Pool name or Wildcat				
3300 North "A	" Street,	Bldg 2, St	e 120, Midland,	TX 79705			Ander	son Ranch Mo	rrow	
4. Well Location										
Unit Letter	r_B	990	_: Feet From The	North	1	Line and	1,650	Feet From The	East	Line
	Section	2	Township	16S i	Range	e 32E	NMPM	Lea		County
			10. Elevation	(Show whethe		RKB, RT, GR,	etc.)			
***************************************			proprieto Doute				3////////			
11.			propriate Box to	indicate Na	ture	of Notice, R	eport, or Otr	ier Data		
	NOTIC	E OF INTE	ENTION TO:				SUBSEQUI	ENT REPORT OF	: :	
PERFORM REM	EDIAL WO	ORK	PLUG AND ABAND	ON I	REME	EDIAL WORK		ALTERING CA	SING	

REMEDIAL WORK

COMMENCE DRILLING OPNS

CASING TEST & CEMENT JOB

Morrow recompletion

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

1.) MIRU.

TEMPORARILY ABANDON

PULL OR ALTER CASING

OTHER:

2.) Perforated Morrow @ 12,150' - 64' w/4 JSPF.

CHANGE PLANS

- 3.) Acidized Morrow using 5,000 gals 7-1/2% HCL acid plus additives and nitrogen gas.
- 4.) Swabbed well. No gas.
- 5.) Cement squeezed perforations @ 12,150' 64' using 100 sx cmt plus additives. Drilled out and tested to 2,000 psi.

OTHER:

- 6.) Perforated Morrow @ 12,176' 94' w/4 JSPF.
- 7.) Acidized Morrow using 5,000 gals 7-1/2% HCL acid plus additives and nitrogen gas.
- 8.) Swabbed well. No gas.
- 9) RDMO and shut in well on 6/06/97

	s true and complete to the best of my knowledg		06/17/97
/ - <	Kimprough	TELEPHONE	0.45/200 0005
(This space for State Use) OFBURNAL COMMISSION OF THE PROPERTY OF THE PROPERT	1/ 08/3/5 /712/4/7 SUPERVIOR		
APPROVED BY	TITLE	DATE	Jn 87 177