

OWWO

COUNTY LEA FIELD Anderson Ranch STATE NM MN 00185

OPR CONTINENTAL OIL CO. MAP

3 Anderson Ranch Unit

Sec 11, T-16-S, R-32-E CO-ORD

660' FNL, 660' FEL of Sec.

Re-Cmp 8-18-69	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 559' w/500 sx				
9 5/8" at 4222' w/2357 sx				
5 1/2" at 13,540' w/1518 sx				
LOGS EL GR RA IND HC A				

TD 13,540'; PBD 13,010'

IP (Morrow) Perfs 12,148-207' CAOF 3123 MCF/CPD + 226 BCPD. GOR 9230; Grav (cond) 52.4; Grav (Gas) .736; SIWHP 2888#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 12,207' TYPE WO

10-14-69 F.R.C. 10-16-69
PD 12,207' WO (Morrow)
(Orig. comp 10-1-53 thru (Dev) Perfs 13,370-537',
OTD 13,540')
TD 13,540'; PBD 13,010'; COMPLETE
BP @ 13,010'
Perf 12,148-168', 12,197-207' w/1 SPF
Acid (12,148-207') 250 gals
Flwd 18 BO + 3 BW in 8 hrs thru 3/4" chk,
TP 50# (12,148-207')
Acid (12,148-207') 4000 gals (7½%) MCA
Flwd 44 B cond + 6 BAW in 4 hrs 45 min thru
18/64" chk + gas @ 2500 MCF/CPD thru 1½" Orifice,
FTP 1550# (12,148-207')

10-14-69 Continued
 FOUR POINT GAUGES:
 Flwd 563 MCFGPD thru 3.00" Orifice, 25 hrs,
 TP 2290#
 Flwd 1078 MCFGPD thru 3.00" Orifice, 24 hrs,
 TP 1880#
 Flwd 1667 MCFGPD thru 3.00" Orifice, 25 hrs,
 TP 1479#
 Flwd 2587 MCFGPD thru 3.00" Orifice, 21 hrs,
 TP 790#
10-16-69 COMPLETION REPORTED

COUNTY <u>LEA</u>		FIELD <u>Anderson Ranch</u>		OWWO STATE <u>NM</u> <u>MN</u> <u>00385</u>	
OPR <u>CONTINENTAL OIL CO.</u>		MAP			
<u>3 Anderson Ranch Unit</u>					
<u>Sec 11, T-16-S, R-32-E</u>		CO.ORD			
<u>660' FNL, 660' FEL of Sec</u>					
<u>Re-Spd 7-7-70</u>		CLASS		<u>OWWO EL 4312E</u>	
<u>Re-Cmp 8-2-70</u>					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
<u>13 3/8" at 559' w/500 sx</u>					
<u>9 5/8" at 4222' w/2357 sx</u>					
<u>5 1/2" at 13,540' w/1518 sx</u>					
LOGS EL GR RA IND HC A					
		TD 13,540'; PBD 9900'			
IP (Wolfcamp) Perfs 9717-95' P 15 BOPD + 10 BW. Pot based on 24 hr test. GOR 105; Grav 41.2.					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Consulting Service, Inc.

CONT. DATE PROP DEPTH 9795' TYPE WO

F.R.C. 11-12-70; Opr's Elev. 4316' DF
PD 9795' WO (Wolfcamp)
(Orig. comp 10-1-53 thru (Devonian) Perfs 13,370-537',
OTD 13,540'; OWWO & Re-Cmp 8-18-69 thru (Morrow)
Perfs 12,148-207', OPB 13,010')
11-9-70 TD 13,540'; PBD 9900'; COMPLETE
BP @ 9900'
Perf @ 9822', 9832', 9846', 9854' w/1 SPI
Acid (9822-54') 2500 gals
Non-Commercial (9822-54')
Sqzd (9822-54') w/100 sx
Perf @ 9717', 9729', 9740', 9745', 9770', 9778',
9790', 9795' w/1 SPI
11-12-70 Acid (9717-95') 5000 gals
COMPLETION REPORTED