

DF
RKB @ 4273


GL @

SURFACE CSG:
9 5/8" @ 1200'
Cmtd w/ 600 sx
TOC @ surface
Hole 13 3/4"

PRODUCTION CSG:
5 1/2" @ 4000'
Cmtd w/ 100 sx
TOC @

Hole 8 3/4"

TD
D 4420'



Operator: Kennedy Oil Company

Lease & Well No. Kennedy State No. 1

Type Oil, P & A 4/68

Date Drilled 3/49

Location 1980' FSL, 1980' SEL, Section 2, T-17-S
R-32-E

Field & Zone Maljamar (Grayburg - San Andres)

Tubing & Pump Data: Make, Type, Where Set, Etc.:

Packer Data: Make, Type, Where Set, Etc.:

Casing perfs, HPF, Total Holes, Etc.:

Cut and pulled 2000' of 5 1/2" csg.

Cement plugs

25 sx @ 2000'

25 sx @ 1330'

25 sx @ 1200'

10 sx @ surface

BP @ 3980'
w/10 sx cement

RKB @ 4270'

CL @ 4259'

SURFACE CSG:
8 5/8" @ 351'
Cmtd w/ 400 sx
TOC @ Surface


Hole 12 1/4"

PRODUCTION CSG:
4 1/2" @ 4522'
Cmtd w/ 1600 sx
TOC @ 1610'

Hole 7 7/8"

PTD 4484'

FD 4522'



Operator: Phillips Petroleum Company

Lease & Well No. Mexco A No. 6

Type Oil

Date Drilled 5/82

Location 1980' FNL, 660' FEL, Section 2, T-17-S

R-32-E

Field & Zone Maljamar (Grayburg San Andres)

Tubing & Pump Data: Make, Type, Where Set, Etc.:

2 3/8" tbg @ 4384; open ended

2" x 1 1/4" x 16' rod pump @ 4384'

Packer Data: Make, Type, Where Set, Etc.:

None

Casing perfs, HPF, Total Holes, Etc.:

4089' - 4413'; 2 HPF; 104 total holes; 1/2" hole size

RECEIVED
SEP 14 1983
O.C.D.
HOMES OFFICE