Form 3160-5 (JUNE 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR


FORM APPROVED Budget Bureau No. 1004-0135


	BUREAU	Expires March 31, 1993			
SUNDRY NOTICES AND REPORTS ON WELLS			5. Lease Designation and Se	5. Lease Designation and Serial No.	
	Do not use this form for propo	sals to drill or to deepen or reentry to a different reservoir. ON FOR PERMIT -" for such proposals	6. If Indian, Allotte or Tribe	Name	
SUBMIT IN TRIPLICATE Type of Well		7. If Unit or CA, Agreement Designation			
. Type of well					
Oil Well Gas Well Other X Water Injection			Maljamar Grayburg Unit		
2. Name of Operator The Wiser Oil Company			8. Well Name and No.		
Address and Telephone No.			5		
•				9. Well API No.	
8115 Preston Road, Suite 400, Dallas, TX 75225 (214)265-0080			30-025-00450		
Location of Well (Footage, Sec., T., R., M., or Survey Description)			Field and Pool, or Exploratory Area Maljamar Grayburg San Andres		
Sec 3, T17S, R32E			11. County or Parish, State		
	Check Appropriate Box to Indic	ate Nature of Notice, Report, or Other Data	Lea Cou	iny, NM	
ТҮРГ	E OF SUBMISSION		YPE OF ACTION		
	Notice of Intent	Abandonment			
		Recompletion	Change of Plans		
	Subsequent Report	Plugging Back	New Construction		
		Casing Repair	Non-Routine Fracturing		
	Final Abandonment Notice	Altering Casing	Water Shut-Off		
<u> </u>		Other	X Conversion to Injection		
		Conci	Dispose Water		
			(Note: Report results of multiple completion Completion or Recompletion Report and Log		
subsurface locations and r	mpleted Operations (Clearly state all pertinent measured and true vertical depths for all marke	1 details, and give pertinent dates, including estimated date of srs and zones pertinent to this zone).*	starting any proposed work. If well is direction	onally drilled, give	
01/07/97	MIRU Lucky WS. POH w/1-½" x 4' PRI., 1-½" x 16' PR. 162-5/8" rods, 2" x 1-½" x 12' RWTC pmp. ND WH & install BOP. POH w/2-3/8" tbg.				
01/09/97	RU HES & acidized Vacuum grayburg perfs f/4091-4363' w/3500 gals 15% Fer-check acid w/anti-sludge agent & 1500# rock salt.				
01/10/97	RIH w/5-½" perma-latch pkr on 2-3/8" tbg & 129 jts tbg. ND BOP & installed WH. RU kill truck & pmpd 100 bbls pkr fl. Set 5-½" perma-latch pkr @ 4010'. Tstd tbg-csg annulus to 500#.				
01/13/97	Wtg on Integrity test.				
01/20/97	Ran 30 min Integrity test - 520#. Build WH. Initial injection 390 BWPD @ 150#.				
01/28/97	MIRU Gibson WS #126. ND WH. NU BOP Rlsd pkr.				
01/29/97	POH w/129 jts 2-3/8" tbg & perma Circ pkr fl. ND BOP & NU WH.	a-latch pkr RIH w/Baker J-Loc "F" nip, on-off t Ran 30 min integrity test to 530#. Held ok. Pui	ool & 129 jts 2-3/8" tbg. Set pkr @ well on injection.	4010'.	
ereby certify that the for	egoing is true and correct				
- Bit	ty Epie	Title Production Administrator	Date 04/28	:/97	
SPACE FOR FEDERAL O	R STATE OFFICE USE)				
ved By		Title	Date	W 01 1997	
ions of approval, if any	COD DECOPE	N AND W	Date	AT IAR	

FUR RECURP UPLAT

Title 18 U.S. C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, ficticious or fraudulent statments or representations as to any matter within its jurisdiction.







BAR TKENTING M6BU #5 Simulo Fraildar Rx Smith The PSI-OK Surface PSI - 0# Wiser Oil I hour clock 1-20-97