		`			
Form 3160-5 (JUNE 1990)	DEPARTM BUREAU O	NITED STATES ENT OF THE INTERIOR F LAND MANAGEMENT	N.M. Oil Const	FORM APPROVED N.M. OII CONS Expires March 31, 1993 P.O. Box 1980 5. Lease Designation and Serial No.	
SUNDRY NOTICES AND REPORTS CN WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -" for such proposals				NM-03157(2) 100 Name	
	SUBMIT IN TRIPI	LICATE	7. If Unit or CA, Agreen	ent Designation	
1. Type of Well	Oil Well Gas Well	Other X Water Injection	Maljamar Grayburg U	Jnit	
2. Name of Operator			8. Well Name and No.		
The Wiser Oil Company				21	
3. Address and Telephone No.			9. Well API No.	9. Well API No. 30-025-00454	
				10. Field and Pool, or Exploratory Area	
8115 Preston Road, Suite 400, Dallas, TX 75225 (214)265-0080				Maljamar Grayburg San Andres	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State	
1980' FNL & 2	2310' FWL, Unit K, Sec 4, 17S, R32E			ea Couny, NM	
12.		e Nature of Notice, Report, or Other Da			
TYPE	OF SUBMISSION		TYPE OF ACTION		
	Notice of Intent	Abandonment Recompletion	Change of Plans Change of Plans New Construction		
Subsequent Report Pluggi		Plugging Back		Non-Routine Fracturing	
		Casing Repair	Water Shut-Off		
	Final Abandonment Notice	Altering Casing Other	x Conversion to Injec Dispose Water	tion	
			(Note: Report results of multiple o Completion or Recompletion Repo	rt and Log Form).	
13. Describe Proposed or Co subsurface locations and	ompleted Operations (Clearly state all pertine measured and true vertical depths for all ma	ent details, and give pertinent dates, including e arkers and zones pertinent to this zone).*	stimated date of starting any proposed work.	If well is directionally drilled, give	
08/28/96	MIRU Ram WS #118. POH & L POH w/tbg. BTM @ 4147'. RIH	D rods. NM WH. NU BOP. Drpd star I w/4-3/4" bit, 2-7/8" tbg to 4100'. clea	nding valve & tstd tbg. ned out to 4159', POH.		
08/29/96	Perfd f/4033', 4044', 4045', 4047' Acidize perfs 4044-4095' w/4800	, 4048', 4068', 4093', 4094', 4095' w/2 \$ 9 gals 15% Fer-check acid.	SPF (18 holes)		
09/04/96	RIH w/2-3/8" Perma-latch pkr, on-off tool, & 127 jts 2-3/8" tbg to 3821'. TS @ 3 Permian pkr fluid. Set prk in 15,000# tension. NU WH.		<u>TS @ 3820'</u> . Pkr 2 3816'. Circ 135 CCEPTED FOR PECORD	bbls FW w/35 gals	
09/05/96	Well on injection @ 12:00 a.m.	Initial rate 175 BWPD @ 0#.	APR 0 3 1997		
14. I hereby certify that the Signed:	foregoing is true and correct	Title Production Administrat	BLM Date	03/21/97	
(THIS SPACE FOR FEDERA	L OR STATE OFFICE USE)	an tanıngan tanışan tanışatır. Anaşatır ayaşı tanışaşı tanışaşı tanışaşı tanışaşı tanışaşı tanışaşı tanış tanış	<u>an an a</u>		
	•	Title	Date		
Approved By:		1110			
Conditions of approval, if a	ny:				
		gly and willfully to make a _ department or ag	ency of the United States any false, ficticious of	or fraudulent statments or representations	
as to any matter within its j	urisaction.	*See Instruction on Reverse Side		M	

e.....

JCBN

V byp	,
-------	---



