

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
THE WISER OIL COMPANY

3. Address and Telephone No.
207 W. McKay, Carlsbad, NM 88220 505/885-5433

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FSL & 990' FWL, Unit M
Section 4-T17S-R32E

5. Lease Designation and Serial No.
NM0315712

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
Maljamar Grayburg Unit

8. Well Name and No.
25

9. API Well No.
30-025-00459

10. Field and Pool, or Exploratory Area
Maljamar Grayburg San Andr

11. County or Parish, State
Lea County, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Maintain Status</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The Wiser Oil Company requests that the subject well status be maintained. The Wiser Oil Company is currently redeveloping the Maljamar Grayburg Unit. This redevelopment involves the drilling of 20 acre infill producing wells and the utilization of existing well bores for injection. This plan will result in 40 acre 5-spot waterflood patterns. It is anticipated that this redevelopment plan will be completed in 1996/1997.

RECEIVED
NOV 3 11 25 AM '94

14. I hereby certify that the foregoing is true and correct
Signed Melanie Harker Title AGENT Date 11/2/94

(This space for Federal or State office use)
(ORIG. SGD.) JOE G. LARA Title PETROLEUM ENGINEER Date 12/5/94
Approved by
Conditions of approval, if any: Subject to a successful casing integrity test, see attached.
Test to be performed within 90 days.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

K S

RECEIVED

SEP 7 1994

COD HOBBS
OFFICE

BUREAU OF LAND MANAGEMENT
CARLSBAD RESOURCE AREA

Temporary Abandonment of Wells on Federal Lands

Conditions of Approval

According to 43 CFR 3162.3-4-c, " No well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer".

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

1. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County call (505) 887-6544 ; for wells in Lea County call (505) 393-3612.
2. A bridge plug or packer shall be set at a maximum of 50 feet above any open perforations or open hole.
3. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
4. The production casing shall be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leak-off.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for 12 months provided that the operator:

1. Submits a subsequent Sundry Notice requesting TA approval,
2. Attaches a clear copy or the original of the pressure test chart,
3. And attaches a detailed justification why the well should not be plugged and abandoned.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

1. A procedure to repair the casing so that a TA approval can be granted.
2. A procedure to plug and abandon the well.

RECEIVED

SEP 27 1994

JOE D. HOBBS
OFFICE