

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. OIL CONS. COMMISSION
P.O. BOX 1980
HOBBS, NEW MEXICO 88240
FORM APPROVED
No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. LC-061842
2. Name of Operator MACK ENERGY CORPORATION	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. P.O. Box 960, Artesia, N.M. 88211-0960 (505) 748-1288	7. If Unit or CA, Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec. 14 T-17-S R-32-E 660 FSL 660 FEL	8. Well Name and No. Miller Bx #1
	9. API Well No. 30-025-00542 543
	10. Field and Pool, or Exploratory Area Maljamar Grbg SA
	11. County or Parish, State Lea, N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Spot 209 sks cement plug @4235', W.O.C., tag cement top @ 2332'
2. Load hole w/mud
3. Spot 40 sks cement plug @ 2107', W.O.C., Tag cement top @ 1788
4. Perforate casing @ top of salt, 1193', squeeze w/30 sks cement, W.O.C., tag cement top @1068'
5. Perforate casing @ 8 5/8 shoe, 261', circulate cement to surface between 5 1/2 & 8 5/8 w/77 sks cement, Set P&A marker
6. Job completed 05-03-95

RECEIVED
JUN 29 1995
OIL & GAS DIVISION
BUREAU OF LAND MANAGEMENT
U.S. DEPARTMENT OF THE INTERIOR

14. I hereby certify that the foregoing is true and correct

Signed Raymond Malabrado

Title Superintendent

Date 5-3-95

(This space for Federal or State office use)

Approved by David R. Glass

Title PETROLEUM ENGINEER

Date JUN 29 1995

Conditions of approval, if any.

Approved as to plugging of the well bore.
Liability under bond is retained until
surface restoration is completed.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

JUL 21 1995
CUBA HOUSE
OFFICE