Budget Bureau No. 42-R358.4. Approval expires 12-31-60. Land Office Las Cruces

1960

S NUL!

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
OTICE OF INTENTION TO CHANGE PLANS		ALTERING CASING	
OTICE OF INTENTION TO TEST WATER SHUT-OFF			
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL			
OTICE OF INTENTION TO SHOOT OR ACIDIZE			
OTICE OF INTENTION TO PULL OR ALTER CASING		SUFFLEMENTAL	
OTICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE BY CH	ECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)	
		June 6	, 19. 60
Miller Et Ho. 1			
UNI a is located 660	ft. from_	${S \atop S}$ line and 660 ft. from ${E \atop M}$ line of	sec 14
ell No is located		(D)	
SF/A SE/A Sec. 14 (Twp.)	(R	ange) (Meridian)	
(14 Sec. and Sec. No.)	I.e	New Heral & Subdivision) (State or Territory)	<u> </u>
Maljarar (Field)	(County or E	Subdivision) (State of Territory)	
tate names of and expected depths to objective sand ing point	DETAIL	isft. S OF WORK , weights, and lengths of proposed casings; indicate muser important proposed work)	e above
itate names of and expected depths to objective sand ing point	DETAIL ls; show sizes ts, and all oth	S OF WORK , weights, and lengths of proposed casings; indicate muser important proposed work) a well with retary tools at the	e above will be
It is our intention to a total depth of ap	DETAIL des; show sizes te, and all oth o drill prexima	S OF WORK weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the tely 1400. All easing points the tely 1400. S. Geological	e above will be
It is our intention to cation to a total depth of apmented in accordance with appropriate special requirements.	DETAIL le; show sizes te, and all oth o drill preximate proved m will be	S OF WORK weights, and lengths of proposed casings; indicate muser important proposed work) well with retary tools at the tely 4400'. All easing points the tely 4400'. S. Geological emplied with.	e above will be Survey and
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements.	DETAIL le; show sizes te; and all oth o drill proximat proved m will be	S OF WORK , weights, and lengths of proposed casings; indicate muser important proposed work) a well with rotary tools at the tely \$400°. All easing points the tely \$400°. S. Geological complied with.	e above will be Survey and hale to b
It is our intention to cation to a total depth of appeared in accordance with apply other special requirements. It is planned to use	DETAIL le; show sizes te, and all oth o drill proximal groved m will be the foll	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with retary tools at the tely \$400°. All easing points where of the U.S. Geological complied with.	e above will be Survey and hole to b ith 135 se
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements. It is planned to use the plant of t	DETAIL le; show sizes te; and all oth o drill preximal groved m will be the feli of at ap	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the tely \$400°. All easing points schools of the U.S. Geological complied with. lowing easing pattern: 12 1/2° preximately 200° and comented with	e above will be Survey and hole to b ith 135 se be set at
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements. It is planned to use the plant of t	DETAIL le; show sizes te; and all oth o drill preximal groved m will be the feli of at ap	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the tely \$400°. All easing points schools of the U.S. Geological complied with. lowing easing pattern: 12 1/2° preximately 200° and comented with	e above will be Survey and hole to b ith 135 se be set at
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements It is planned to use the planned to use the planned to be seened to be seen	DETAIL le; show sizes te; and all oth o drill preximal groved m will be the feli of at ap in hole ud with	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) a well with rotary tools at the tely \$400°. All easing points stands of the U.S. Geological complied with. lessing easing pattern: 12 1/2° preximately 200° and comented with to be drilled, \$ 1/2° easing to 775 sacks. It is calculated the	e above will be Survey and hole to b ith 135 se be set at
It is our intention to cation to a total depth of appeared in accordance with apply other special requirements It is planned to use the planned to be seened to be circulated. 7 7/6 presimately 4400° and concerts to 5 1/2° casing will return	DETAIL le; show sizes te; and all oth o drill proximal goved m will be the foll pt at ap in hole id with le 800°.	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) a well with retary tools at the tely \$400°. All easing points stheds of the U.S. Geological emplied with. lessing easing pattern: 12 1/2° preximately 200° and comented with to be drilled, \$ 1/2° easing to 775 sacks. It is calculated the	e above will be Survey and hole to b ith 135 sa be set at
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements. It is planned to use the planned to use the planned to use the planned to be seen to be circulated. 7 7/6 presimately \$400° and consent to be 5 1/2" easing will return to be seen to be	DETAIL Is, show sizes to, and all oth o drill proximal provid m will be the foll ot at ap in hole in all in 800°.	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the least of the U. S. Geological semplied with. lewing easing pattern: 12 1/2* preximately 200* and comented with the be drilled, 5 1/2* easing to 775 sacks. It is calculated the least of the lea	e above will be Survey and hole to b ith 135 se be set at se cement i
It is our intention to cation to a total depth of appeared in accordance with appropriate special requirements. It is planned to use the planned to use the planned to use the planned to be seen to be circulated. 7 7/6 presimutely \$400° and constitute \$1/2" casing will return	DETAIL Is, show sizes to, and all oth o drill proximal provid m will be the foll ot at ap in hole in all in 800°.	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the least of the U. S. Geological semplied with. lewing easing pattern: 12 1/2* preximately 200* and comented with the be drilled, 5 1/2* easing to 775 sacks. It is calculated the least of the lea	e above will be Survey and hole to b ith 135 se be set at se cement i
It is our intention to cation to a total depth of appeared in accordance with appropriate to be similarly other special requirements. It is planned to use the planned to use the planned to use the premise to be simple to be s	DETAIL In show sizes In show show show show show show In show show show show show show show In show show show show show show show show	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) a well with retary tools at the tely \$400°. All easing points stheds of the U.S. Geological emplied with. lessing easing pattern: 12 1/2° preximately 200° and comented with to be drilled, \$ 1/2° easing to 775 sacks. It is calculated the	e above will be Survey and hole to b ith 135 se be set at se cement i
It is our intention to cation to a total depth of appeared in accordance with appropriate to be similarly other special requirements. It is planned to use the planned to use the planned to use the premise to be simple to be s	DETAIL In show sizes In show show show show show show In show show show show show show show In show show show show show show show show	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with rotary tools at the least of the U. S. Geological semplied with. lewing easing pattern: 12 1/2* preximately 200* and comented with the be drilled, 5 1/2* easing to 775 sacks. It is calculated the least of the lea	e above will be Survey and hole to b ith 135 se be set at se cement i
It is our intention to cation to a total depth of appeared in accordance with apply other special requirements It is planned to use the planned to use the planned to be simulated. 7 7/2 preminately \$400° and consents to be \$1/2" casing will return to be produced to produce I understand that this plan of work must receive Company	DETAIL le; show sizes te; and all oth o drill preximal groved m will be the foll of at ap in hole ind with to 8001. this well approval in	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) well with retary tools at the tely \$400°. All easing points stated of the U. S. Geological complied with. leading easing pattern: 12 1/2° precimately 200° and comented with the be drilled, 5 1/2° easing to 775 sacks. It is calculated the upon completion is also required by the Geological Survey before operations may	e above will be Survey and hole to b ith 135 se be set at se cement i
It is our intention to cation to a total depth of appearance with appropriate to be circulated. It is planned to use the planned to use the planned to use the planned to be circulated. 7 7/6 preminately \$400° and coments to be 1/2" casing will return to produce the produce of the produce of the plan of work must receive the plan of w	DETAIL le; show sizes te; and all oth o drill proximal goved m will be the folio the folio in at ap in hole id with io 800°. this well approval in suparry	s of Work weights, and lengths of proposed casings; indicate muser important proposed work) a well with retary tools at the tely 1400. All easing points stheds of the U. S. Geological emplied with. lessing easing pattern: 12 1/2* preximately 200' and comented with to be drilled, \$ 1/2* easing to 775 sacks. It is calculated the upon completion is also requesting by the Geological Survey before operations may writing by the Geological Survey before operations may	e above will be Survey and hole to b ith 135 se be set at se coment i
It is our intention to cation to a total depth of appeared in accordance with apply other special requirements. It is planned to use the planned to use the planned to use the planned to be circulated. 7 7/6 premimately 4400 and coments to be 1/2" casing will return to produce the produce of the produce of the plan of work must receive the plan of work must receiv	DETAIL In show sizes In show sizes	weights, and lengths of proposed casings; indicate muser important proposed work) a well with rotary tools at the leaf paints of the U. S. Geological standard with. Length with. Length casing pattern: 12 1/2* opening casing pattern: 12 1/2* opening to be drilled, 5 1/2* opening to 775 sacks. It is calculated the writing by the Geological Survey before operations may RECEIVED JUN 7 1960	hole to be ith 135 se be set at the commenced.
It is our intention to cation to a total depth of appearance with appropriate to be circulated. It is planned to use filled, \$ 5/8" easing to be seened to be circulated. 7 7/6 ppreximately \$400' and coments to \$ 1/2" casing will return to be filled. Approval to produce I understand that this plan of work must receive Company Continental Oil Company Continental Oil Company	DETAIL In show sizes In show sizes	weights, and lengths of proposed casings; indicate muser important proposed work) a well with rotary tools at the leaf paints of the U. S. Geological standard with. Length with. Length casing pattern: 12 1/2* opening casing pattern: 12 1/2* opening to be drilled, 5 1/2* opening to 775 sacks. It is calculated the writing by the Geological Survey before operations may RECEIVED JUN 7 1960	hole to be ith 135 se be set at the commenced.
It is our intention to cation to a total depth of approval to produce to be circulated. 7 7/2 casing tall return to be 5 1/2" casing tall return to be produced to produce to be circulated. The produce to be circulated. The casing to be set to be set to be circulated. The casing tall return to be circulated. The casing tall return to be circulated. The casing tall return to company Continental Oil Company	DETAIL le; show sizes te; and all oth o drill preximal groved m will be the feli ot at ap in hole id with to 8001. this well approval in suparry U. S	weights, and lengths of proposed casings; indicate muser important proposed work) a well with rotary tools at the tely 1400. All easing points stands of the U. S. Geological semplied with. leading easing pattern: 12 1/2* preminately 200 and comented with to be drilled, \$ 1/2* easing to 775 sacks. It is calculated the writing by the Geological Survey before operations may RECEIVED JUN 7 1960 JUN 7 1960 GEOLOGICAL SURVEY	hole to be ith 135 se be set at the commenced.

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C4128 Revised 5/1/57

								
ļ	SEE IN	STRUCTIONS FOR COM			N THE REV	ERSE SIDE		
Operator			SECTION	<u> </u>			(VB: 3	
Operator Gentinental Dil Company		Lease	ecerel:	Hiller E	Well No.			
Unit Letter	Section 14	Township South	Range	Sept	County	Les		
Actual Footage L	feet from the	South line and	660	fe	et from the	Eist	line	
Ground Level Ele	ev. Producing F	ormation	Pool				Dedicated Acrea	ge:
1073	Generalisa	-Sen Andres		Kaljera.	· .		40	Acres
who has the ri another. (65- 2. If the answer wise? YES_	ight to drill into and -3-29 (e) NMSA 19 to question one is '	the dedicated acreage of to produce from any positions," have the interests answer is "yes," Type 'no," list all the owners	of all the ow of Consolidates and their res	ropriate the mers been cation	production e consolidated erests below	by communit	self or for himsel	lf and
								
SECTION B							CERTIFICATION	4
				***************************************		in SECTIO		e and com-
				16-	&S	shown on a plotted fro surveys massupervision and correct and belief. Date Surve		ION B was actual er my ame is true ny knowledge
0 330 660	990 1320 1650 19	80 2310 2640 20	00 1500	1000	500 0	Pertificate	N.E. No. W	.2

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.