

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. LC-061842
2. Name of Operator MACK ENERGY CORPORATION	6. If Indian, Allottee or Tribe Name
3. Address and Telephone No. P.O. Box 960 Artesia, N.M. 88211-0960 (505) 748-1288	7. If Unit or CA, Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec. 14 T-17-S R-32-E 1980 FSL 1980 FEL	8. Well Name and No. MILLER BX FED. #6
	9. API Well No. 30-025-00548
	10. Field and Pool, or Exploratory Area Maljamar Grbg. SA
	11. County or Parish, State Lea, N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion in Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. Spot 14 sks cement on top of CIBP @ 3929'
2. Load hole w/mud
3. Spot 14 sks cement plug @2242'
4. Perforate casing @ 590 of salt 1162', squeeze 45 sks cement, W.O.C., tag cement top @990'
5. Perforate casing @60', circulate cement to surface between 4 1/2 & 7 5/8 casing w/20 sks cement, leaving 4 1/2 full, set P&A marker
6. Job completed 05-04-95

14. I hereby certify that the foregoing is true and correct

Signed Raymond Maldonado Title Superintendent Date 5-4-95

(This space for Federal or State office use)

Approved by David A. Glass Title PETROLEUM ENGINEER Date JUN 29 1995

Conditions of approval, if any:

Approved as to plugging of the well bore.
Liability under bond is retained until
all well restoration is completed.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully, under color of authority of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

RECEIVED

JUN 11 1985
U.S. HOUSE
OFFICE