

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-1
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR <i>Conoco Inc.</i>	8. FARM OR LEASE NAME <i>William Mitchell B</i>
3. ADDRESS OF OPERATOR <i>P.O. Box 460 - Hobbs, NM 88240</i>	9. WELL NO. <i>#9</i>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface <i>660' FSL + 1980' FEL</i>	10. FIELD AND POOL OR WILDCAT <i>Maljamar G-SA</i>
14. PERMIT NO. <i>30-025-00592</i>	11. SEC., T/R, M., OR BLK. AND SURVEY OR AREA <i>Sec. 17, T17S, R32E</i>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <i>4024' KB</i>	12. COUNTY OR PARISH <i>Lea</i>
	13. STATE <i>NM</i>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☒
REPAIR WELL ☐	CHANGE PLANS ☐	(Other) ☐	

(Other) ☐

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

See attached wellbore diagram.

RECEIVED
OCT 27 10 55 AM '89

18. I hereby certify that the foregoing is true and correct

SIGNED *Marlene Simpson W.W. Baker* TITLE *Administrative Supervisor* DATE *Oct. 25, 1989*

(This space for Federal or State office use)

APPROVED BY _____ TITLE *DEPARTMENT ENGINEER* DATE *11-1-89*

CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

Mitchell 'B' N-9

660 FSL + 1980 FEL
SEC 17, T-17S, R-32E

Cellar Fill
w/cmt and/or sand
To surface contour

Present

Well Bore Diagram

LF 4010'

KB 4024'

ABANDONMENT
MARKER
Mitchell 'B' No. 9

D-17-T17S-R32E

3' or BTM of cella
whichever is
deeper

TS - 875'
TOC - 1675'
BS - 1920'

10 pps
mud

Perf (4JS PF) @ 281'
Circulate 105 sx CLASS 'C'
w/2% CaCl_2 up ANNULUS

TOC @ 1675' (TS)

25 sx CLASS 'C' w/2% CaCl_2
(3405-3164)

CMT Retainer @ 3405'

Perf (2JS PF)

3490-95'

3510-20'

3570-75'

3600-05'

3623-26'

3635-40'

3672-82'

3724-28

3779-85

3796-3804

3944-52'

4077-28

4101-07} squeezed off

5 1/2", 14# @ 4179' w/200sx

Dmd

9-28-89

RECEIVED

NOV 2 1989

ODD
FBISS OFFICE

3