

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office **Las Cruces**Lease No. **627909-A**Unit **K**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	X	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Artesia, N. Mex. Oct. 30, 1950**M. E. Balish A**Well No. **19-Y** is located **2310** ft. from **EX** line and **2310** ft. from **EX** line of sec. **21****NE SW Sec. 21**

(1/4 Sec. and Sec. No.)

17S

(Twp.)

32E

(Range)

NMPM

(Meridian)

Balish

(Field)

Lee

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is **4044** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This is a proposed change in plans as submitted in Sundry notice dated Oct. 17, 1950. After pulling tubing it was found that there are 20' of savings in bottom of hole. Furthermore, no appreciable amount of fluid could be pumped down casing at 500lbs. surface pressure. A 5" blank shell could not be lowered below 2245', which is likely caused by deposition of salts. We now propose to clean out with tools to a point below the pay at 2340-55, and shoot from 2340 to 2355 with 30 qts. of nitro-glycerine in 3 1/2" shells. No tamp will be used other than to fill the hole with oil. Hole will then be cleaned out to bottom of pay and well put back to producing. The well has been pumping about 2 bbls. oil per day.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Buffalo Oil Company**Address **Box 686,****Artesia, N. Mex.**By **H. G. Ellis**
H. G. Ellis
Title **Vice President**

DUPLICATE

BUFFALO OIL COMPANY
A MARYLAND CORPORATION

April 2, 1951



New Mexico Oil Conservation Commission
Box 1545
Hobbs, New Mexico

Gentlemen:

The flowing pressure for Buffalo Oil Company's Baish B-1 Gas Well in Section 22-178-32E., Lea County, New Mexico, is 325 psi. for the month of April. This information is being furnished in accordance with Rule 402 and your letter of March 19, 1950.

Yours very truly,

BUFFALO OIL COMPANY

By Ralph L. Gray
Ralph L. Gray
Ass't. Supt.

RLG:lt

APR 16 1951

COPY

RECEIVED
APR 1 1951
OIL CONSERVATION COMMISSION
HOBBS-OFFICE

BUFFALO OIL COMPANY
A MAYFIELD CORPORATION

DUPLICATE


BUFFALO OIL COMPANY

A MARYLAND CORPORATION

Artesia, New Mexico

203 Carper Building

April 3, 1950.



New Mexico Oil Conservation Commission
Box 1545
Hobbs, New Mexico

Gentlemen:

The flowing pressure for Buffalo Oil Company's Baish B-1 Gas Well in Section 22-17S-32E, Lea County, New Mexico, is 330 psi. for the month of April. This information is being furnished in accordance with Rule 402 and your letter of March 15, 1950.

Yours very truly,

BUFFALO OIL COMPANY

By Ralph L. Gray
Ralph L. Gray
Ass't. Supt.

RLG:lt