UNITED STATES Form 3160-5 DEPARTMENT OF THE INTERIOR

N.M. OIL CONS. COMMISSION 9 O BOX 1980

WARS NEW MEXICO 88240 FORM APPROVED Budget Bureau No. 1004-0135 Expires March 31, 1993 5. Lease Designation and Serial No. LC 029509B 6. If Indian, Allonee or Tribe Name 7. If Unit or CA, Agreement Designation 8. Well Name and No. Baish B #2 30 025 00625 10 Field and Pool, or Exploratory Area Maljamar Queen Gray 11. County or Parish, State Lea County, New Mexico Change of Plans New Construction Non-Routine Fracturing Water Shirt-Off Conversion to Injection Dispose Water

(June 1990) BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE 1. Type of Well Oil Well XX Gas Other 2 Name of Operator Conoco, Inc. 686-5424 3 Address and Telephone No. 10 Desta Dr., Suite 100W, Midland, Texas 79705 (915)684-6381 4 Location of Well (Footage, Sec., T., R., M., or Survey Description) 660 FNL and 1980' FWL SEc 22, T-17S, R-32E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12 TYPE OF ACTION TYPE OF SUBMISSION Abandonment Notice of Intent Recompletion Piverine Back Subsequent Report Casing Repair Altering Casing Final Abandonment Notice 13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work) 9-7-95: Move in, hold safety meeting, rig up, kill well, put on BOP, unset packer, pull out, tally in hole with cement retainer, would not set, pull out, cement retainer, would not set, pull out, cement retainer full of trash. OK by BLM Steve Ca**ff**rey to run cast iron bridge plug on wireline, set at 3050', circulate mud, test casing, spot 25.sx on cast iron bridge plug from 3050-2870', perforate well at 750', try to pump into well, could not at 1000#, spot cement 30 sx from 800', pull tubing, shut down. 9-8-95: Tag cement at 630', plug from 800-630', pull tubing to 60', circulate 10 sx to surface, cut off wellhead, pot in marker, rig down, move off. Class "C" Cement Mud - 25E salt gel per bbl Ann E. Ritchie Regulatory Agent Ohis space for Federal or State office uses garan anari Da**ri**n**asa** Origi Signati by Adam Salamet Approved by Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictilious or fraudulent statements or representations as to any matter within its jurisdiction

Form 3160-5

UNITED STATES

á.M	OIL CONS.	COMMISSION
<i>i</i> Ø	80X 1980	EXCO BUZZA
100	RC NEW N	TO SOLEM PROPERTY.

70	EODA	
LAP	MEYIC	b. 34249.
44	AND WARE	EU 100. 3004-0133
	Expires	March 31, 1993

(June 1990)	DEPARTMENT O	F THE INTERIOR	Expires: March 31, 1993
	BUREAU OF LAN	D MANAGEMENT	5. Lease Designation and Serial No.
	SUNDRY NOTICES AND	N DEDODES ON WELLS	LC 029509B 6. If Indian, Allotter or Tribe Name
5			
Do not use this t	orm for proposals to brill br Use "APPLICATION FOR PE	to deepen or reentry to a different reservoir. RMIT—" for such proposals	
			7. If Unit or CA, Agreement Designation
	SUBMIT IN	TRIPLICATE	
1. Type of Well			
Oil Well Well	8. Well Name and No.		
2 Name of Operator	L Other		Baish B #2
Conoco, Inc.	<u> </u>		
3 Address and Telephone	No - Suita 100U Midland	686-5424 , Texas 79705 (915)684-6381	10 Field and Pool, or Exploratory Area
4 location of Well (From	fr. Sec., T., R., M., or Survey Description	on)	Maljamar Queen Gray
660 FNL and 1		,	11. County or Parish, State
SEc 22, T-17S			Lea County, New Mexi
•			
12. CHECK	APPROPRIATE BOX(s) TO	INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
	SUBMISSION	TYPE OF ACTION	
		Abandonment P & A	Change of Pians
Notice o	f Intent	Recompletion	New Construction
Subsequi	en: Renon	Piugging Back	Non-Routine Fracturing
مين من المناسبة	ciii acport	Casing Repair	Water Shut-Off
Final At	pandonment Notice	Ahering Casing	Conversion to Injection
		Other	Dispose Water (Note Report results of multiple completion on Well
			Completion of Recompletion Report and Log form)
13 Describe Proposed or Co-	ripleted Operations (Clearly state all pertine	nt details, and give pertinent dates, including estimated date of startings for all markers and zones pertinent so this work.)*	is any projection of the second of
9-7-95: Move	e in, hold safety mee	ting, rig up, kill well, put on	ı BOP, unset packer, pul
out tally in	hole with cement re	etainer, would not set, pull out	c, cement retainer, would
not cat null	out cement retains	or full of trash. UK by BLM Stev	e carmey to run cast
iron bridge p	olug on wireline, set	at 3050', circulate mud, test	casing, spot 25.5x on.
cast iron bri	dge plug from 3050-2	870', perforate well at 750',	ery to pump into well,
could not at	1000#, spot cement 3	30 sx from 800', pull tubing, sh	iut down.
0 0 05 · Tao	coment at 630' nluc	from 800-630', pull tubing to	60', circulate 10 sx to
surface, cut	off wellhead. put ir	marker, rig down, move off.	·
54, 1400, 040	, , , , , , , , , , , , , , , , , , ,		
			OA AR
Class "C" Cem			
Mud - 25E sal	It gel per bbl		C (2)
			(11)
			e V
,	· / 1)		
14. I hereby certify that the	pregrount Light and correct	Ann E. Ritchie	
	(allie)	Talk Regulatory Agent	Detr 10-24-95
Signed _Z		• nrc	
This space for Federal of	-	Falle of Contract Contracts	Date 11 30 195
Approved by	Righed by Ada m Salameh	Trile	*
COLUMNION OF SPENOVE, I	·· •·· · · · · · · · · · · · · · · · ·		



.