

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well
2. NAME OF OPERATOR
Continental Oil Company
3. ADDRESS OF OPERATOR
Box 460, Hobbs, N.M. 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: *1980' FSL & 1980' FWL*
AT TOP PROD. INTERVAL: *Same*
AT TOTAL DEPTH: *Same*

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

X Inst 11 5 1/2" CSG.

5. LEASE
LC-029509(B)
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
MCA
8. FARM OR LEASE NAME
MCA UNIT
9. WELL NO.
73
10. FIELD OR WILDCAT NAME
M&J, G-SA
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 22, T-17S, R-32E
12. COUNTY OR PARISH 13. STATE
Loc N.M.
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3990' GA

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Rigged up work-over Rig 11-30-77 and Pulled the Producing Equip & Tbg. Ran work string w/ BPP & PKr. Set RBP AT 3380' and Tested the 7" CSG TO 1000 PSI, Held OK. Pulled RBP & PKr and Ran Bit cleaned out to TD 4112'. Set Lynx OH BP AT 3580' and spotted 10' of sand on top of BP. Ran 5 1/2" 17# CSG set AT 3565'. CMTD w/ 250 SX Class C CMT with 2% CACL2. Drilled out CMT and Pushed OH BP TO TD. Ran 2 7/8" Tbg set AT 3428'. Inst. Pumping Equipment and Completed Pumping 1250, 198 BW IN 24 Hrs 12-13-77.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Wm. A. Dutton* TITLE *ADMIN. SUPV.* DATE *12-15-77*

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

DEC 15 1977

USGS-5, MCA-4, File