



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las CrucesLease No. 029509 bUnit HOBBS OFFICE OCCASO

RECEIVED

1960 JAN 19 AM 10:23

JAN 18 1960

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

A. S. Dist B No. 14

January 13, 1960

Well No. 14 is located 660 ft. from N line and 1650 ft. from W line of sec. 22NE 1/4 Sec. 2217532EN. M. P. M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Alamogordo-DevonianLeaNew Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate casing jobs, cementing points, and all other important proposed work)

It is our intention to drill a well with rotary tools at the above location to a total depth of approximately 13,700'. All casing points will be cemented in accordance with approved methods of the U. S. Geological Survey and any other special requirements will be complied with.

It is planned to use the following casing pattern: 17 1/2" hole to be drilled, 13 3/8" casing to be set at approximately 400' and cemented with 350 sacks, cement to be circulated. 12 1/4" hole to be drilled, 9 5/8" casing to be set at approximately 4,700' and cemented with 2,300 sacks, cement to be circulated. 8 1/4" hole to be drilled, 7" casing to be set at approximately 13,700' and cemented with 1,000 sacks. It is calculated the cement for the 7" casing will return to 8500'.

Approval to produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil CompanyAddress Howley Bldg.Artesia, New MexicoWGS-5 NW-100 FileBy CH HesserTitle District Superintendent