

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Las Cruces
Lease No	LC 030437 A
Unit	Lease

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

			Hoyambar	.30,	1920
Johns A-21, Well No3 is located	l 660 ft.	from ${S \atop S}$ line a	nd 1980 ft. from ${\mathbb{Z}}$	line of sec.	24
SE/A Section 24 (4 Sec. and Sec. No.)		32 E (Range)	(Meridian)		
Kaljamar (Field)	(C	County or Subdivision)	(State	Mexico or Territory)	

The elevation of the derrick floor above sea level is 4045. ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Treated through 2 1/2" tubing with packer set at 3800 feet. Treated with 500 gallens Jel X-820, 50 gallens Frefle, 15,000 gallens Sandfrac eil and 20,000 pounds sand. Flushed with 275 bbls lease eil. Maximum pressure 3700%, average injection rate 7.4 bbls per minute. Pulled 2 1/2" tubing and reran 2" tubing. After recovering load oil well pumped 22.94 bbls oil 24 hours with GCR 2265. Before treatment well pumped from 2 to 3 bbls oil per day.

	g by the Geological Survey before operations to be commented.
I understand that this plan of work must receive approval in writing	g by the Geological Survey before operations in the commenced.
Company Drilling & Exploration Company	r, lac
Address Box_2075	
Hobbs, New Mexico	By /) C. (1)
	Title Division Prod. Superintendent
	10.0497.2