

DISTRICT I  
P. O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P. O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Artesia, NM 88210

## OIL CONSERVATION DIVISION

P. O. Box 2088  
Santa Fe, NM 87504-2088

WELL API NO.  
30-025-00673

5. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
B-2148

7. Lease Name or Unit Agreement Name  
CAPROCK MALJAMAR UNIT

1 Type of Well:  
OIL ☐ GAS ☐  
WELL ☐ WELL ☐ OTHER X INJECTION WELL

2. Name of Operator  
The Wiser Oil Company

8. Well No.  
76

3. Address of Operator  
P.O. Box 2568 Hobbs, New Mexico 88241 (505) 392-9797

4. Well Location  
Unit Letter P : 330' Feet From The SOUTH Line and 990' Feet From The EAST Line  
Section 24 Township 17S Range 33E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
' GR 4051'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
ULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: _____		OTHER: _____	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed WORK) SEE RULE 1103

1. SET 25 SX CEMENT PLUG ON CIBP @ 3960'.
2. TAG CEMENT CAP.
3. CIRCULATE ABANDONMENT MUD.
4. SPOT 25 SX CEMENT PLUG @ 2000'.
5. TAG CEMENT PLUG.
6. SPOT 25 SX CEMENT PLUG @ 900'
7. TAG CEMENT PLUG.
8. PERFORATE 5 1/2" CASING @ 190' AND CIRCULATE CEMENT TO SURFACE.
9. SPOT CEMENT PLUG 50' TO SURFACE IN 5 1/2" CASING.
10. INSTALL DRY HOLE MARKER.
11. CLEAN LOCATION


THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE G. M. Jones TITLE Superintendent DATE June 5, 2001

TYPE OR PRINT NAME G. M. Jones  
(This space for State Use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_



**2. STRING CSNG)**

## OPERATOR

Смч 76

SECT

24 TWN

175

## RNG

33F 329

**FROM**

330 NSL

990

EW L

**TD:**

FORMATION @ TD

**PBTD:**

44-377

**FORMATION @ PBTD**

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	10 3/4	180'	Lin		
INTMED 1					
INTMED 2					
PROD	5 1/2"	4397	2840	TS	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1				PERFS	-
INTMED 2				OPENHOLE	-
PROD					

### •REQUIRED PLUGS DISTRICT I

RUSTLER (ANEYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAIN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRINLEY CANYON	
STONE SPRING	
GLORIETA	
BLUEBERRY	
TUBB	
DRINKARD	
ABO	
WC	
<u>PENN</u>	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

[illegible]

TOC @ 10 3/4" 180' Cir

CI BP@

3960'

5 1/2"  
4397'  
@  
TOC 2840'

TERPS 4000'-4212  
OH 4397'-4477

TD 4472

