



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 1A 030437 (a)  
Unit Lease

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Johns A-24

October 22, 1958

Well No. 4 is located 660 ft. from SW line and 660 ft. from E line of sec. 24  
SW/4 Section 24 17S 32E NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Pooreall Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4070 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set Halliburton HRC tool at 3375 and squeezed off perforations 3440-42 (Red Sand) with 150 sacks regular cement in two stages. Pulled squeeze tool and ran bit. Drilled out cement, unable to get below 3675. Attempted to run wedge through collapsed casing. Unable to get below 3675.  
We now propose to plug subject well to abandon as follows: Squeeze cement at 3675 with 100 sacks; cut and pull 7" casing from approximately 3350; spot cement plug across base of Salt Section with 25 sacks; spot cement plug across top of Salt Section with 25 sacks; spot plug across bottom of 10 3/4" casing with 25 sacks; spot 5 sack plug in top of 10 3/4" casing with marker, remainder of hole to be filled with 10# mud.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Drilling & Exploration Company, Inc.

Address Box 2075

Hobbs, New Mexico

By D. C. Smith

Title Division Production Superintendent