



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las CrucesLease No. 0584088

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF ACIDIZING & Frac	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 29, 19 65

Well No. Johns B-3 is located 660 ft. from S line and 1980 ft. from E line of sec. 26SE 1/4 26

(1/4 Sec. and Sec. No.)

17

(Twp.)

32

(Range)

NMPM

(Meridian)

Pearsall

(Field)

Lee

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 3953 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

A Baker retainer with positive seal valve was set at a depth of 4219' on wire line below the set of perforations 4188' to 4210'. Three Grayburg zones were perforated 4103' to 4107', 4063' to 4088', 4032' to 4039', using one Schlumberger crack jet per foot, each of these zones was selectively broken down with 330 gallons of 15% acid. The four zones above the retainer were fraced with Dowell Riverfracs using 60,000 gallons of treated water and 60,000 pounds of sand using ball sealers to seal off lower zone after treatment was completed in that zone. The lower zone treated at 26 barrels per minute at 2450 to 1800 P.S.I., the upper zones treated at 25 to 32 barrels per minute at 4000 to 2200 P.S.I. Results of this treatment will not be fully determined for about 10 days.

APPROVED

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Fair Oil CompanyAddress Box 689Tyler, Texas 75702J. L. GORDON
ACTING DISTRICT ENGINEERBy Gus W. ArnoldTitle Production Superintendent