

NE MEXICO OIL CONSERVATION CC MISSION

Santa Fe. New Mexico

EQUEST FOR PERMISSION TO CONNECT WITH PIPE I



March 25, 1940

THIS REQUEST SHOULD BE SUBMITTED IN TRIPLICATE. See instructions in the Rules and Regulations of the Commission.

Box 516, Artesia, N. M.

| OIL CONSERVATION COMMISSION, | | | | |
|---|------------------|---------------------|---|------------------|
| Santa Fe, New Mexico. | | | | |
| Gentlemen: | | | | |
| Permission is requested to connect | . W. Fair | | Baish | |
| | | Company or Operator | • | Lease |
| Wells No in 3 | ec. 27 | , т 178 | , r. 52 | , N. M. P. M., |
| Meljemer Field, | Lea | ······ | County, with the | pipe line of the |
| Texas-New Maxico Pipe Line Co. | | | | |
| | | | | |
| Status of land (State, Government or privately | mowned) | Federal | *************************************** | |
| Location of tank battery | m lease | | | |
| Description of tanks | wo 500 bbl | B | | |
| Logs of the above wells were filed with the Oil | Conservation Con | mission Marci | 1 7 | 1940 |
| | | | | |
| All other requirements of the Commission h | ave (remaind) b | een complied with. | (Cross out incorre | et words.) |
| Additional information: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| • | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | You | rs truly, | | |
| Permission is hereby granted to make pipe | line connec- | | | |
| tions requested above. | | D | | |
| | . تەخلىقىسى | Fair | Owner of | Operator |
| oil conservation commission, | and a | Trusse D | Onobian | |
| By 1209. yarbrolly | By | The second second | | |
| A. ANDREAS | Pos | ition Book-kee | per | |
| Title State Geologist Member Oil Conservation C'm's' | 3 | | | |
| Date Member Oil Conservation | Add | ress Box 516 | Artesia, M | |

3-the contract of the contract o WOOD INCOME STATE OF SE 10 to 61 B 1 . - **ai** . Let Land and the second of the second o LLYTS: A. C. T. T. T. C. C. C. But the second of the second o **30 \$**10. i**p**ati kulu kan un e

REQUES IN CONSIDER SOUTH OF THE CONSTITUTION OF THE RECOVER

. . .

Section 1. Section 1.

| | | 1 1 . | | | | | | | | |
|------------------------|--|---|---|---|--|--|--|--|---|----------------|
| | | | | | | | | | cico, or its | |
| | | | in the | | Regulations | of the | Ċommissio | on. Indicate | Follow Instr e questionab | |
| LOCATE W | A 640 ACRES TELL CORRE | CTLY | | | | | | | | |
| R, | w. Jai | ony or Operate | rest diplo | | <u> </u> | | 7K 51 | Address | esta, 1 | I. K. |
| | | Well | | 2 i | | Et of | Sec | 27 | , т | 173 |
| | | . Р. м., 1 | | | 1 | ··· | Le | a | | Coun |
| | | uth of the No | - | | | | | | es. 27 | <u>-17-38.</u> |
| | | gas lease is No r is | | | | | | | | |
| | | permitt ee is | | | | | | | | |
| e Lessee is | | 2 /2 2 /4 | A. W. | Jeir | | | Address | Arte | sia, N | • H • |
| | | 1/11/4 | | | | | | | | |
| | | at top of cas | | | | | | | | |
| ne informati | on given is t | to be kept cor | nfidential | until | · · · · · · · · · · · · · · · · · · · | | | | 19 | |
| 1 fuers | CORE | to | | OIL SAND | | | | | to | |
| | | to | | = | | | | | | |
| o. 3, from | | to | | | No. 6, f | rom | | | tc | |
| | | | | ORTANT | | | | | | |
| | | vater inflow : | | | | | | et | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| o. 4. from_ | | | to. | | RECORI | | fe | et | | |
| ···· | | | | CASINO | | | | | | |
| SIZE PE | | PER INCH | MAKE | AMOUNT | SHOE | FRO | FILLED M | FROM | FORATED | PURPO |
| 23" | 40# | 10 | | 201 | Plair | | | <u> </u> | | |
| *01) | 20# | 10 | | 85401 | : | | | | | |
| | | - | | | | | | | - | |
| | | | | | | | | | | |
| | | | 1 | | | | | | | |
| | | | | | | | | | | |
| | | | MUDDIN | G AND CE | MENTING | RECO | RD | | | |
| | | | SACKS | | | | | TTY | AMOUNT O | E MUD USEI |
| IOLE CAS | ING WHIERI | E SET OF | SACKS CEMENT | | MENTING | м | UD GRAV | | AMOUNT O | F MUD USKI |
| IOLE CAS | ING WHERI | | SACKS | метно | | м | UD GRAV | | | F MUD USKI |
| IOLE CAS | ING WHERI | E SET OF | SACKS CEMENT | метно | D USED | м | UD GRAV | | | |
| IOLE CAS | ING WHERI | E SET OF | SACKS CEMENT 20 | метно | DURSED | E e | UD GRAV | | | |
| FOLE CAS | DD SI | 201 5401 | SACKS CEMENT 20 400 | METHO LUGS ANI Length | DUPTOP | Be | CD GRAV | | G1ro | ulated |
| eaving plug | DD SI | 801 8401 | SACKS CEMENT 20 400 | METHO LUGS ANI Length Size | DUPTED | MO He | CD GRAV | Depth Se | G1ro | ulated |
| FOLE CAS | DD SI | 801 8401 | SACKS CEMENT 20 400 | METHO LUGS ANI Length | DUPTED | MO He | CD GRAV | Depth Se | G1ro | ulated |
| eaving plug | DD SI | 801 8401 | SACKS CEMENT 20 400 P OF SHO | METHO LUGS ANI Length Size | DUPTED D ADAPTI | MO He | REATM | Depth Se | 61ro | ulated |
| eaving plug | Material_ | RECORD EXPLOSE | SACKS CEMENT 20 400 P OF SHO | METHO LUGS ANI Length Size OOTING O | DUPTON D ADAPTI | ERS | REATM | Depth Se | S1ro | cleaned of |
| eaving plug | Material aterial HELL USED | RECORD EXPLOSE CHEMICA | SACKS CEMENT 20 400 P OF SHO | METHO LUGS ANI Length Size OOTING O | DUPTON D ADAPTI | ERS | REATM | Depth Se | S1ro | cleaned of |
| eaving plug | Material_ iterial_ HELL USED | RECORD EXPLOSE CHEMICA #1tre | SACKS CEMENT 20 400 P OF SHO IVE OR LL USED | METHO LUGS ANI Length Size OOTING O | DUPTOP D ADAPTI OR CHEMI TY D. | Te CAL T | REATM DEPT OR TO | Depth Second Property of the Land Property of the L | DEPTH (| CLEANED OU |
| eaving plug dapters—Ma | Material | RECORD EXPLOSE CHEMICA #1tre | SACKS CEMENT 20 400 P OF SHO (VE OR LL USED) | METHO LUGS ANI Length Size OOTING O | D USED D ADAPTI OR CHEMI TY D2 | ERS CAL T | REATM DEPT OR T | ENT H SHOT REATED | DEPTH O | cleaned ou |
| eaving plug lapters—Ma | Material aterial ooting or ch | RECORD EXPLOSE CHEMICA #1tre | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED | METHO Helli LUGS ANI Length Size OOTING O | D USED D ADAPTI OR CHEMI TY D2 58. 2 | Te ATE | REATM DEPT OR THE | Depth Second | DEPTH O | cleaned ou |
| eaving plug lapters—Ma | Material aterial ooting or ch | RECORD EXPLOSE CHEMICA Site Tional REC | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED Ment 20 b | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi | D USED D ADAPTI OR CHEMI TY D2 1. Well 1. W | Te CAL T | DEPT OR TO | Depth Second Property Second P | DEPTH O | cleaned ou |
| eaving plug lapters—Ma | Material aterial ooting or ch | RECORD EXPLOSE CHEMICA #1tre | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED Ment 20 b | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi | D USED D ADAPTI OR CHEMI TY D2 1. Well 1. Well 1. Well 1. Well 2. Well 2. Well 4. Well 4. Well 4. Well 5. Well 6. Well 6. Well 6. Well 6. Well 6. Well 7. Well 6. Well 7. Well 7. Well 8. Well 8. Well 9. Well 1. W | Te CAL T | DEPT OR TO | Depth Second Property Second P | DEPTH O | cleaned ou |
| eaving plug lapters—Ma | Material_aterial_aterial_ooting or cher spec | RECORD EXPLOSE CHEMICA Site REC Cial tests or c | SACKS CEMENT 20 400 OF SHO IVE OR LUSED Ment AFT Clean CORD OF deviation | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi The continue of | D USED D ADAPTI OR CHEMI TY D2 S B B B B B B B B B B B B B B B B B B | ERS CAL T ATE /24 Con SPRCIA Submit 1 | REATM DEPT OR TO | ENT H SHOT REATED 5-3953 | DEPTH O | hour f |
| eaving plug lapters—Ma | Material_aterial_aterial_ooting or cher spec | RECORD EXPLOSE CHEMICA Site REC Cial tests or c | SACKS CEMENT 20 400 OF SHO IVE OR LUSED Ment AFT Clean CORD OF deviation | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi The continue of | D USED D ADAPTI OR CHEMI TY D2 S B B B B B B B B B B B B B B B B B B | ERS CAL T ATE /24 Con SPRCIA Submit 1 | REATM DEPT OR TO | ENT H SHOT REATED 5-3953 | DEPTH O | hour f |
| eaving plug lapters—Ma | Material_aterial_aterial_ooting or cher spector other spector were used were used | RECORD EXPLOSE CHEMICA Sitro REC Cial tests or of from 6 from 3793 | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED Ment CORD OF deviation feet | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi TOOL to 37 to 365 | D USED D ADAPTI OR CHEMI TY D.2 Sere made, Sere mad | TO THE ATE ATE SPECIAL Submit 1 t, and | BEATM DEPT OR TO | ENT H SHOT REATED S-3953 | DEPTH of the sheet and feet to | hour f |
| eaving plug dapters—Ma | Material_aterial_aterial_ooting or cher spector other spector were used were used | RECORD EXPLOSE CHEMICA Sitro REC Cial tests or of from 6 from 3793 | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED Ment CORD OF deviation feet | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi TOOL to 37 to 365 | D USED D ADAPTI OR CHEMI TY D.2 Sere made, Sere mad | TO THE ATE ATE SPECIAL Submit 1 t, and | BEATM DEPT OR TO | ENT H SHOT REATED S-3953 | DEPTH of the sheet and feet to | hour f |
| eaving plug dapters—Ma | Material aterial ooting or cher spector other spector were used were used were used on of the first one of the firs | RECORD EXPLOSE CHEMICA The semical treate REC from from 93 | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED Ment Clear CORD OF deviation feet feet | METHO Helli LUGS ANI Length Size OOTING O QUANTI 150 qi TOOL to 37 to 395 PROD | D USED D ADAPTI OR CHEMI TY D2 S B B B B B B B B B B B B B B B B B B | CAL TATE /24 SPRCIA submit to t, and to t, and to t. | REATM DEPT OR TI S87: TESTS report of | ENT H SHOT REATED S-3953 SOTIDIA I Separate | DEPTH Sheet and feet to feet to % was oil | hour f |
| eaving plug dapters—Ma | Material_aterial_aterial | RECORD EXPLOSE CHEMICA Sitro REC Cial tests or of from 6 from 3793 | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED CORD OF deviation feet feet as ad nd | METHO LUGS ANI Length Size DOTING O QUANTI 150 qi 150 qi | D USED OUPTOD OR CHEMI TY D. SEE AND Sere made, SEE USED OUCTION barrels of diment. (Compare) | ERS CAL T ATE /24 SPRCIA submit t t, and t t, and t | REATM DEPT OR TO STATE OR TO S | ENT H SHOT REATED S-3953 | DEPTH O | hour f |
| eaving plug lapters—Ma | Material aterial ooting or che were used were used cing on of the firs wu, ft. per 24 | RECORD EXPLOSE CHEMICA Itro REC in tests or of from grow grow grow grow grow grow grow grow | SACKS CEMENT 20 400 P OF SHO (VE OR LL USED) Mentage CORD OF deviation feet feet as as and | METHO LUGS ANI Length Size DOTING O QUANTI 150 qi TOOL to 37 to 395 PROD 19 % sec | D USED OUPTOD OR CHEMI TY D. SEE AND Sere made, SEE USED OUCTION barrels of diment. (Compare) | ERS CAL T ATE /24 SPRCIA submit t t, and t t, and t | REATM DEPT OR TO STATE OR TO S | ENT H SHOT REATED S-3953 | DEPTH O | hour f |
| eaving plug dapters—Ma | Material aterial ooting or che were used were used cing on of the firs wu, ft. per 24 | RECORD EXPLOSE CHEMICA REC Cial tests or of from from from system and hours q. in | SACKS CEMENT 20 400 P OF SHO (VE OR LUSED Ment 20 b) CORD OF deviation feet feet | METHO LUGS ANI Length Size DOTING O QUANTI 150 qi 150 qi | D USED OR CHEMI OR CHEMI TY D. SEE AND Sere made, SEE USED Sere made, Gallons SEE COYEES | ERS CAL T ATE /24 SPRCIA submit t t, and t t, and t gravity, gasoline | REATM DEPT OR TO STATE OR TO S | ENT H SHOT REATED S-3953 100 100 100 100 100 100 100 1 | DEPTH (| hour f |
| eaving plug dapters—Ma | Material aterial ooting or che were used were used cing on of the firs wu, ft. per 24 | RECORD EXPLOSE CHEMICA REC Cial tests or of from from from system and hours q. in | SACKS CEMENT 20 400 P OF SHO IVE OR LUSED CORD OF deviation feet feet as 18 | METHO LUGS ANI Length Size DOTING O QUANTI 150 qi 150 qi | D USED OUPTON O ADAPTI OR CHEMI TY D2 S S S S S S S S S S S S S S S S S S S | CAL TATE /24 SPRCIA submit to t, and t, a | REATM DEPT OR TI S87: TESTS report of from from per 1.00 | ENT H SHOT REATED S-3953 I separate | DEPTH (| hour f |

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and a work done on it so far as can be determined from available records.

| Subscribed and sworn to before me this 6 | Artesia, N. M. 5/8/40 Name Fram P. Vilins |
|--|--|
| day of | Name Fram & Collins |
| | PositionBOOK-Reeper |
| My Lommission expires | Representingpmpipperator |
| | Address Box \$16. Artesia, N. M. |

FORM ATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|------|-------------|----------------------|--------------------------|
| 0 | 28 | 28 | Surface Sand |
| 28 | 331 | \$ 03 | Hed Rock & Gravel |
| 331 | 755 | 424 | Irid Rock |
| 755 | 792 | 37 | inhydrite |
| 792 | 860 | 68 | Athydrite & red rock |
| 860 | 1050 | 170 | Mhydrite |
| 1030 | 1045 | 15 | imbydrite & Salt streaks |
| 1045 | 2000 | 955 | \$1218 N |
| 2000 | 2070 | 70 | falt & Anhydrite |
| 2070 | 2950 | 880 | mhydritä |
| 2950 | 8976 | 26 | lime & Anhydrite |
| 2976 | 2999 | 25 | Inhydri të |
| 2999 | | | |
| | 3046 | 47 | lime & Anhydrite |
| 3046 | 3852 | 806 | 14.00 |
| 3652 | 3875 | 23 | Ward Sindy Lime |
| 3875 | 3940 | 65 | (11 Sand |
| 3940 | 5953 | 18 | fiand & Lime |