

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions
reverse side)

COPY TO O.C.C.

Form approved
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ WATER INJECTION WELL	5. LEASE DESIGNATION AND SERIAL NO. LC 057210
2. NAME OF OPERATOR CONTINENTAL OIL COMPANY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR Box 460, Hobbs, N.M. 88240	7. UNIT AGREEMENT NAME MCA
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1980' FSL & 1980' FEL OF SEC. 27	8. FARM OR LEASE NAME MCA UNIT 14
14. PERMIT NO.	9. WELL NO. 184
15. ELEVATIONS (Show whether BP, RT, GR, etc.) 3958' DF	10. FIELD AND POOL, OR WILDCAT MALJ. G-SA REPRESS.
	11. SEC., T., R., M., OR BEE. AND SURVEY OR AREA Sec. 27, T-17S, R-32E
	12. COUNTY OR PARISH LEA
	13. STATE N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Cleaned out & dumped pea gravel to 3835'. Ran 96 lbs.
4 1/2" 11.35# J-55 Flushline CS9. Set @ 3835' w/ 175
lbs. Class "C" cmt. WOC 24 hrs. Tested w/ 1000#, held ok.
Drilled out cmt & cleaned out to 4083'. Returned to inj.
Work started 4-23-75, completed 5-10-75.

See Attached for BOP program.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

JUN 4 1975

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

*See Instructions on Reverse Side


USGS-5, MCA-4, File

RECEIVED

JUN 10 1975

GEORGE CONSERVATION OF AM.
BOERS, H. E.

CONTINENTAL OIL COMPANY
Blow-out Preventer Specifications



NOTE:

Manual and hydraulic controls with closing unit no less than 75' from well head.

RECEIVED

JUN 10 1975

OIL CONSERVATION COMM.
HABBS, N. M.